

Product datasheet for SC309930

TLL5 (NM_015072) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	TLL5 (NM_015072) Human Untagged Clone
Tag:	Tag Free
Symbol:	TLL5
Synonyms:	CORD19; KIAA0998; STAMP
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC309930 representing NM_015072. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTGTAGTGAACCGTCAGAATTTTGTAAATACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGCCAATCGTGATGGCCCGGGACCTGGAGGAAACAGCATCATCCTCAGAGGATGAGGAGGTGATAAGT
CAAGAGGATCATCCATGCATCATGTGGACTGGAGGCTGCAGGAGAATCCAGTTTGGTATTCCATGCC
GACGCTATTCTTACAAGGACAACAATATTAGAGTAATTGGAGAAGTTATCATTGTCTTATAAGATT
GTACGAACGGACAGTCGCTAGTACGCAGCATTCTGACAGCCCATGGATTTTCATGAAGTTCACCCAAGC
AGCACTGACTATAACCTAATGTGGACAGGATCCCACCTGAAGCCCTTCTACTGCGCACCTCTCTGAA
GCACAAAAGTTAATCACTTTCCAGGTCTTATGAACTTACCCGGAAGGACCGACTGTACAAAACATT
ATTCGAATGCAGCATACATGGATTCAAGGCTTTTACATCCTCCCCAGACCTTCTCCTGCCAGCT
GAGTACGCGGAATTTTGTAAATTCATATTCGAAGGACCGGGGACCTTGGATAGTAAAACAGTGGCATCT
TCAAGGGGGCGGGGCGTCTACCTGATCAACAATCCAAACCAGATCTCCCTGGAAGAGAACATTTGGTC
TCCCGTTACATTAACAACCCCTGCTCATAGATGATTTCAAGTTTGACGTGCGCCTCATGTGCTCGTG
ACTTCCTATGATCCTCTGTGCATCTATCTATGAAGAAGGATTGGCTAGGTTTGCAACTGTGCGATAT
GATCAAGGAGCCAAGAACATTCGGAACCGTTCATGCATCTGACAACTACAGTGTCAACAAGAAAAGT
GGAGATTACGTCAAGTGTGACGATCCAGAAGTGGAGGATTATGAAACAAATGGAGCATGAGTGCATG
CTTAGGTACCTGAAACAAGAAGGACAGATACAACCGCATTGATGGCCCATGTAGAAGACCTGATCATT
AAGACTATAATCTCTGCTGAACTAGCTATTGCTACTGCCTGTAACCTTTGTTCCCTCATCGCAGCAGT
TGTTTTGAACTCTATGGCTTTGACGTGCTCATAGATTCTACTCTGAAGCCATGGTTGTTGGAAGTGAAT
CTCTCTCCTTCTTTGGCCTGTGATGCGCCTCTGGACCTAAAGATTAAGCCAGTATGATTTAGATATG
TTCCTGTTGTAGGATTTGTGTGCAAGATCCTGCCAGCGGGCATCAACTCGGCCAATTTATCCCACC
TTTGAGTCTTCCAGGCGAAACCTTTCCAGAACTCAGCGTTGCCGTCCACTCTCTGCCAGTATGCG
GAAATGAAAACCTCGTGGGCTCAGCCCGGAGAAAGGGCCAGGGAAGTTGGGTGGTCTGTGCTTGGT
CTGTCAATGGAGGAGATCAAAGTTTACGAAGGGTGAAGGAGGAGAATGATCGGCGAGGTGGATTTATT
CGCATATTTCTACATCTGAGACATGGGAAATATATGGGTCTACCTCGACATAAGACCTCAATGAAC
```



[View online >](#)

TATATGCTGGCAACACGCCTCTCCAGGACAGAATGACTGCTGATGGAGCGCCAGAATTGAAGATAGAG
 AGTCTGAATTCAAAGGCCAAGCTGCATGCTGCACTTTACGAGAGGAAGCTCCTGTCTCTGGAGGTGCGA
 AAACGTAGACGACGGAGTAGCAGATTGAGGGCAATGAGGCCAAAAATCCCAAGTATTACCAACCAGCT
 GAAATGAATGTTAAAACCTGAGACAGAGAGTGAAGAGGAGGAAGAAGTCGCATTAGATAATGAAGATGAA
 GAACAGGAGGCTCCCAGGAGGAGTCTGCAGGATTTCTTAGAGAAAATCAAGCCAAATATACACCCTCA
 TTGACAGCTTTGGTAGAAAATACACCCAAAGAAAATCCATGAAAGTTCGTGAATGGAATAATAAAGGT
 GGACACTGCTGCAAACCTTGAGACTCAGGAGCTAGAGCCTAAATTTAACCTGATGCAGATTCTTCAAGAT
 AATGGCAATCTTAGCAAAATGCAGGCCGAATAGCATTCTCTGCCTATCTCCAGCATGTTCAAATTCGC
 CTGATGAAAGACAGTGGCGGTGACAGCTTCAGTGCCAGTTGGGCTGCCAAAGAGGATGAACAGATGGAG
 CTGTTTGTCTGTTTCTCAAGCGAGCATCAAATAACCTCCAGCATTCACTGAGGATGGTATTACCCAGT
 CGACGATTGGCACTTCTGGAACGCAGAAGAATCCTGGCCACCAGCTGGTGACTTTATCATTGTATAC
 AACAGGAAACAGAACAAATGGTGAAAAGAAATCAAAGAAGAAAGTTGAGGAAGAAGAGGAAGTGGG
 GTGAATATGGAACCTTTCAGGAGTTCATCAGACAAGCAAGTGAAGTGAAGTGGAGGAGGTGTTGACT
 TTTTATACCCAAAAGAACAAGTCTGCTAGTGTCTTCTGGGGACTCACTAAAAATTTCTAAGAACAAC
 AACAAATTATTCTGATAGTGGGGCAAAGGTGATCACCTGAGACTATAATGGAAGAAGTAAAAATAAG
 CCACCTAAACAGCAACAGACGACAGAAATTCATTCTGATAAATTATCTCGATTTACCACTTCAGCAGAA
 AAAGAGGCAAAATTAGTTTATAGCAATTCCTCCTCTGGTCTACTGCTACTCTGCAGAAAATTTCCAAC
 ACCCATTTGTCATCTGTTACAACCTCTGACCTCTCTCCAGGGCCTTGCCACCATTCTTTTATCTCAA
 ATTCCTTCAGCTATCCCCAGCATGCCTCACCAGCCAACAATTTTACTGAACACAGTCTCTGCCAGTGCT
 TCTCCCTGCCTACATCCCGGGGCACAGAACATCCCAAGCCCTACTGGCCTGCCACGCTGTGATCAGGA
 AGTACACCATTTGGTCCCTTTTCTTCTTCAAAGTGTGCACACATCTATAGCCAGAAACTGTCTCGT
 CCCTCTTCAGCAAAGGCAGGATCGTGCTATCTAAACAAGCATCATTGAGGAATAGCCAAAACACAAAAA
 GAGGGAGAAGATGCTTCTTTATATAGCAAACGGTACAACCAAGTATGGTTACAGCTGAACCTCAGCGG
 CTAGCTGAGAAGCAGGCAGCGAGACAGTATTCTCCATCCAGCCACATCAACCTCCTCACCCAACAGGTA
 ACAAACTGAATTTGGCAACTGGCATCATAAACAGAAGCAGTGTTCAGCTCCCCAACCTCCGACCC
 ATCATCAGTCTAGTGGCCCGACATGGTCTACACAGTCAAGCCCCAAGCTCCCGAGAATCACTCCAGC
 TCTCCTGGAAGCAGGAGCCTGCAGACAGGGGATTTGCCTGGGAAGGAGAAGTAGAAAACAACGTGTAC
 AGCCAGGTACAGGGGTGGTCCCCAGCACAAGTATACCCACAGCAGGCAGCTATCAGCTTCAATTT
 GCCCTGCAGCAACTTGAACAACAAAACTTCAGTCCCGGCAGCTCCTGGACCAGAGTCGAGCCCGGCAC
 CAGGCAATCTTTGGCAGCCAGACACTACCTAACTCCAATTTATGGACAATGAATAATGGTGCAGTTGT
 AGAATTTCCAGTGCCACAGCTAGTGGCCAGAAGCCAACCTCTGCCAAAAAGTGGTACCACCTCCA
 AGTTCTTGGCCCTCCCTGGTTCCCAAACCCCAACCAACCAAGTGAACAAGTCTCAGAAGGGCAACATCC
 CAGAAAGCTTCCAAGGGTCTCCCGGGAAGGGCAGCTGAATGGACTCCAGAGCAGCCTTAAACCTGCA
 GCCTTTGTGCCATCACCAGCTCTACAGATCTGCTCACACTAAAAATGTA
 ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
 TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

- Restriction Sites:** Sgfl-MluI
- ACCN:** NM_015072
- Insert Size:** 3846 bp
- OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
- OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_015072.4</u>
RefSeq Size:	4773 bp
RefSeq ORF:	3846 bp
Locus ID:	23093
UniProt ID:	<u>Q6EMB2</u>
Cytogenetics:	14q24.3
MW:	143.6 kDa
Gene Summary:	This gene encodes a member of the tubulin tyrosine ligase like protein family. This protein interacts with two glucocorticoid receptor coactivators, transcriptional intermediary factor 2 and steroid receptor coactivator 1. This protein may function as a coregulator of glucocorticoid receptor mediated gene induction and repression. This protein may also function as an alpha tubulin polyglutamylase.[provided by RefSeq, Feb 2010]