

Product datasheet for SC309935

SIK3 (NM_025164) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SIK3 (NM_025164) Human Untagged Clone
Tag:	Tag Free
Symbol:	SIK3
Synonyms:	L19; QSK; SEMDK; SIK-3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC309935 representing NM_025164. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTGTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGCGCGCGCGCGCGAGCGGAGCTGGCGGGGCTGCCGGGGCCGGGACTGGGGAGCCGGGCCCGCG
GGCCGCTGTGCCTCCGCCCGCGCGGGTCCCCAGCCGCCCGCTGCCGTGTCCCCTCGCGCCGGC
CAGCCCGTCCCCAGCCCGGCTCCCGCGGACCCATGCCCGCCGTATCGGCTACTACGAGATCGAC
CGCACCATCGGCAAGGGCAACTTCGCGGTGGTCAAGCGGGCCACGCACCTCGTACCAAGGCCAAGTT
GCTATCAAGATCATAGATAAGACCCAGCTGGATGAAGAAAACCTGAAGAAGATTTCCGGGAAGTTCAA
ATTATGAAGATGCTTTGCCACCCCATATCATCAGGCTCTACCAGTTATGGAGACAGAACGGATGATT
TATCTGGTGACAGAAATAGCTAGTGAGGGGAAATATTTGACCACCTGGTGGCCCATGGTAGAATGGCA
GAAAAGGAGGCACGTCCGAAGTTCAAACAGATCGTACAGCTGTCTATTTTGTCACTGTGCGAACATT
GTTTCATCGTGATTTAAAAGCTGAAAATTTACTTCTGGATGCCAATCTGAATATCAAAATAGCAGATTTT
GGTTTCAGTAACCTCTTCACTCCTGGGCAGCTGCTGAAGACCTGGTGTGGCAGCCCTCCCTATGCTGCA
CCTGAACCTTTGAAGGAAAAGAATATGATGGGCCAAAGTGGACATCTGGAGCCTTGGAGTTGCTCTC
TACGTGCTTGTGTGCGGTGCCCTGCCATTTGATGGAAGCACATGCAGAATCTGCCGGGCCCGGTGCTG
AGTGAAAAGTTCCGCATCCCATTTTTATGTCCACAGAATGTGAGCATTGATCCGCCATATGTTGGTG
TTAGATCCCAATAAGCGCCTCTCCATGGAGCAGATCTGCAAGCACAAGTGGATGAAGCTAGGGGACGCC
GATCCCAACTTTGACAGTTAATAGCTGAATGCCAACAACTAAAGGAAGAAAGACAGGTGGACCCCTG
AATGAGGATGTCTCTTGGCCATGGAGGACATGGGACTGGACAAAGAACAGACACTGCAGTCATTAAGA
TCAGATGCCTATGATCACTATAGTGCAATCTACAGCCTGCTGTGTGATCGACATAAGAGACATAAAACC
CTGCGTCTCGGAGCACTTCTAGCATGCCCGAGCCCTGGCCTTCAAGCACCAGTCAATATCCAGGCG
GAGCAGGCAGGTACTGCTATGAACATCAGCGTTCCCCAGGTGCAGCTGATCAACCAGAGAACCAAATT
GTGGAGCCGGATGGGACTGAATTTGGACAGTGTGAGGGTGAAGAGCCTTCCCCTGAAGCATTGGTG
CGCTATTTGTCAATGAGGAGGCACACAGTGGGTGTGGCTGACCCACGCACGGAAGTTATGGAAGATCTG
CAGAAGCTCTACCTGGCTTCTGGAGTCAACCCCGAGCTCCATTCTGCAGGTGGCCCTAATGTG
```



[View online »](#)

AACTTCATGCACAACCTGTTGCCTATGCAAACTTGAACCAACCGGGCAACTTGAGTACAAGGAGCAG
 TCTCTCTACAGCCGCCACGCTACAGCTGTTGAATGGAATGGGCCCTTGGCCGAGGGCATCAGAT
 GGAGGAGCCAACATCCAACCTGCATGCCAGCAGCTGCTGAAGCGCCACGGGGACCTCTCCGCTTGT
 ACCATGACACCAGCAGTCCAGCAGTTACCCCTGTGGACGAGGAGAGCTCAGACGGGGAGCCAGACCAG
 GAAGCTGTGCAGAGCTCTACCTACAAGGACTCCAACACTCTGCACCTCCCTACGGAGCGTTTCTCCCCT
 GTGCGCCGGTTCTCAGATGGGGCTGCGAGCATCCAGGCCCTCAAAGCTCACCTGGAAAAAATGGGCAAC
 AACAGCAGCATCAAACAGCTGCAGCAGGAGTGTGAGCAGCTGCAGAAGATGTACGGGGGAGCAGATTGAT
 GAAAGAACCCTGGAGAAGACCCAGCAGCAGCATATGTTATACCAGCAGGAGCAGCACCATCAAATCTC
 CAGCAACAAATCAAGACTCTATCTGCTCCTCAGCCATCTCCACCTCTCAGGCTGCATGTGAAAAT
 CAGCCAGCCCTCCTTACCATCAGCTCCAGAGGTTAAGGATTCAGCCTTCAAGCCACCCCCCAACCAC
 CCCAACAAACCATCTTTCAGGCAGCCAGTAATAGTCTCCCCCATGAGCAGTGCCATGATCCAGCCT
 CACGGGGTGCATCTTCTCCAGTTTCAAGGCTTACCTTCCCGCAGTGAATCTTTCAGCAGCAACCT
 GAGAACTGTTCTCTCTCCACGTGGCACTAACCTGCTGGGTATGCAGCAGCCTGCTCAGTCACAG
 CAGGTACCATCCAAGTCCAAGAGCCTGTTGACATGCTCAGCAACATGCCAGGCACAGCTGCAGGCTCC
 AGTGGGCGGGCATCTCCATCAGCCCCAGTGTGGTGCAGATGCAGCACCCTACCAACCTGATG
 GCCACCCTCAGCTATGGGCACCGTCCCTTGTCCAAGCAGCTGAGTGTGCAGTGCAGAGGCTCACAGC
 TTGAACGTGAATCGGTTCTCCCCTGCTAACTACGACCAGGCGCATTTACACCCCATCTGTTTTCCGAC
 CAGTCCCGGGGTTCCCCAGCAGCTACAGCCCTTCAACAGGAGTGGGGTTCTCTCAACCCAAGCCCTG
 AAAGTCCCTCCACTTGACCAATTCACCCCTTCCCTCCAGTGCACATCAGCAGCCGCCACACTATACC
 ACGTCGGCACTACAGCAGGCCCTGCTGTCTCCACGCCGCCAGACTATAACAAGACACCAGCAGGTACCC
 CACATCCTTCAAGGACTGCTTTCTCCCGCATTCGCTCACCGGCCACTCGGACATCCGGCTGCCCCCA
 ACAGAGTTGCACAGCTCATTAAAAGGCAGCAGCAACAACGGCAGCAGCAGCAACAGCAGCAACAG
 CAAGAATACCAGGAAGTTCAGGCACATGAACCAAGGGGATGCGGGGAGTCTGGCTCCAGCCTGGG
 GGACAGAGCATGACAGAGCGCCAGGCTTTATCTTATCAAATGCTGACTCTTATACCATCACACCAGC
 CCCCAGCATCTGTACAATCAGGGCACAAGAATGTGTCTCACAGGCTTCTCACCCACCCCGCCCCAC
 GGGTATGCTCACCAGCCGGCACTGATGCATTAGAGAGCATGGAGGAGGACTGCTCGTGTGAGGGGGCC
 AAGGATGGCTTCCAAGACAGTAAGAGTTCAAGTACATTGACCAAAGGTTGCCATGACAGCCCTCTGCTC
 TTGAGTACCGGTGGACCTGGGGACCTGAATCTTGTAGGAACTGTGAGTCATGCCAAGAATTGGGG
 ATACATCCCTATGGTCATCAGCCAACTGCTGCATTAGTAAAAAATAGGTGCCAGCAGAGAGCCTGTC
 ATAGGGAAGTGCATGGATAGAAGTTCTCCAGGACAAGCAGTGGAGCTGCCGGATACAATGGGCTCGGG
 TACCCAGCAGCCCTCCGTCCATGAGCACCACAGGCCCGGGCCCTCCAGAGACACCACAGATCCAG
 AACAGCGACGATGCTTATGTACAGCTGGATAACTTGCCAGGAATGAGTCTCGTGGCTGGGAAAGCACTT
 AGCTCTGCCCGGATGTCGGATGCAGTTCTCAGTCAGTCTTCGCTCATGGGCAGCCAGCAGTTTCAGGAT
 GGGGAAAATGAGGAATGTGGGGCAAGCCTGGGAGGTGATGAGCACCCAGACCTGAGTGTGGCAGCCAG
 CATTTAACTCCTCTTGCTATCCATCTACGTGATTACAGACATTCTGCTCAGCTACAAGCACCCCGAA
 GTCTCCTCAGCATGGAGCAGGCAGGCGTAA
 ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
 TACAAGGATGACGACGATAAGGTTTAAACGGCCCGC

Restriction Sites:

SgfI-MluI

Plasmid Map:

□

ACCN:

NM_025164

Insert Size:

3966 bp

OTI Disclaimer:

Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_025164.4
RefSeq Size:	6219 bp
RefSeq ORF:	3966 bp
Locus ID:	23387
UniProt ID:	Q9Y2K2
Cytogenetics:	11q23.3
Protein Families:	Druggable Genome, Protein Kinase
MW:	144.9 kDa
Gene Summary:	Positive regulator of mTOR signaling that functions by triggering the degradation of DEPTOR, an mTOR inhibitor. Involved in the dynamic regulation of mTOR signaling in chondrocyte differentiation during skeletogenesis (PubMed:30232230). Negatively regulates cAMP signaling pathway possibly by acting on CRTC2/TORC2 and CRTC3/TORC3 (Probable). Prevents HDAC4 translocation to the nucleus (By similarity).[UniProtKB/Swiss-Prot Function] Transcript Variant: This variant (1) represents the longest transcript and encodes the longest isoform (1).