

Product datasheet for **SC309992**

SUPT16H (NM_007192) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SUPT16H (NM_007192) Human Untagged Clone
Tag:	Tag Free
Symbol:	SUPT16H
Synonyms:	CDC68; FACTP140; SPT16; SPT16/CDC68
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL5</u>
E. coli Selection:	Ampicillin (100 ug/mL)

Fully Sequenced ORF: >OriGene sequence for NM_007192 edited
 ATGGCTGTGACTCTGGACAAAGACGCTTATTATCGGCGAGTGAAGAGACTGTACAGCAAT
 TGGCGAAAGGAGAAGATGAGTATGCCAACGTTGATGCCATTGTTGTATCAGTGGGTGTT
 GATGAAGAAATTGTTTATGCCAAATCAACTGCCTTACAGACATGGCTCTTTGTTATGAA
 CTAAGTACTACTATCATGGTCTTTTGTGATGACAAAATCATCTTTATGGCCAGCAAGAAA
 AAAGTGGAGTTCTTGAACAGATTGCCAACACTAAGGGCAATGAGAATGCTAATGGAGCC
 CCTGCCATCACACTGCTAATACGAGAAAAGAATGAAAGTAATAAGAGTAGCTTTGACAAA
 ATGATTGAAGCCATTAAGAAAAGCAAGAATGGCAAGAAGATTGGAGTGTTCAGCAAAGAC
 AAATCCCTGGAGAGTTCATGAAGAGCTGGAATGACTGCCTCAACAAAGAAGGCTTTGAC
 AAAATAGATATCAGTGCAGTTGTGGCATATACCATCGCTGTAAGGAGGATGGGGAGCTC
 AACCTAATGAAGAAAGCAGCCAGCATCACTTCTGAAGTCTTCAACAAATCTTCAAGGAA
 AGAGTCATGGAAATAGTTGATGCAGATGAGAAAGTTTCGACACAGCAAAGCTGGCTGAGTCT
 GTGGAAAAGGCCATTGAAGAGAAAAAATACCTTGTGGGGCAGACCCCTTACTGTGGAA
 ATGTGTTACCCTCCTATCATTAGAGTGGTGGCAACTATAATCTCAAGTTCAGTGTGGTG
 AGTGACAAGAATCATATGCACCTTTGGGGCTATCACTTGTGCCATGGGTATTCGCTTCAAG
 TCTTACTGCTCCAACCTTGTTCGCACCTTGTGTTGATCCTTCTCAAGAAGTTCAGAA
 AATTATAACTTTTGTCCAGCTTCAAGAGGAGCTGCTGAAGGAATTAAGACATGGTGTG
 AAGATATGTGACGTGTATAACGCTGTATGGACGTGGTTAAAAAGCAGAAGCCAGAAGCTG
 CTGAACAAAATTACCAAAAACCTAGGGTTTGGGATGGGAATTGAATTCGTTGAAGGCTCC
 CTAGTAATCAATAGCAAAAATCAATACAAACTGAAGAAAGGAATGGTTTTTCAGCATCAAT
 TTAGGATTCTCAGACCTGACTAACAAAGGAGGGGAAAAAGCCAGAAGAGAAAACCTATGCC
 CTGTTTATTGGTACACAGTGTGTTGGATGAGGATGGCCAGCTACTGTTCTCACTTCT
 GTGAAGAAGAAAGTGAAGAATGTGGGATTTTCTAAAGAATGAAGATGAGGAAGAAGAG
 GAGGAGGAGAAAGATGAGGCAGAGGACCTTTTGGGAAGAGTTCTCGGGCAGCATTACTT
 ACAGAAAAGAACAGAAAATGAAATGACTGCAGAAGAGAAGCGAAGAGCACATCAGAAAAGAA
 CTAGCGGCTCAACTCAATGAAGAAGCAAAGAGGCGATTGACTGAACAAAAGGGAGAACAG
 CAGATTCAGAAAGCTCGCAAGTCTAATGTGTCCTATAAAAACCCATCTCTGATGCCTAAG



[View online »](#)

```

GAACCGCATATTCGGGAAATGAAGATCTACATCGATAAGAAATATGAGACTGTAATAATG
CCCGTGTTTGGCATTGCAACACCGTTTCACATTGCCACAATCAAGAATATAAGTATGTCC
GTGGAAGGAGATTATACTTACTTGCGAATCAACTTTTATTGCCAGGCAGTGCTCTGGGC
AGGAATGAAGGCAACATCTTTCCTAACCCTGAAGCGACTTTTGTCAAGGAAATTACATAC
CGAGCATCAAATATTAAGGCACCCGGAGAACAGACAGTACCAGCCTTGAACCTTCAGAAT
GCTTTCGGAATTATTAAGAAGTACAGAAACGTTATAAACTCGAGAAGCTGAAGAGAAA
GAGAAGGAGGGCATTGTAAAACAAGACTCACTGGTGATCAATCTAAACCGGAGTAATCCG
AAACTGAAAGATCTATACATTGCCCCAAATATTGCCAAAAGAGGATGCAAGGCTCACTG
GAGGCCCATGTCAATGGCTTCCGCTTCACATCTGTTTCGAGGAGACAAAGTGGATATTTG
TACAATAATATTAAGCATGCTTTGTTCCAGCCCTGTGATGGAGAAATGATTATTGTCTTG
CACTTTCACCTCAAGAATGCCATCATGTTTGGGAAGAAGCGGCACACGGATGTGCAGTTC
TACACAGAAGTGGGAGAGATAACCACGGACTTGGGAAACATCAGCATATGCATGACCGA
GATGACCTCTATGCTGAGCAGATGGAACGAGAAATGAGGCACAACTGAAAACAGCCTTT
AAAAATTTCAATTGAGAAAGTAGAGGCTCTAACTAAGGAGGAACTGGAATTTGAAGTGCCT
TTTAGGGACTTGGGATTTAACGGAGCTCCCTATAGGAGTACCTGCCTCCTTCAGCCCACT
AGTAGTGCCTGGTAAATGCTACGGAATGGCCACCTTTTGTGGTGACATTGGATGAGGTA
GAGCTGATCCACTTTGAGCGGGTCCAGTTTCACCTGAAGAACTTTGATATGGTAATCGTC
TACAAGGACTACAGCAAGAAAGTGACCATGATCAACGCCATTCCTGTAGCCTCTCTTGAC
CCCATCAAGGAATGGTTGAATTCCTGCGACCTGAAATACAGAAAGGAGTACAGTCCCTC
AACTGGACTAAAATCATGAAGACCATTGTTGATGACCCTGAGGGCTTCTTCGAACAAGGT
GGCTGGTCTTTCTGGAGCCTGAGGGTGAAGGGGAGTGATGCTGAAGAAGGGGATTAGAG
TCTGAAATTGAAGATGAGACTTTTAATCCTTCAGAAGTACTATGAAGAGGAAGAGGAG
GACAGTGATGAAGATTATTCATCAGAAGCAGAAGAGTCACTATTCTAAGGAGTCATTG
GGTAGTGAAGAAGAGAGTGGAAAAGGATTGGGATGAACTGGAGGAAGAAGCCCGAAAAGCG
GACCGAGAAAGTGGTTACGAGGAAGAAGAACAAGTGAAGTATGAGCCGGAAGAGG
AAGGCATCTGTGCACAGTTCGGGCCGTGGCTCTAACCGTGGTTCCAGACACAGCTCTGCA
CCCCCAAGAAAAGAGGAAGTAA
    
```

Restriction Sites:

Please inquire

ACCN:

NM_007192

Insert Size:

3100 bp

OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in *E. coli* are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_007192.2, NP_009123.1</u>
RefSeq Size:	4696 bp
RefSeq ORF:	3144 bp
Locus ID:	11198
UniProt ID:	<u>Q9Y5B9</u>
Cytogenetics:	14q11.2
Domains:	Peptidase_M24
Protein Families:	Druggable Genome, Transcription Factors
Gene Summary:	Transcription of protein-coding genes can be reconstituted on naked DNA with only the general transcription factors and RNA polymerase II. However, this minimal system cannot transcribe DNA packaged into chromatin, indicating that accessory factors may facilitate access to DNA. One such factor, FACT (facilitates chromatin transcription), interacts specifically with histones H2A/H2B to effect nucleosome disassembly and transcription elongation. FACT is composed of an 80 kDa subunit and a 140 kDa subunit; this gene encodes the 140 kDa subunit. [provided by RefSeq, Feb 2009]