

## Product datasheet for **SC310033**

### AP1B1 (NM\_001127) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	AP1B1 (NM_001127) Human Untagged Clone
Tag:	Tag Free
Symbol:	AP1B1
Synonyms:	ADTB1; AP105A; BAM22; CLAPB2; KIDAR
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >SC310033 representing NM\_001127.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAATACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGACTGACTCAAAATATTTACCACGACCAAGAAGGGGAGATCTTCGAGCTGAAGGCAGAGCTCAAC
AGTGACAAGAAGGAGAAGAAGAAGGAGGCAGTGAAGAAAGTGATTGCATCGATGACCGTGGGCAAGAT
GTCAGTGCCCTCTCCCCGATGTGGTCAACTGCATGCAGACGGACAACCTGGAGCTGAAGAAGCTAGTA
TACCTCTACTTGATGAATTACGCCAAGAGTCAGCCTGACATGGCCATTATGGCCGTCAACACCTTTGTG
AAGGACTGTGAGGACCCCAACCCCTCATCCGAGCCCTGGCAGTGGCAGCCATGGGCTGCATCCGCGTT
GACAAGATCACAGAGTACCTGTGCGAGCCACTCCGGAAGTGCCTGAAGGACGAGGATCCATATGTGCGC
AAGACAGCAGCTGTGTGCGTGGCCAAGTCCACGACATCAACGCCAGCTGGTGGAGGACCAGGGCTTC
CTGGACACCCCTAAAGACCTCATCTCCGACTCTAACCCCATGGTGGTGGCCAATGCAGTGGCAGCGCTC
TCAGAAATGGCCAGTCTCACCCAGCAGCAACCTGCTCGATCTGAACCCACAGTCCATCAACAAGCTG
CTGACAGCCCTCAATGAGTGCACCGAGTGGGGCCAGATCTTCATCCTGGACTGCCTGCCAACTATATG
CCCAAGGACGACCGCGAGGCCAGAGCATCTGTGAGCGGGTACCCCCAGGCTCTCCCATGCCAACTCC
GCTGTGGTGTCTCTGCTGTGAAGGTGCTGATGAAGTTCATGGAGATGTTGTCTAAGGACTTGGACTAC
TACGGCACACTGCTCAAGAAGCTGGCCCCACCCCTGGTACACTGCTGTGACCGAGCCAGAGCTGCAG
TATGTGGCCCTGCGCAACATCAATCTCATCGTGCAGAAAAGGCCCTGAGATCCTGAAGCATGAGATGAAG
GTGTTCTTCGTGAAGTACAACGACCCTATCTACGTGAAGCTGGAGAAGCTGGACATCATGATCCGCTG
GCCTCTCAGGCCAACATCGCCAGGTGTTGGCAGAGCTGAAAGAGTACGCAACAGAAGTGGATGTGGAC
TTTGTACGGAAGGCTGTGCGTGTATTGGCCGCTGCGCCATCAAGGTGGAGCAATCTGCGGAGCGCTGT
GTGACACGCTGCTCGACCTCATCCAGACCAAGTCAACTATGTGGTCCAGGAGGCCATCGTGGTCAATC
AAGGACATCTTCCGCAAGTACCCCAACAAGTATGAGAGTGTGATTGCCACACTGTGTGAGAACTCTGGAC
TCCTGGATGAGCCTGAGGCCCGGGCTGCCATGATCTGGATTGTGGGCGAGTACGCGGAACGGATCGAC
AACGCAGATGAGCTGCTGGAGAGCTTCCCTCGAGGGCTTCCATGACGAGAGCACACAGGTCCAGTGCAG
CTGCTGACAGCCATTGTGAAACTCTTTCTAAAGAAGCCAACAGAGACCCAGGAGCTGGTGCAGCAGGTC
CTCAGTTTGGCCACTCAGGACTCAGATAACCCAGACCTGCGGGACCGTGGCTACATCTACTGGCGCTG
CTGTCCACGGACCCGGTGGCAGCCAAGGAGGTGGTGTGGCTGAGAAGCCACTCATCTGAAGAGAGC
GACCTCATCGAGCCACACTGTTAGACGAGCTTATCTGCTACATCGGCACGCTGGCTTCCGCTACCAT
AAGCCTCCAGTGCCTTTGTGGAGGGGGCCGGGGCGTCTGCACAAGAGCCTGCCACCTCGCACGGCC
TCGAGTGAGAGCCAGAGAGCCCTGAGACAGCCCTACTGGAGCACCTCCTGGGGAGCAGCCAGATGTC
ATCCCCGCCCAGGGCGACCTGCTGGGTGACCTCCTCAACCTGGACCTCGGCCCCCAAGTGAAGCGCCCA
CCCCTGGCCACCTCCTCGGTGCAGATGGGAGCTGTGGACCTTCTTGGCGGTGGCCTTGACAGCCTGATG
GGGGATGAGCCTGAAGGGATTGGGGGCACCAACTTCGTGGCACCTCCAACAGCAGCAGTACCAGCCAAT
CTTGGAGACCCATCGGCAGTGGCTGAGTGACCTCTTTGACCTGACCAGTGGCGTGGGCACCCTGTCA
GGATCATATGTGGCCCCAAAGCAGTCTGGCTCCAGCCATGAAGGCTAAGGGGCTGGAGATCTCAGGC
ACCTTCACCCGCCAGGTGGGCTCCATCTCCATGGACCTGCAGCTGACCAACAAGGCCCTTGCAAGTCCATG
ACCGACTTTGCCATCCAGTTCAACCGCAACAGCTTTGGCCTGGCCCCCGCCGCCCTCCAGTCCAC
GCGCCACTCAGCCCAACCAGACAGTGGAGATCTCCCTGCCTCTCAGCACGGTGGGCTCGGTGATGAAG
ATGGAGCCTCTGAACAACCTCCAGTGGCCGTGAAGAACAACATCGATGTCTTCTACTTCAGCACCTTG
TACCCACTGCACATCCTCTTTGTGGAGGACGGGAAGATGGACCGCAGATGTTCTTGCCACATGGAAG
GATATTCCTCAATGAGAATGAGGCCAGTTCAGATCAGAGACTGCCCCCTCAATGCAGAGGCTGCGAGC
AGCAAGCTGCAGAGCAGCAACATCTTCACTGTGCGCAAGAGGAACGTGGAGGGCCAGGACATGCTCTAC
CAGTCCCTGAAGCTGACCAACGGCATCTGGGTGCTGGCGGAGCTGCGGATCCAGCCGGGCAACCCAGC
TGCACGGACTTAGAGCTGTCCCTGAAGTGTGAGCACCAGAGGTGTCCAGCACGTGTACCAGGCCTAC
GAGACCATCCTCAAGAACTGA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

**Restriction Sites:** SgfI-MluI

<b>ACCN:</b>	NM_001127
<b>Insert Size:</b>	2850 bp
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>OTI Annotation:</b>	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<u><a href="#">NM_001127.3</a></u>
<b>RefSeq Size:</b>	4194 bp
<b>RefSeq ORF:</b>	2850 bp
<b>Locus ID:</b>	162
<b>UniProt ID:</b>	<u><a href="#">Q10567</a></u>
<b>Cytogenetics:</b>	22q12.2
<b>Domains:</b>	Adaptin_N, Alpha_adaptinC2
<b>Protein Pathways:</b>	Lysosome
<b>MW:</b>	104.6 kDa
<b>Gene Summary:</b>	<p>Adaptor protein complex 1 is found at the cytoplasmic face of coated vesicles located at the Golgi complex, where it mediates both the recruitment of clathrin to the membrane and the recognition of sorting signals within the cytosolic tails of transmembrane receptors. This complex is a heterotetramer composed of two large, one medium, and one small adaptin subunit. The protein encoded by this gene serves as one of the large subunits of this complex and is a member of the adaptin protein family. This gene is a candidate meningioma gene. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Oct 2009]</p> <p>Transcript Variant: This variant (1) represents the longest transcript and encodes the longest isoform (a).</p>