

## Product datasheet for **SC310037**

### DDX42 (NM\_007372) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	DDX42 (NM_007372) Human Untagged Clone
Tag:	Tag Free
Symbol:	DDX42
Synonyms:	DDX42P; RHELP; RNAHP; SF3B8; SF3b125
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >SC310037 representing NM\_007372.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGGATCGCC
ATGAACTGGAATAAAGGTGGTCTGGCACTAAGCGAGGATTTGGCTTTGGAGTTTTGCCATCAGTGCT
GGGAAAAAGGAGGAACCCAACTCCACAGCAGTCCACAGTGCCTTTGGGGCAACCAGCTCTTCTCT
GGATTTGGAAAGTCAGCTCCACCACAGTCTCTCTTTCTACAAAATTGGATCTAAGCGGGCCAACCTT
GATGAAGAAAATGCCTATTTTGAAGATGAGGAAGAAGATTCTAGCAACGTTGATTTACCTTACATTCCT
GCTGAAAACCTACCAACTCGCCAGCAATTCATTCCAAGCCAGTAGATTCTGACAGCGATGATGATCCC
TTGGAGGCATTATGGCTGAAGTGGAGGATCAGGCAGCTAGAGACATGAAGAGGCTTGAAGAAAAGGAC
AAGGAAAGAAAAACGTAAGGGTATTCGAGATGACATTGAAGAGGAAGATGACCAAGAAGCTTATTTT
CGATACATGGCAGAAAACCAACTGCTGGTGTGGTTCCAGGAGGAAGGAAGACAATCTAGAATATGAT
AGTGACGGAAATCCAATGCACCTACCAAAAAAATCATTGATCCTTCCCCCATTGATCATTAGAG
ATTGACTATCCACATTTGAAAAAACTTTTACAATGAGCATGAAGAGATAACCAACCTCACTCCACAG
CAGTTAATAGATCTCCGGCATAAGCTCAATCTTCGGGTCTCTGGTGTGACCTCTAGACCAGGAAGT
AGCTTTGCTCATTTTGGGTTTGACGAACAATTCATGCACCAGATTCGGAATCTGAATACACACAGCCC
ACTCCAATACAGTGCCAGGGTGTGCCTGTGGCATTAAAGTGGTAGAGACATGATTGGTATTGCCAAAAA
GGTAGTGGGAAAACCTGCAGCCTTCATTTGGCCCATGTTGATTCATATAATGGACCAGAAGGAGTTGGAA
CCAGGTGATGGACCAATTGCAGTGATTGTGTCTACCAGGGAGCTTTGCCAGCAGATCCATGCAGAA
TGTAAGCGGTTTGGAAAAGCATATAATCTTCGATCAGTGGCCGTATATGGAGGAGGGAGTATGTTGGG
CAGGCCAAGGCCCTTCAGGAGGGGCAGAGATTGTTGTGTGTACCCAGGTCGACTGATAGATCATGTG
AAAAAGAAAGCTACCAATCTTCAAAGAGTCTCTTACCTTGTGTTTGGATGAAGCAGATCGAATGTTGAC
ATGGGATTTGAGTACCAAGTTCGATCCATAGCAAGTCATGTTTCGCTGACAGGCAGACTCTCTTATTT
AGTGCAACTTTTCGGAAGAAGATTGAAAAGTTGGCCAGAGACATCCTGATCGACCCTATTCGAGTGGTG
CAGGGAGATATTGGAGAGGCAAATGAAGATGTGACACAGATTGTGGAGATTCTCCATTCTGGACCTAGT
AAATGGAAGTGGCTTACCCGGCTCTGGTGAATTTACCTCTCAGGGAGTGTCTCCTCTTTGTTACT
AAAAAGCCAATGCTGAAGAGCTAGCGAATAACCTTAAACAGGAGGGTCATAATCTTGGGCTGCTCCAT
GGGATATGGATCAGAGTGAAGAAACAAGGTCATTTCACTTTAAGAAAAGGACATCCAGTCTCTG
GTGGCCACAGATGTTGCAGCCCCTGGTCTGGACATTCCTCAATTAAGACTGTCATTAACATGATGTG
GCACGAGACATTGATACCCACACGCATAGGATTGGCCGCACAGGAAGAGCGGGTGAGAAAGTGTGGCC
TATACCCTACTCACTCCCAAGGACAGCAATTTTGTCTGGTACCTGGTCCGGAACCTTGAAGGAGCCAAT
CAACACGTTTCTAAGGAACTCCTAGATCTGGCAATGCAGAATGCCTGGTTTCGGAATCTCGATTCAA
GGAGGGAAAGGAAAAAGCTGAACATTTGGTGGAGGAGGCTAGGCTACAGGGAGCGGCCTGGCCTGGGC
TCTGAGAACATGGATCGAGGAAATAACAATGTAATGAGCAATTATGAGGCCTACAAGCCTTCCACAGGA
GCTATGGGAGATCGACTAACGGCAATGAAAGCAGCTTTCCAGTACAGTACAAGAGTCACTTTGTTGCA
GCCAGTTAAGTAATCAGAAGGCTGGAAGTTCGTCTGCTGGGGCAAGTGGTGGACTAGTGCAGGGAGC
TTGAATTTCTGTTCCAATAACTCAGCACAAACAGGGCCATAACAGTCTGACAGCCCCGTCAACAGTGCC
GCCAAGGGCATCCAGGCTTTGGCAATACTGGCAACATCAGTGGTGGCCCTGTGACCTACCCGCTGCC
GGAGCCCAAGGAGTCAACAACACAGCTTCAGGGAATAACAGCCGAGAAGGGACTGGGGGCAGCAACGGG
AAAAGAGAGAGATATACTGAGAACCAGGAGCAGCCGTACAGTACAGGAGAGACTGGCAATCGGCAT
AGCGATAGTCCACGTACAGGAGATGGTGGTCCCATGGAGATGGATACCGCCATCCAGAAAGCAGCAGC
CGTCATACTGATGGCCATCGGCACGGGAGAAACAGACATGGAGGAAGCGCAGGCCGGCATGGGGAGAAC
CGGGGTGCAAAATGATGGTGGAAATGGGGAAAGCAGGAAAGAGCTTTTAAATCGTGAGAGCAAGATGGAG
CCCAAGATGGAACCCAAAGTGGACAGCAGCAAGATGGACAAGGTGGACAGCAAGACAGATAAGACAGCT
GACGGCTTTGCTGTCCAGAGCCGCTAAACGCAAGAAAAGTCGATGGGACAGTTAG
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGCGC
  
```

**Restriction Sites:** Sgfl-Mlul

**Plasmid Map:** □

<b>ACCN:</b>	NM_007372
<b>Insert Size:</b>	2817 bp
<b>OTI Disclaimer:</b>	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a></p>
<b>OTI Annotation:</b>	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_007372.3</a>
<b>RefSeq Size:</b>	4032 bp
<b>RefSeq ORF:</b>	2817 bp
<b>Locus ID:</b>	11325
<b>UniProt ID:</b>	<a href="#">Q86XP3</a>
<b>Cytogenetics:</b>	17q23.3
<b>Domains:</b>	DEAD, helicase_C
<b>Protein Pathways:</b>	Spliceosome
<b>MW:</b>	103 kDa

**Gene Summary:**

This gene encodes a member of the Asp-Glu-Ala-Asp (DEAD) box protein family. Members of this protein family are putative RNA helicases, and are implicated in a number of cellular processes involving alteration of RNA secondary structure such as translation initiation, nuclear and mitochondrial splicing, and ribosome and spliceosome assembly. Members of this family are believed to be involved in embryogenesis, spermatogenesis, and cellular growth and division. Two transcript variants encoding the same protein have been identified for this gene. [provided by RefSeq, Jul 2008]

Transcript Variant: This variant (1) represents the longer transcript. Both variants 1 and 2 encode the same protein.