

Product datasheet for **SC310078**

PCDHGC3 (NM_032402) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PCDHGC3 (NM_032402) Human Untagged Clone
Tag:	Tag Free
Symbol:	PCDHGC3
Synonyms:	PC43; PCDH-GAMMA-C3; PCDH2
Vector:	<u>pCMV6 series</u>



[View online »](#)

Fully Sequenced ORF: >NCBI ORF sequence for NM_032402, the custom clone sequence may differ by one or more nucleotides

```

ATGGTCCCAGAGGCTGGAGGAGCGGACTGGTAAGCACCCGGGAGGGTAGTGGGAGTTTTG
CTTCTGCTTGGTGCCTTGAACAAGGCTTCCACGGTCATTCATATGAGATCCCGGAGGAA
AGAGAGAAAGGTTTCGCTGTGGGCAACGTGGTCGGAACCTTGGTTTGGATCTCGGTAGC
CTCTCAGCCCGCAGGTTCCGGGTGGTGTCTGGAGCTAGCCGAAGATTCTTTGAGGTGAAC
CGGGAGACCGGAGAGATGTTTGTGAACGACCGTCTGGATCGAGAGGAGCTGTGTGGGACA
CTGCCCTCTTGCACTGTAACCTCTGGAGTTGGTAGTGGAGAACCCTGGAGCTGTTCAGC
GTGGAAGTGGTGTCCAGGACATCAACGACAACAATCCTGCTTTCCCTACCCAGGAAATG
AAATTGGAGATTAGCGAGGCCGTGGCTCCGGGGACGCGCTTTCGCTCGAGAGCGCGCAC
GATCCCGATGTGGGAAGCAACTCTTTACAAACCTATGAGCTGAGCCGAAATGAATACTTT
GCGCTTCGCGTGCAGACGCGGGAGGACAGCACCAAGTACGCGGAGCTGGTGTGGAGCGC
GCCCTGGACCGAGAACGGGAGCCTAGTCTCCAGTTAGTGTGACGGCGTTGGACGGAGGG
ACCCAGCTCTCTCCGCCAGCCTGCCTATTCACATCAAGGTGCTGGACGCGAATGACAAT
GCGCCTGTCTTCAACCAGTCTTGTACCGGGCGCGCTCTGGAGGATGCACCCTCCGGC
ACGCGCGTGGTACAAGTCTTGAACGGATCTGGATGAAGGCCCAACCGTGAAATTATT
TACTCCTTCGGCAGCCACAACCCGCGCGCGTGGGCAACTATTGCGCTTAGACCTTGTA
ACCGGGATGCTGACAATCAAGGGTGGCTCGGACTTCGAGGACACCAAACTCCATGAGATT
TACATCCAGGCCAAAGACAAGGGCGCCAATCCCGAAGGAGCACATTGCAAAGTGTGGTG
GAGGTTGTGGATGTGAATGACAACGCCCCGGAGATCACAGTCACCTCCGTGTACAGCCCA
GTACCCGAGGATGCCCTCTGGGACTGTATCGCTTGTCTCAGTGTGACTGACCTGGAT
GCTGGCGAGAACGGGCTGGTACCTGCGAAGTCCACCGGGTCTCCCTTTCAGCCTTACT
TCTTCCCTACAAGAATTACTTCACTTTGAAAACCAAGTGCAGACCTGGATCGGGAGACTGTG
CCAGAATACAACCTCAGCATCACCGCCGAGACCGGAAACCCTTCCCTCTCAGCCCTT
ACAATAGTGCCTGTTCAAGTGTCCGACATCAATGACAACCTCCACAATCTTCTCAATCT
TCTACGACGTTTACATTGAAGAAAACAACCTCCCGGGGCTCCAATACTAAACCTAAGT
GTCTGGGACCCCGACGCCCGCAGAATGCTCGGCTTTCTTTTCTTCTTGGAGCAAGGA
GCTGAAACCGGGCTAGTGGTGCCTATTTACAATAAATCGTGACAATGGCATAGTGCA
TCCTTAGTGCCCTAGACTATGAGGATCGGCGGGAATTTGAATTAACAGCTCATATCAGC
GATGGGGGACCCCGTCTAGCCACCAACATCAGCGTGAACATATTTGCACTGATCGC
AATGACAATGCCCCAGGTCTATATCCTCGGCCAGGTGGGAGCTCGGTGGAGATGCTG
CCTCGAGGTACCTCAGCTGGCCACCTAGTGTACGGGTGGTAGGCTGGGACGCGGATGCA
GGGCACAATGCCTGGCTCTCCTACAGTCTCTTGGGATCCCCTAACAGAGCCTTTTTGCC
ATAGGGGTGCACACTGGTCAAATCAGTACTGCCCGTCCAGTCCAAGACACAGATTCACCC
AGGCAGACTCTCACGGTCTTGATCAAAGACAATGGGGAGCCTTCGCTCTCCACCACTGCT
ACCCTCACTGTGTAGTAACCGAGGACTCTCCTGAAGCCCGAGCCGAGTCCCCTCTGGC
TCTGCCCCCGGGAGCAGAAAAAAATCTCACCTTTTATCTACTTCTTTCTAATCCTG
GTTTCTGTGGGTTTGTGGTACAGTGTTCGGAGTAATCATATTCAAAGTTTACAAGTGG
AAGCAGTCTAGAGACCTATACCGAGCCCGGTGAGCTCACTGTACCGAACACAGGGGCC
TCTTGCACGCGGACCGGTGCGGGGAGGCTGATGTCGCGCACCTTTACCATCAGGTG
TATCTACACCGGACTCCCGCCGACGACCCGCTGCTGAAGAAACCTGGTGCAGCCAGT
CCACTGGCCAGCCGACAGAACACGCTGCGGAGCTGTGATCCGGTGTCTATAGGCAGGTG
TTGGGTGCAGAGAGCGCCCTCCCGACAGGTAAGGTTTAGCAAGTCATGCTTGACCCTG
TTAGTGTCTTTTATTCTACATCATATTGAGGAAGGAATGGAGCTGTTTTTTTAGTGAT
GAAGATGTTTTCTGGTGTGATTACACTTTCAACTGGCCCTCCTAGATCAAAGTTA
GTGCCCTTGTGA
    
```

Restriction Sites: Please inquire
ACCN: NM_032402

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_032402.1</u> , <u>NP_115778.1</u>
RefSeq Size:	2794 bp
RefSeq ORF:	2592 bp
Locus ID:	5098
UniProt ID:	<u>Q9UN70</u>
Cytogenetics:	5q31.3
Domains:	CA
Protein Families:	Transmembrane
Gene Summary:	<p>This gene is a member of the protocadherin gamma gene cluster, one of three related clusters tandemly linked on chromosome five. These gene clusters have an immunoglobulin-like organization, suggesting that a novel mechanism may be involved in their regulation and expression. The gamma gene cluster includes 22 genes divided into 3 subfamilies. Subfamily A contains 12 genes, subfamily B contains 7 genes and 2 pseudogenes, and the more distantly related subfamily C contains 3 genes. The tandem array of 22 large, variable region exons are followed by a constant region, containing 3 exons shared by all genes in the cluster. Each variable region exon encodes the extracellular region, which includes 6 cadherin ectodomains and a transmembrane region. The constant region exons encode the common cytoplasmic region. These neural cadherin-like cell adhesion proteins most likely play a critical role in the establishment and function of specific cell-cell connections in the brain. Alternative splicing has been described for the gamma cluster genes. [provided by RefSeq, Jul 2008]</p> <p>Transcript Variant: This variant (2) utilizes the large, first exon then continues into the downstream intron 1 sequence before terminating. This one-exon transcript encodes the shorter isoform (2).</p>