

Product datasheet for **SC310084**

VAV2 (NM_003371) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	VAV2 (NM_003371) Human Untagged Clone
Tag:	Tag Free
Symbol:	VAV2
Synonyms:	VAV-2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC310084 representing NM_003371.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGCACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGGAGCAGTGGCGGCAGTGGCGCCGCTGGCTCATCGATTGCAAGTCTGCCGCCAACCCACGGGTG
GTGTGGCCCTCGGCCGTGGTCTTCGACCTGGCGCAGGCGTGGCGGACGGGGTCTTCTGTGCCAGCTG
CTGCACAACCTCTCCCCGGCTCCATCGACCTCAAGGACATCAACTTCCGGCCGAGATGTCCAGTTT
CTGTGTTTGAAGAACATACGCACCTTCTGAAAGTCTGCCACGATAAATTTGATTAAAGGAACAGCGAG
CTGTTTGACCCCTTTGACCTCTTCGATGTGCGAGACTTTGAAAGGTATCTCCGCGGTGTGAGGCTC
TCCCTGCACAGCATCGCGCAGAACAAAGGGATCAGGCCTTTTCCCTCAGAGGAGACCACAGAGAATGAC
GATGACGTCTACCGCAGCCTGGAGGAGCTGGCCGACGAGCATGACCTGGGGGAGGACATCTACGACTGC
GTCCCGTGTGAGGATGGAGGGGACGACATCTACGAGGACATCATCAAGTGGAGGTGACGAGCCCATG
AAAATGGGCATGACTGAAGATGACAAGAGGAAGTCTGCCTGCTGGAGATCCAGGAGACCGAGGCCAAG
TACTACCGCACCTGGAGGACATTGAGAAGAACTACATGAGCCCTGCGGCTGGTGTGAGCCCGGCC
GACATGGCAGCTGTCTTAACTGGAGGACCTGATCAAGTGCATCAGACTTCTGAGGGCCATC
GACGTGTCCGTGATGGTGGGGGGCAGCAGCTGGCCAAGTCTTCTCGATTTCAAGGAAAGGCTTCTG
ATCTACGGGGAGTACTGCAGCCACATGGAGCACGCCCAGAACACACTGAACCAGCTCCTGGCCAGCCGG
GAGGACTTCAGGCAGAAAGTTCGAGGAGTGCACACTGAAGTCCAGGATGGAAAATTTAAGCTGCAAGAC
CTGCTGGTGGTCCCCATGCAGAGGGTGTCAAATACCCTGCTCTTGAAGGAGCTTCTGAGCCATTCT
GCGGAACGGCCTGAGAGGCAGCAGCTCAAAGAAGCACTGGAAGCCATGCAGGACTTGGCGATGTACATC
AATGAAGTTAAACGGGACAAGGAGACCTTGAGGAAAATCAGCGAATTTGAGAGTTCTATAGAAAATTTG
CAAGTAAAACGGGAAATTTGGAAGACCAAGATTGACGGGAACTGAAAGTCCGGTCCATAGTCAAC
CACACCAAGCAGGACAGTACTTGTCTGTTTACAAGTGGTATCGTCTGCAAGCGGAAGGGCTAC
AGCTACGAGCTCAAGGAGATCATCGAGCTGCTGTTCCACAAGATGACCGACGACCCCATGAACAACAAG
GACGTCAAGAAGTGGTCTACGGCTTCTACCTAATTCACCTTCAAGGAAAGCAGGGCTTCCAGTTTTTC
TGCAAAACAGAAGATATGAAGAGGAAAGTGGATGGAGCAGTTTGAGATGGCCATGTCAAACATCAAGCCA
GACAAAGCCAATGCCAACACCACAGTTTCCAGATGTACACGTTTGACAAGACCACCACTGCAAAGCC
TGCAAAATGTTCTCAGGGGCACCTTCTACCAGGGATACATGTGTACCAAGTGTGGCGTCCGGGCACAC
AAGGAGTGCTGGAAGTATACCTCCCTGCAAGTTCACCTTCTCCTGCAGATCTGGACGCCTCCGGAGCG
GGACCAGTCCCAAGATGGTGGCCATGCAGAATTACCATGGCAACCCAGCCCTCCGGGAAGCCTGTG
CTGACCTTCCAGACGGGGCAGCTGCTTGAAGTGTGAGGGGCGACCTGAGTCTCCGTGGTGGGAGGGT
CGTCTGGTACAAACCAGGAAGTCAAGGTATTTCCCCAGCTCATCTGTGAAGCCCTGCCCTGTGGATGGA
AGGCCGCCATCAGCCGGCCGCCATCCCGGGAGATCGACTACACTGCATACCCCTGGTTTGAGGTAAC
ATGGAGAGGCAGCAGACGGACAACCTGCTCAAGTCCCACGCCAGCGGGACCTACCTGATCAGGGAGCGG
CCTGCCGAGGCTGAGCGCTTGAATAAGCATCAAGTTCAATGATGAGGTGAAGCACATCAAGTGGTG
GAGAAGGACAACCTGGATCCACATCAGAGGGCCAAAGAAATTCGACAGCCTCCTGGAGTTGGTGGAGTAC
TACCAGTGCCACTCACTGAAGGAGAGCTTCAAGCAGCTGGACACCACACTCAAGTACCCCTACAAGTCC
CGGGAACGTTCCGGCTCCAGGGCCTCCAGCCGGTCCCCAGTGTTCACGCCCGCGTCATCGGCACAGCT
GTGGCCAGGTATAACTTTGCCGCCGAGATATGAGGGAGCTTTCGCTGCGGGAGGGTACGTGGTGAAG
ATCTACAGCCGCATCGGCGGAGACCAGGCTGGTGAAGGGCGAGACCAACGGACGGATTGGCTGGTTT
CCTTCAACGTACGTAGAAGAGGAGGCATCCAGTGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: SgfI-MluI
Plasmid Map: □
ACCN: NM_003371
Insert Size: 2520 bp

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_003371.3</u>
RefSeq Size:	4748 bp
RefSeq ORF:	2520 bp
Locus ID:	7410
UniProt ID:	<u>P52735</u>
Cytogenetics:	9q34.2
Domains:	RhoGEF, SH2, SH3, CH, PH, DAG_PE-bind
Protein Families:	Druggable Genome
Protein Pathways:	B cell receptor signaling pathway, Chemokine signaling pathway, Fc epsilon RI signaling pathway, Fc gamma R-mediated phagocytosis, Focal adhesion, Leukocyte transendothelial migration, Natural killer cell mediated cytotoxicity, Regulation of actin cytoskeleton, T cell receptor signaling pathway
MW:	97 kDa
Gene Summary:	<p>VAV2 is the second member of the VAV guanine nucleotide exchange factor family of oncogenes. Unlike VAV1, which is expressed exclusively in hematopoietic cells, VAV2 transcripts were found in most tissues. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Aug 2008]</p> <p>Transcript Variant: This variant (2) lacks three single exons in the CDS, as compared to variant 1. The reading frame is not changed and the resulting isoform (2) lacks three internal segments, as compared to isoform 1.</p>