

## Product datasheet for **SC310085**

### **EPC1 (NM\_025209) Human Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	EPC1 (NM_025209) Human Untagged Clone
Tag:	Tag Free
Symbol:	EPC1
Synonyms:	Epl1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >SC310085 representing NM\_025209.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGATCGCC
ATGAGTAAACTGTCGTTTCGGGCGGGCGCTAGACGCCTCGAAGCCGCTGCCGTTTTCCGCTGTGAG
GATCTGCCCGACCTGCACGAATACGCCTCGATAAACAGGGCCGTGCCGCAGATGCCACCGAATGGAG
AAGGAAGAGGAGTCGGAACATCATCTTCAGCGGGCTATTTAGCAGCAGCAGGTGTATGGCGAGAAGAGG
GATAATATGGTTATACCGTCCCAGAGGCGAAAGTAATATTGCTTACTATGAGTCTATATATCCTGGG
GAATTTAAGATGCCAAAGCAGCTCATTACATACAGCCTTTTAGTTTGGATGCTGAACAGCCTGATTAT
GATTTGGATTCTGAAGATGAAGTATTTGTGAATAAACTGAAAAAGAAAATGGACATCTGCCATTGCAA
TTTGAGGAGATGATTGACCGCTAGAAAAAGGCAGTGGTCAGCAGCCAGTCAGTCTGCAGGAAGCCAAA
CTACTGCTAAAAGAAGATGATGAACTAATTAGAGAAGTTTATGAATATTGGATTAAGAGAAAAAAC
TGTCGAGGGCCATCTCTTATTCCATCAGTAAAACAAGAGAAGCGAGATGGTTCCAGCACAATGATCCT
TATGTGGCTTTTGAAGGCGTACTGAAAAATGCAGACTCGAAAAATCGAAAAATGATGAAGCCTCT
TACGAAAAAATGCTTAAGCTGCGACGAGATCTAAGTCGAGCTGTTACTATTCTAGAGATGATAAAAAAG
AGAGAAAAAAGTAAAAGAGAGCTATTGCACTTAACACTGGAAATTATGGAAAAAGGATATAATTTGGGC
GACTACAATGGAGAGATCATGTCTGAGGTTATGGCACAGAGACAGCCAATGAAACCTACTTATGCCATC
CCCATCATCCCTATTACTAATAGCAGTCAATTTAAACACCAGGAAGCAATGGATGTGAAGGAGTTCAA
GTTAATAAGCAAGATAAAGCCGATCTTATCCGACCGAAACGGAATATGAAAAGAAGCCAAAGTCTTA
CCATCGTCTGCCGCTGCTACTCCCAACAGACGAGTCTGCTGCACTGCCAGTCTCAATGCTAAAGAT
CTGAATCAGTATGACTTTCCAGCTCAGACGAAGAACCCTCTCCAGGTTTTGTCTGGCTTTCGGAA
GCTGAGGAAGACAATGATCCTGATGGTCTTTTGGCTTTCCGTAGGAAAGCAGGCTGTCAGTACTGCT
CCTCACTTAGACCAAACCTGGCAACTGGCCTTGGACTAGTCTAAAGATGGAGGATTAGGGGATGTGCGA
TATAGATACTGCTTAACTACTCTCACCGTACCCAAAGGTGATTGGATTTGCACGAAGCAGGGTTGGG
CGCGGTGGAAGGGTCTTACTGGACAGAGCTCATTAGACTATGACAGTGTGTTTACCATCTGGATTTG
GAAATGCTTCTCACCACAACATTCTCCAGTCAATCAGTTTGGCAATACCTCAGAAACAATACCTCG
GACAAATCTTCTCTAAAGACCTCAGTCAGATACTAGTCAATATCAAATCATGTAGATGGCGCATTTT
AGGCCTCGACACCATCCCTACATGACAGTGACAAATGATGAACTCTCCTGTAGAAAATTATATAGGAGT
ATAAACCGAACAGGAACAGCACAACTGGGACCCAGACATGCAGTACCTCTACGCAAAGTAAAAGTAGC
AGTGGTTCAGCACACTTTGCATTTACAGCCGAACAATACCAGCAACATCAACAGCAACTGGCACTCATG
CAGAAACAGCAGCTTGCACAAATTCAGCAACAGCAAGCAATAGTAATTCCTCCCAACACATCAG
AACCTTGATCTAACAGCAGAAAAGTGGCTTTCGCCTGAATATACAGGGTTTAGAAAGAACACTACAG
GGTTTTGTTTCTAAGACTTTGGATTCTGCTAGTGACAGTGTGCTGCTTCTGCTTTGGTGACATCAGAA
CAACTGATGGGATTCAAGATGAAGGATGATGTGGTGTGGAATCGGGGTGAATGGCGTCTTCCAGCC
TCAGGAGTATAAAGGGCTTACACCTCAGTAGTACTACACCAACAGCACTGTACATAAAGTCCATCA
ACGGCAGGTTGAGCTTTGTTACAGCCTTCAAATATTACACAGACTTCAAGTCCCACAGTGCAGTGTG
CATCAAGTAACTGCTGCCAATTTGCAACAACCTCAGGTTCTGATTGGGAACAACATTCGATTAAGTGA
CCTTTCAGTTGCCACTGTAACCTCTATTGCCCAATAAATGCACGACATATACCTAGGACTTTAAGT
GCTGTTCCATCATCTGCCTTAAAGCTGGCGCTGCAGCAAACTGTCAAGTTTCCAAGTCCCATCTTCA
TCTCTGTAGATTCAGTTCCAAGGGAAAATCATGAATCAGAAAAGCCAGCACTGAACAACATAGCAGAC
AACACAGTAGCGATGGAGGTGACGTAG
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

**Restriction Sites:** SgfI-MluI  
**Plasmid Map:** □  
**ACCN:** NM\_025209  
**Insert Size:** 2511 bp

<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>OTI Annotation:</b>	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<a href="#"><u>NM_025209.3</u></a>
<b>RefSeq Size:</b>	4171 bp
<b>RefSeq ORF:</b>	2511 bp
<b>Locus ID:</b>	80314
<b>UniProt ID:</b>	<a href="#"><u>Q9H2F5</u></a>
<b>Cytogenetics:</b>	10p11.22
<b>Protein Families:</b>	Transcription Factors
<b>MW:</b>	93.5 kDa
<b>Gene Summary:</b>	<p>This gene encodes a member of the polycomb group (PcG) family. The encoded protein is a component of the NuA4 histone acetyltransferase complex and can act as both a transcriptional activator and repressor. The encoded protein has been linked to apoptosis, DNA repair, skeletal muscle differentiation, gene silencing, and adult T-cell leukemia/lymphoma. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2012]</p> <p>Transcript Variant: This variant (1) represents the longest transcript and encodes the longest isoform (a).</p>