

Product datasheet for **SC310141**

PAPOLG (NM_022894) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PAPOLG (NM_022894) Human Untagged Clone
Tag:	Tag Free
Symbol:	PAPOLG
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC310141 representing NM_022894.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAATACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCACGATCGCC
ATGAAAGAGATGTCTGCAAACACCGTCTGGACAGCCAGCGTCAACAAAAGCATTATGGAATTACCTCC
CCAATTAGTTTGGCATCTCCTAAAGAAAATTGATCATATTTACACACAGAAATTAATTGACGCCATGAAA
CCATTTGGAGTGTGTTGAAGATGAGGAAGAATTGAACCACAGGCTGGTGGTTCTTGGTAAATTGAACAAT
TTAGTAAAGAATGGATTCTGATGTACAGCGAGAGTAAGAACCCTCCACCTTCTGTTGTGGCTACTGTT
GGTGGTAAATTTTACATTTGGATCCTATAGGCTTGGAGTACACACCAAAGGAGCTGACATTGATGCA
CTTTGTGTAGCTCCAAGACATGTGAAAGATCTGATTTTTTTTTCAGTCTTTTTTTGAAAAATTGAAACAT
CAAGATGGCATTAGAACTTAAGAGCTGTAGAAGATGCCTTTGTACCTGTTATAAAATTTGAATTTGAT
GGTATTGAAATTTGATCTAGTCTTTGCAAGACTGGCAATACAAACCATATCAGATAATTTAGATCTAAGA
GACGACTCTGCCTGAGAAGCCTTGATATAAGGTGATTTCGCAGCTTAAATGGTTGTAGAGTTACTGAT
GAAATTTTGCATTTAGTGCCAAATAAAGAACTTTTAGACTCACCTAAGAGCTGTCAAATTTATGGCA
AAACGACGTGGTATTTATCCAACATGCTAGGATTCCTTGGTGGTGTCTCTGGGCAATGCTAGTTGCA
AGAATTGCCAATTGTATCCAATGCAGCAGCATCTACTTTAGTTCATAAGTTCTTTTTAGTTTTTTCC
AAGTGGGAATGGCCAAATCCTGTGCTGCTGAAGCAACCAGAAGAAAGCAATTTGAATTTGCCTGTCTGG
GATCCTCGGGTAAATCCATCAGATAGGTATCATCTCATGCCCAATACCCCTGCCTACCCACAACAG
AATTCTACGTATAATGTGTCCACATCAACTCGAACAGTAAATGGTGAAGAATTTAAACAAGTCTTGCA
GTCACAGATGAAATCTCAAGGAAAGTCAGATTGGTCCAACACTACTTGAGCCACCGAATTTCTTTCAA
AAGTATAGACATTATATAGTATTGACTGCCAGCGCATCAACAGAAGAAAACCATCTAGAGTGGGTTGGA
TTAGTAGAATCTAAAATCCGTGACTTTGTTGAAAACCTTGAACGGAATGAATTTACTCTTGCCAT
GTGAATCCCCAGTCATTCAGGGAATAAGGAACATCATAAAGACAACAATTACGTATCAATGTGGTTC
CTTGGGATAATTTTTCGGAGAGTAGAAAATGCAGAAAGTGTCAACATAGACTTGACATATGATATACAG
TCATTTACTGATACAGTGTACAGACAGGCAAAACATAAATATGCTAAAGGAGGGAATGAAAATTGAA
GCAACTCATGTAAGAAAAAACAACCTCACCCTACCTTCTGCAGAAATTTCTCAAAGAAAGAAAAAG
CAAAGTCTCTGATGTCAATCGAAGCTCGGGCGGACTTCAATCCAAAAGATTGTCTCTGGATAGCAGT
TGTCTGGATAGCTCCAGAGACACTGATAATGGAACACCTTTTAATTCTCCAGCGTCCAAGTCTGATAGC
CCTTCTGTAGGAGAAACAGAAAGGAATAGTGTGAGCCTGCTGCTGAATTGTGGAGAAGCCACTGAGT
GTACCACCAGCCCAAGGACTTTCCATTCCAGTATTGGCGAAAAGTTGACTCTACAGTAAAACTGTA
TCACCCCCACTGTGTGTACCATTCCCTACCGTAGTAGGACGAAAATGTCATTCTAGAAATCACAACCT
CACAACCTGCCAGGACAACCGCATCTGAATGGAATGTCAAATATAACTAAGACTGTTACACCTAAG
AGATCCCATTCCCATCCATAGATGGGACTCCTAAGAGGTTGAAAGACGTAGAAAAGTTTATTGACTT
GAATCAACATTTAAGGACCCCGCACTGCTGAAGAAAAGAAAAGAAAATCAGTGGATGCCATTGGAGGA
GAATCTATGCCTATTCAACTATTGATACATCACGCAAAAAGAGACTACCCAGTAAAGAACTACCAGAT
TCATCATCTCCAGTTCAGCAAAACAACATCCGTGTCATCAAAAATTCATTGACTGACCCTTAATCGG
TAA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGCGC
  
```

Restriction Sites: Sgfl-Mlul

Plasmid Map: □

ACCN: NM_022894

Insert Size: 2211 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_022894.3
RefSeq Size:	7386 bp
RefSeq ORF:	2211 bp
Locus ID:	64895
UniProt ID:	Q9BWT3
Cytogenetics:	2p16.1
Domains:	NTP_transf_2, PAP_RNA-bind, PAP_central
Protein Families:	Transcription Factors
Protein Pathways:	RNA degradation
MW:	82.8 kDa
Gene Summary:	This gene encodes a member of the poly(A) polymerase family which catalyzes template-independent extension of the 3' end of a DNA/RNA strand. This enzyme shares 60% identity to the well characterized poly(A) polymerase II (PAPII) at the amino acid level. These two enzymes have similar organization of structural and functional domains. This enzyme is exclusively localized in the nucleus and exhibits both nonspecific and CPSF (cleavage and polyadenylation specificity factor)/AAUAAA-dependent polyadenylation activity. This gene is located on chromosome 2 in contrast to the PAPII gene, which is located on chromosome 14. [provided by RefSeq, Jul 2008]