

Product datasheet for **SC310217**

SSX2IP (NM_014021) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SSX2IP (NM_014021) Human Untagged Clone
Tag:	Tag Free
Symbol:	SSX2IP
Synonyms:	ADIP; hMsd1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC310217 representing NM_014021.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGGAGATTGGATGACTGTTACAGATCCAGGTCTGTCTTCAGAAAGCAAACACTATCTCTCAATATACC
TCAGAAACAAAGATGTCTCCATCAAGTTTATACTCACAGCAAGTGCTATGTTCTTCAATACCTTTATCG
AAAAATGTGCACAGTTTTTTCAGTGCCTCTGCACAGAAGATAAATTGAACAGAGTATCTCATATCTT
GATCAGGAATTGACTACTTTTGGTTTTCTTCATTATATGAAGAATCCAAGGTAAGAGACAAAGAGA
GAGTAAATATAGTAGCTGACTAAATTGTATGAATGAGCTGCTTGTGCTTCAGCGGAAGAACCTTCTA
GCTCAGGAAAAATGTGGAGACACAGAATTTGAAGCTGGGAAGTGATATGGACCATCTACAGAGCTGCTAC
TCAAACTTAAGGAACAACTGGAACCTCCAGGAGGGAATGATTGGGCTTCAGGAAAGAGACAGACAG
TTACAATGTAAGAACAGGAATTTGCATCAGCTACTAAAGAATGAGAAAGATGAGGTGCAAAAATTACAA
AATATCATTGCAAGTCGAGCTACTCAGTATAATCATGATATGAAGAGAAAAGAGCGTGAATATAATAAA
CTGAAGGAACGTCTACATCAACTGTTATGAACAAGAAAGATAAGAAAATAGCTATGGACATTTTGAAT
TATGTCCGGAGAGCTGATGGAAAAAGAGGCTCCTGGAGGACTGGTAAAACGAAGCCAGGAATGAAGAT
GAAATGTATAAAATTTCTTGAATGATTATGAATATCGTCAGAAACAAATCCTAATGGAAAAATGCAGAA
CTTAAGAAGGTTCTTCAACAAATGAAAAAGGAAATGATTTCTCTTCTTTCTCCCAAAAGAAGAAACCT
AGAGAAAGAGTAGATGATAGTACAGGAAGTGTATTTCCGATGTTGAAGAAGATGCCGGGAACTAAGC
AGAGAGAGTATGTGGACCTTCTGTGAACTGTGAGAGAGCAGCTTACAAACAGCATCAGAAAACAG
TGGAGAATTTGAAAAGTCATGTAGAAAAGCTTGATAACCAAGTTTCAAAGGTACACCTGGAAGGTTTT
AATGATGAAGATGTAATCTCACGACAAGACCATGAACAAGAACTGAAAACTCGAGTTAGAAATTCAG
CAGTGTAAGAAATGATTAACACTCAGCAACAGCTTTTACAGCAGCAGCTCGCTACTGCATATGATGAT
GATACCCTTCACTATTACGAGACTGTTATTTGTTGGAAGAAAAGGAACTCTCAAAGAAGAAATGGTCC
CTTTTTAAAGAGCAGAAAAAGAATTTTGAGAGGGAGAGACGAAGCTTTACAGAAGCCGCTATTCCGCTG
GGATTGGAGAGAAAGGCATTTGAAGAAGAAAGAGCCAGTTGGTTAAAGCAGCAGTTTCTAAATATGACT
ACCTTTGACCACCAGAAGCTCAGAAAATGTGAACTTTTTCAGTGCCTTCTCAGGAAGTTCTGATTGGGAC
AATCTTATAGTGCCTCGAGGCAGCCGAAAAGAAGCCTCACAGTGTGTCTAATGGGTCTCCAGTTTGC
ATGTCTAACTTACTAAATCTCTCCTGCTTACCTTCCACTTCCAGACTTTTGCCAGACACGTTCTCTGC
ATATCTGAACATAGTTCAATCAATGTACTGAATATAACTGCTGAAGAAATTAACCAATCAGGTTGGA
GGAGAATGTACAATCAAAAATGGAGTGTGGCATCAAGACCTGGATCACAGGAAGGTTGCTATAGTGGA
TGCTCCTTGAGCTACACAAATCTCATGTAGAAAAGATGACTTACCTTAG
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTAAACGGCCGGC
  
```

Restriction Sites: SgfI-MluI

Plasmid Map:

ACCN: NM_014021

Insert Size: 1845 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_014021.3
RefSeq Size:	5897 bp
RefSeq ORF:	1845 bp
Locus ID:	117178
UniProt ID:	Q9Y2D8
Cytogenetics:	1p22.3
Protein Pathways:	Adherens junction
MW:	71.2 kDa
Gene Summary:	<p>This gene encodes a protein that binds the cancer-testis antigen Synovial Sarcoma X breakpoint 2 protein. The encoded protein may regulate the activity of Synovial Sarcoma X breakpoint 2 protein in malignant cells. Alternate splicing results in multiple transcript variants. A pseudogene of this gene is found on chromosome 3. [provided by RefSeq, Oct 2009]</p> <p>Transcript Variant: This variant (5) differs in the 5' UTR, compared to variant 1. Variants 1, 2 and 5 encode the same isoform (1). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>