

## Product datasheet for SC310500

### Doublecortin (DCX) (NM\_178153) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Doublecortin (DCX) (NM_178153) Human Untagged Clone
Tag:	Tag Free
Symbol:	DCX
Synonyms:	DBCN; DC; LISX; SCLH; XLIS
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC310500 representing NM_178153. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTGTAGTGAACCGTCAGAATTTTGTAAACGACTACTATAGGGCGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGAACCTGATTTTGGACACTTTGACGAAAGAGATAAGACATCCAGGAACATGCGAGGCTCCCGGATG
AATGGGTTGCCTAGCCCCACTCACAGCGCCACTGTAGCTTCTACCGAACAGAACCTTGCAGGCACTG
AGTAATGAGAAGAAAGCCAAGAAGGTACGTTTCTACCGCAATGGGGACCGCTACTTCAAGGGGATTGTG
TACGCTGTGTCTCTGACCGTTTTCGCAGCTTTGACGCCTTGCTGGCTGACCTGACGCGATCTCTGTCT
GACAACATCAACCTGCCTCAGGGAGTGCCTTACATTTACACCATTGATGGATCCAGGAAGATCGGAAGC
ATGGATGAACTGGAGGAAGGGGAAAGCTATGTCTGTTCCCTCAGACAACCTCTTTAAAAAGGTGGAGTAC
ACCAAGAATGTCAATCCCAACTGGTCTGTCAACGTAACCAATCTGCCAATATGAAAGCCCCCAGTCC
TTGGCTAGCAGCAACAGTGCACAGGCCAGGGAGAACAAGGACTTTGTGCGCCCCAAGCTGGTTACCATC
ATCCGCACTGGGGTGAAGCCTCGGAAGGCTGTGCGTGTGCTTCTGAACAAGAAGCAGCCCACTCTTTT
GAGCAAGTCCCTACTGATATCACAGAAGCCATCAAAGTGGAGACCGGGGTTGTCAAAAACTCTACT
CTGGATGGAAAACAGGTAACCTGTCTCCATGATTTCTTTGGTGTATGATGTGTTTATTGCCTGTGGT
CCTGAAAAATTCGCTATGCTCAGGATGATTTTCTCTGGATGAAAATGAATGCCGAGTCATGAAGGGA
AACCCATCAGCCACAGCTGGCCCAAGGCATCCCAACACCTCAGAAGACTTCAGCCAAGAGCCCTGGT
CCTATGCGCCGAAGCAAGTCTCCAGCTGACTCAGCAACGGAACCTCCAGCAGCCAGCTCTACCCCC
AAGTCTAAGCAGTCTCCATCTCTACGCCACCGTCTGGCAGCCTCCGGAAGCACAAGGACCTGTAC
CTGCCTCTGTCTTGGATGACTCGGACTCGCTTGGTATTCCATGTAA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: SgfI-MluI

Plasmid Map: □



[View online »](#)

<b>ACCN:</b>	NM_178153
<b>Insert Size:</b>	1083 bp
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>OTI Annotation:</b>	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_178153.2</a></u>
<b>RefSeq Size:</b>	9135 bp
<b>RefSeq ORF:</b>	1083 bp
<b>Locus ID:</b>	1641
<b>UniProt ID:</b>	<u><a href="#">O43602</a></u>
<b>Cytogenetics:</b>	Xq23
<b>Protein Families:</b>	Druggable Genome
<b>MW:</b>	40 kDa

**Gene Summary:**

This gene encodes a member of the doublecortin family. The protein encoded by this gene is a cytoplasmic protein and contains two doublecortin domains, which bind microtubules. In the developing cortex, cortical neurons must migrate over long distances to reach the site of their final differentiation. The encoded protein appears to direct neuronal migration by regulating the organization and stability of microtubules. In addition, the encoded protein interacts with LIS1, the regulatory gamma subunit of platelet activating factor acetylhydrolase, and this interaction is important to proper microtubule function in the developing cortex. Mutations in this gene cause abnormal migration of neurons during development and disrupt the layering of the cortex, leading to epilepsy, cognitive disability, subcortical band heterotopia ("double cortex" syndrome) in females and lissencephaly ("smooth brain" syndrome) in males. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Sep 2010]

Transcript Variant: This variant (3) has an alternate 5' exon, resulting in a downstream AUG start codon, as compared to variant 1. The resulting isoform (c) has a shorter N-terminus compared to isoform a. Variants 3 and 4 encode the same isoform. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.