

Product datasheet for SC310815

CHTF8 (NM 001039690) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: CHTF8 (NM_001039690) Human Untagged Clone

Tag: Tag Free Symbol: CHTF8

Synonyms: CTF8; DERPC

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC310815 representing NM_001039690.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GCTCGTTTAGTGAACCGTCAGAATTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTG

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGGTGCAAATTGTTATTTCCAGTGCGAGGGCTGGAGGCCTGGCAGAATGGGTGCTGATGGAGCTACAG GGGGAGATCGAGGCTCCCTGCACACCACTGGATTAGCTGGAAACCTCCTGGGAGACCTACATTACACCACT GAGGGAATCCCTGTGCTGATCGTGGGGCATCATATCCTGTATGGGAAAATCATCCACCTGGAGAAACCT TTTGCAGTCCTTGTCAAACACACTCCTGGGGATCAGGACTGTGATGAGCTTGGCCGCGAGACTGGCACC CGGTACCTGGTGACAGCACTCATCAAAGACAAGATCCTTTTCAAAACCCGCCCCAAGCCCATTATCACC AGCGTCCCCAAGAAAGTATGA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

Restriction Sites: Sgfl-Mlul

ACCN: NM 001039690

Insert Size: 366 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



CHTF8 (NM_001039690) Human Untagged Clone - SC310815

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001039690.3

 RefSeq Size:
 2934 bp

 RefSeq ORF:
 366 bp

 Locus ID:
 54921

 UniProt ID:
 POCG13

 Cytogenetics:
 16q22.1

 MW:
 13.3 kDa

Gene Summary: This gene encodes a short protein that forms part of the Ctf18 replication factor C (RFC)

complex that occurs in both yeast and mammals. The heteroheptameric RFC complex plays a role in sister chromatid cohesion and may load the replication clamp PCNA (proliferating cell nuclear antigen) onto DNA during DNA replication and repair. This gene is ubiquitously expressed and has been shown to have reduced expression in renal and prostate tumors. Alternatively spliced transcript variants have been described. This gene has a pseudogene on

chromosome X. [provided by RefSeq, Oct 2018]

Transcript Variant: This variant (1) represents the longer transcript. Sequence Note: The RefSeq transcript and protein were derived from genomic sequence to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the

transcript record were based on alignments.