

## **Product datasheet for SC310878**

## FHL2 (NM 001039492) Human Untagged Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** FHL2 (NM\_001039492) Human Untagged Clone

Tag: Tag Free Symbol: FHL2

Synonyms: AAG11; DRAL; FHL-2; SLIM-3; SLIM3

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC310878 representing NM\_001039492.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGACTGAGCGCTTTGACTGCCACCATTGCAACGAATCTCTCTTTTGGCAAGAAGTACATCCTGCGGGAG
GAGAGCCCCTACTGCGTGGTGTGCTTTGAGACCCTGTTCGCCAACACCTGCGAGGAGTGTGGGAAGCCC
ATCGGCTGTGACTGCAAGGACTTGTCTTACAAGGACCGGCACTGGCATGAAGCCTGTTTCCACTGCTCG
CAGTGCAGAAACTCACTGGTGGACAAGCCCTTTGCTGCCAAGGAGGACCAGCTGCTCTGTACAGACTGC
TATTCCAACGAGTACTCATCCAAGTGCCAGGAATGCAAGAAGACCATCATGCCAGGTACCCGCAAGATG
GAGTACAAGGGCAGCAGCTGGCATGAGACCTGCTTCATCTGCCACCGCTGCCAGCAGCCAATTGGAACC
AAGAGTTTCATCCCCAAAGACAATCAGAATTTCTGTGTGCCCTGCTATGAGAAACAACATGCCATGCAG
TGCGTTCAGTGCAAAAAAGCCCATCACCACGGGAGGGGTCACTTACCGGGAGCAGCCCTGGCACAAGGAG
TGCTTCGTGTGCACCGCCTGCAGGAAGCAGCTGTCTGGGCAGCAGCCTTCACAGCTCGCGATGACTTTGCC
TACTGCCTGAACTGCTTCTGTGACTTGTATGCCAAGAAGTGTGCTGGGTGCACCAACCCCATCAGCGA
CTTGGTGGCACAAAATACATCTCCTTTGAGGAACGGCAGTGGCATAACGACTGCTTTAACTGTAAGAAG
TGCTCCCTCTCCACTGGTGGGGCGTGGCTTCCTCACAGAGAGGGACCACTCCTGTGCCCCGACTGTGGG

**AAAGACATCTGA** 

**ACGCGTACGCGGCCGCTC**GAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

**Restriction Sites:** Sgfl-Mlul




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## Plasmid Map:



**ACCN:** NM\_001039492

**Insert Size:** 840 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** NM 001039492.2

RefSeq Size: 1552 bp RefSeq ORF: 840 bp



## FHL2 (NM\_001039492) Human Untagged Clone - SC310878

 Locus ID:
 2274

 UniProt ID:
 Q14192

 Cytogenetics:
 2q12.2

**Protein Families:** Druggable Genome

MW: 32.2 kDa

**Gene Summary:** This gene encodes a member of the four-and-a-half-LIM-only protein family. Family members

contain two highly conserved, tandemly arranged, zinc finger domains with four highly conserved cysteines binding a zinc atom in each zinc finger. This protein is thought to have a role in the assembly of extracellular membranes. Also, this gene is down-regulated during transformation of normal myoblasts to rhabdomyosarcoma cells and the encoded protein may function as a link between presentiin-2 and an intracellular signaling pathway. Multiple alternatively spliced variants encoding different isoforms have been identified. [provided by

RefSeq, Jan 2016]

Transcript Variant: This variant (5) differs in the 5' UTR compared to variant 2. Variants 1, 2, 4,

5, 6, 7, and 8 all encode the same isoform (a).