OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for SC311132

KCNT1 (NM_020822) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	KCNT1 (NM_020822) Human Untagged Clone
Tag:	Tag Free
Symbol:	KCNT1
Synonyms:	bA100C15.2; DEE14; EIEE14; ENFL5; KCa4.1; SLACK; Slo2.2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>NCBI ORF sequence for NM_020822, the custom clone sequence may differ by one or more nucleotides

```
ATGCCACTCCCTGACGGGGCGCGGACCCCGGGGGGCGTCTGCCGGGAGGCGCGCGGCGGG
GGCTACACCAACCGGACCTTCGAGTTTGACGACGGCCAATGCGCCCCCAGGCGGCCCTGC
GCGGGGGACGGCGCGCTCCTGGACACCGCCGGCTTCAAGATGAGCGACCTGGACTCCGAG
GTGCTGCCCTTGCCGCCGCGCTACCGCTTCCGGGACCTGCTGCTGGGCGACCCGTCCTTC
CAGAACGACGACAGGGTCCAGGTGGAGTTCTACGTCAACGAGAACACCTTCAAGGAGCGG
CTCAAGCTGTTCTTCATCAAAAACCAAAGATCGAGCCTGAGGATCCGGCTGTTCAACTTC
TCCCTGAAGCTGCTCACCTGCCTGCTCTACATTGTGCGCGTCCTGCTCGATGACCCGGCC
CTGGGCATCGGATGCTGGGGCTGCCCAAAGCAGAACTACTCCTTCAATGACTCGTCCTCC
GAGATCAACTGGGCTCCTATTCTGTGGGTGGAGAGAAAGATGACACTGTGGGCGATCCAG
GTCATCGTGGCCATAATAAGCTTCCTGGAGACGATGCTTCTCATCTACCTCAGCTACAAA
GGCAACATCTGGGAGCAGATCTTCCGCGTGTCCTTCGTCCTGGAGATGATCAACACTCTG
CCCTTCATCATCACGATCTTCTGGCCGCCGCTGCGGAACCTGTTCATCCCCGTCTTTCTG
AACTGCTGGCTGGCCAAGCACGCGCTGGAAAACATGATTAATGACTTCCACCGTGCCATC
CTGCGGACACAGTCAGCCATGTTCAACCAGGTCCTCATCCTCTTCTGCACCCTGCTGTGC
CTCGTTTTCACGGGGACCTGCGGCATCCAGCACCTGGAGCGGGCGGGCGAGAACCTGTCC
CTCCTGACCTCCTTCTACTTCTGCATCGTCACCTTCTCCACCGTGGGCTACGGTGACGTC
ACGCCCAAGATCTGGCCATCGCAGCTGCTGGTGGTCATCATGATCTGCGTGGCCCTCGTG
GTGCTCCCACTGCAGTTCGAGGAGCTCGTCTACCTCTGGATGGAGCGGCAGAAGTCAGGG
GGCAACTACAGCCGCCACCGTGCGCAGACGGAGAAGCACGTGGTCCTGTGTGTCAGCTCC
CTCAAGATCGACCTTCTCATGGACTTCCTGAACGAGTTCTACGCCCACCCCCGGCTCCAG
GACTATTACGTGGTCATCCTGTGCCCCACGGAGATGGATGTCCAGGTGCGCAGAGTCCTG
CAGATCCCTCTGTGGTCCCAGCGGGTCATCTACCTCCAGGGCTCTGCACTCAAAGACCAG
GACCTCATGCGAGCCAAGATGGACAATGGGGAGGCCTGCTTCATCCTCAGCAGCAGGAAC
GAGGTGGACCGCACGGCTGCAGACCACCAGACCATCCTGCGCGCCTGGGCCGTGAAGGAC
TTCGCCCCCAACTGCCCCCTCTACGTCCAGATCCTCAAACCTGAAAACAAGTTTCACGTC
```


View online »

AAGTTTGCTGACCACGTGGTGTGTGAGGAGGAGTGCAAGTACGCCATGCTGGCGCTGAAC
TGCATCTGCCCGGCGACCTCCACCCTCATCACCCTGCTGGTGCACACGTCCCGCGGCCAG
GAGGGACAGGAGTCTCCGGAGCAGTGGCAGCGCATGTATGGGCGCTGCTCCGGCAACGAG
GTGTACCACATCCGCATGGGTGACAGCAAGTTCTTCCGCGAGTACGAGGGCAAGAGCTTC
ACCTACGCGGCCTTCCACGCCCACAAGAAGTATGGCGTGTGCCTCATCGGGCTGAAGCGG
GAGGACAACAAGAGCATCCTGCTGAACCCGGGGCCCCGGCACATCCTGGCCGCCTCTGAC
ACCTGCTTCTACATCAACATCACCAAGGAGGAGAACTCGGCCTTCATCTTCAAGCAGGAG
GAGAAGCGGAAGAAGAGGGCCTTCTCGGGGCAGGGGCTGCACGAGGGTCCGGCCCGCCTG
CCCGTGCACAGCATCATCGCCTCCATGGGGACAGTGGCCATGGACCTGCAGGGCACAGAG
CACCGGCCTACGCAGAGCGGCGGTGGGGGCGGGGGCAGCAAGCTGGCACTGCCCACGGAG
AACGGCTCGGGCAGCCGGCGGCCCAGCATCGCGCCCGTCCTGGAACTGGCCGACAGCTCA
GCCCTGCTGCCCTGCGACCTGCTGAGCGACCAGTCGGAGGATGAGGTGACGCCGTCGGAC
GACGAGGGGCTCTCCGTGGTAGAGTATGTGAAGGGCTACCCTCCCAACTCGCCCTACATC
GGCAGCTCCCCAACCCTGTGCCACCTCCTGCCTGTGAAAGCCCCCTTCTGCTGCCTGCGG
CTGGACAAGGGCTGCAAGCACAACAGCTATGAAGACGCCAAGGCCTACGGGTTCAAGAAC
AAGCTGATCATCGTCTCGGCAGAGACGGCCGGCAATGGGCTGTACAACTTCATCGTGCCA
CTGCGGGCCTACTACAGATCCCGCAAGGAGCTGAACCCCATCGTGCTGCTGCTGGACAAC
AAGCCCGACCACCACTTCCTGGAAGCCATCTGCTGCTTCCCCATGGTCTACTACATGGAG
GGCTCTGTGGACAACCTGGACAGCCTGCTGCAGTGTGGCATCATCTATGCGGACAACCTG
GTGGTGGTGGACAAGGAGAGCACCATGAGCGCCGAGGAGGACTACATGGCGGACGCCAAG
ACCATCGTCAACGTGCAGACCATGTTCCGGCTCTTCCCCAGCCTCAGCATCACCACGGAG
CTCACCCACCCTTCCAACATGCGCTTCATGCAGTTCCGCGCCAAGGACAGCTACTCTCTG
GCTCTTTCCAAACTAGAAAAGAGGGAGCGAGAGAATGGCTCCAACCTGGCCTTCATGTTC
CGCCTGCCGTTCGCCGCCGGCCGCGTCTTCAGCATCAGCATGTTGGACACACTGCTCTAC
CAGTCCTTCGTGAAGGACTACATGATCACCATCACCCGGCTGCTGCTGGGCCTGGACACC
ACGCCGGGCTCGGGGTACCTCTGTGCCATGAAAATCACCGAGGGCGACCTGTGGATCCGC
ACGTACGGCCGCCTCTTCCAGAAGCTCTGCTCCTCCAGCGCCGAGATCCCCATTGGCATC
TACCGGACAGAGAGCCACGTCTTCTCCACCTCGGAGCCCCACGACCTCAGAGCCCAGTCC
CAGATCTCGGTGAACGTGGAGGACTGTGAGGACACACGGGAAGTGAAGGGGCCCTGGGGC
TCCCGCGCTGGCACCGGAGGCAGCTCCCAGGGCCGCCACACGGGCGGCGGTGACCCCGCA
GAGCACCCACTGCTACGGCGCAAGAGCCTGCAGTGGGCCCGGAGGCTGAGCCGCAAGGCG
CCCAAGCAGGCAGGCCGGGCGGCGGCCGCGGAGTGGATCAGCCAGCAGCGCCTCAGCCTG
TACCGGCGCTCTGAGCGCCAGGAGCTCTCCGAGCTGGTGAAGAACCGCATGAAGCACCTG
GGGCTGCCCACCACCGGCTACGACGAGATGAACGACCACCAGAACACCCTCTCCTACGTC
CTCATCAACCCTCCGCCCGACACGAGGCTGGAGCCCAGTGACATTGTCTATCTCATCCGC
TCCGACCCCCTGGCTCACGTGGCCAGCAGCTCCCAGAGCCGGAAGAGCAGCTGCAGCCAC
AAGCTGTCGTCCTGCAACCCCGAGACTCGCGACGAGACACAGCTCTGA

Restriction Sites: Please inquire

ACCN: NM_020822

OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery. The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_020822.1, NP_065873.1
RefSeq Size:	4823 bp
RefSeq ORF:	3771 bp
Locus ID:	57582
UniProt ID:	Q5JUK3
Cytogenetics:	9q34.3
Protein Families:	Druggable Genome, Ion Channels: Potassium, Transmembrane

Gene Summary: Potassium channels represent the most complex class of voltage-gated ion channels from both functional and structural standpoints. Their diverse functions include regulating neurotransmitter release, heart rate, insulin secretion, neuronal excitability, epithelial electrolyte transport, smooth muscle contraction, and cell volume. This gene encodes a sodium-activated potassium channel subunit which is thought to function in ion conductance and developmental signaling pathways. Mutations in this gene cause the early-onset epileptic disorders, malignant migrating partial seizures of infancy and autosomal dominant nocturnal frontal lobe epilepsy. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2012]
Transcript Variant: This variant (1) encodes the longer isoform (1).