

Product datasheet for SC311259

MST4 (STK26) (NM_001042452) Human Untagged Clone

Product data:


| | |
|---------------------------|--|
| Product Type: | Expression Plasmids |
| Product Name: | MST4 (STK26) (NM_001042452) Human Untagged Clone |
| Tag: | Tag Free |
| Symbol: | STK26 |
| Synonyms: | MASK; MST4 |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |
| Fully Sequenced ORF: | >SC311259 representing NM_001042452. Blue=Insert sequence Red=Cloning site Green=Tag(s) |

```
GCTCGTTTAGTGAACCGTCAGAATTTGTAAACGACTACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGCCCACTCGCCGGTGGCTGTCCAAGTGCCTGGGATGCAGAATAACATAGCTGATCCAGAAGAAGTCC
TTCACAAAATTAGAGCGCATTGGGAAAGGCTCATTGGGGAAGTTTTCAAAGGAATTGATAACCGTACC
CAGCAAGTCGTTGCTATTTAAATCATAGACCTTGAGGAAGCCGAAGATGAAATAGAAGACATTGAGCAA
GAAATAACTGTCTTGAGTCAATGTGACAGCTCATATGTAACAAAATACTATGGGTCATATTTAAAGGGG
TCTAAATTATGGATAAATGGAATACCTGGGCGGTGGTTCAGCACTGGATCTTCTTCGAGCTGGTCCA
TTTGATGAGTTCAGATTGCTACCATGTAAAGGAAATTTAAAAGGTCTGGACTATCTGCATTCAGAA
AAGAAAATTCACCGAGACATAAAAGCTGCCAATGTCTTGCTCTCAGAACAAGGAGATGTTAACTTGCT
GATTTTGGAGTTGCTGGTCAGCTGACAGATACACAGATTAAGAAATACCTTTGTGGAACTCCATTT
TGGATGGCTCCTGAAGTTATTCAACAGTCAGCTTATGACTCAAAACGTCCTACAGCAAAAGAAGTCTCG
AAACACAAATTCATTGTAAAAATTTCAAAGAAGACTTCTTATCTGACTGAACTGATAGATCGTTTTAAG
AGATGGAAGGCAGAAGGACACAGTATGATGAATCTGATTCGAGGGCTCTGATTCGGAATCTACCAGC
AGGAAAACAATACTCATCTGAATGGAGCTTTACCACCGTACGAAAGAAGCCTGATCCAAAGAAAGTA
CAGAATGGGCGAGAGCAAGATCTTGTGCAAAACCCTGAGTTGTTTGTCTATGATAATCACACCTGCATTT
GCTGAACCTAAACAGCAGGACGAGAATAACCTAGCAGGAATCAGGCGATTGAAGAACTCGAGAAAAGT
ATTGCTGTGGCTGAAGCCGCTGTCCCGCATCACAGATAAAATGGTGAAGAACTAATTGAAAAATTT
CAAAGTGTTTCAGCAGACGAATCCCCCTAA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: SgfI-MluI



[View online »](#)

Plasmid Map:


ACCN: NM_001042452

Insert Size: 1065 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001042452.1](#)

RefSeq Size: 2875 bp

RefSeq ORF: 1065 bp

Locus ID: 51765

UniProt ID: [Q9P289](#)

Cytogenetics: Xq26.2

Protein Families: Druggable Genome, Protein Kinase

MW: 39.7 kDa

Gene Summary: The product of this gene is a member of the GCK group III family of kinases, which are a subset of the Ste20-like kinases. The encoded protein contains an amino-terminal kinase domain, and a carboxy-terminal regulatory domain that mediates homodimerization. The protein kinase localizes to the Golgi apparatus and is specifically activated by binding to the Golgi matrix protein GM130. It is also cleaved by caspase-3 in vitro, and may function in the apoptotic pathway. Several alternatively spliced transcript variants of this gene have been described, but the full-length nature of some of these variants has not been determined. [provided by RefSeq, Jul 2008]
Transcript Variant: This variant (3) lacks an alternate in-frame exon, compared to variant 1. The resulting isoform (3) is shorter compared to isoform 1, and lacks kinase activity.