

Product datasheet for **SC311286**

PSPC1 (NM_001042414) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PSPC1 (NM_001042414) Human Untagged Clone
Tag:	Tag Free
Symbol:	PSPC1
Synonyms:	PSP1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)


Fully Sequenced ORF: >SC311286 representing NM_001042414.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGATGTTAAGAGGAAACCTGAAGCAAGTGCGCATTGAGAAAAACCCGGCCCGCCTTCGCGCCCTGGAG
TCCCGGTTGGCGAGAGCGAGCCGGCCGGCCGGCAGCCATGGCGCTCGTCTTGCCGGGGAGCCGGCA
CCGCCCGCGCCCGCCTCCAGAGGACCACCCGGACAGGAGATGGGGTTCACTATCGACATCAAGAGT
TTCTCAAGCCGGCGGAGAAAGACGTACACGCAGCGCTGCCGCCTTCTCGTGGGAAATCTGCCACCAGAC
ATCACGGAGGAGGACTTCAAGAGGCTCTTCAACGCTATGGCGAGCCAGCGAAGTCTTCAACACCGG
GACCGTGGCTTCGGCTTCCGCTTGAATCCAGAACCCTGGCTGAAATTGCAAAGCAGAGCTGGAC
GGCACCATTCTCAAGAGCAGACCTCTACGGATTCGCTTACACATGGAGCAGCCTTGACTGTCAAG
AACCTTCTCCAGTTGTTCCAATGAGCTGCTAGAGCAAGCATTTCTCAGTTTGGTCCAGTAGAGAAA
GCTGTTGTGGTTGGATGATCGCGGTAGAGCTACAGGAAAAGTTTTGTAGAGTTGCAGCAAAACCT
CCTGCACGAAAGGCTCTGAAAGATGTGGTATGGGGCATTCTTGCTAACACGACCCTCGTCCAGTC
ATTGTGGAACCCATGGAGCAGTTTGATGATGAAGATGGCTTGCCAGAGAAGCTGATGCAGAAAACCAA
CAATATCATAAGGAAAGAGAACAACCACCACGTTTTGCTCAACCTGGGACATTTGAATTTGAGTATGCA
TCTCGATGGAAGGCTCTTGATGAAATGGAAAAGCAGCAGCGTGAGCAGGTTGATAGAAAATCAGAGAA
GCCAAAGAGAACTGGAGGCAGAAATGGAAGCAGCTAGGCATGAACCAATTAATGCTAATGAGGCAA
GATCTAATGAGGCGTCAAGAAGAACTCAGACGCTTGAAGAAGCTCAGAAAACCAAGAGTTGCAAAAACGG
AAGCAAATACAATAAGACATGAAGAGGAGCATCGCGCGCGTGAGGAAGAAATGATCCGACACAGAGAA
CAGGAGGAACTGAGGCGACAGCAAGAGGGCTTTAAGCCAACTACATGAAAAATAGAGAACAGGAAATG
AGATGGGTGATATGGGTCCCCGTGGGCAATAAACATGGGAGATGCGTTTAGCCAGCCCTGCTGGT
AACCAAGTCTCTCCAATGATGGGTATGAATATGAACAACAGAGCAACTATACCTGGCCACCAATG
GGTCTGGTCTGCCATGGGACCAGAAGGAGCCGCAATATGGGAACTCCAATGATGCCAGATAATGGA
GCAGTGACAATGACAGATTTCTCAAGGACCACCATCTCAGATGGGTTACCTATGGGAGTAGAACA
GGTTCTGAAACCCTCAAGCACCAATGAGTGGTGTAGGTCCTGTGAGTGGTGGTCTGGTGGCTTTGGT
AGAGGAAGTCAAGGGGGCAACTTTGAAGCCCTAATAAGCGTCGTAGATATTAA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: Sgfl-MluI

Plasmid Map:



ACCN: NM_001042414

Insert Size:	1572 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001042414.2</u>
RefSeq Size:	2031 bp
RefSeq ORF:	1572 bp
Locus ID:	55269
UniProt ID:	<u>Q8WXF1</u>
Cytogenetics:	13q12.11
Protein Families:	Transcription Factors
MW:	58.7 kDa

Gene Summary:

This gene encodes a nucleolar protein that localizes to punctate subnuclear structures that occur close to splicing speckles, known as paraspeckles. These paraspeckles are composed of RNA-protein structures that include a non-coding RNA, NEAT1/Men epsilon/beta, and the Drosophila Behavior Human Splicing family of proteins, which include the product of this gene and the P54NRB/NONO and PSF/SFPQ proteins. Paraspeckles may function in the control of gene expression via an RNA nuclear retention mechanism. The protein encoded by this gene is found in paraspeckles in transcriptionally active cells, but it localizes to unique cap structures at the nucleolar periphery when RNA polymerase II transcription is inhibited, or during telophase. Alternative splicing of this gene results in multiple transcript variants. A related pseudogene, which is also located on chromosome 13, has been identified. [provided by RefSeq, Aug 2011]

Transcript Variant: This variant (1, also known as PSP1-alpha) encodes isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.