

Product datasheet for **SC311413**

RRBP1 (NM_001042576) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	RRBP1 (NM_001042576) Human Untagged Clone
Tag:	Tag Free
Symbol:	RRBP1
Synonyms:	ES/130; ES130; hES; p180; RRp
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)




[View online »](#)

Fully Sequenced ORF: >SC311413 representing NM_001042576.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGGATATTTACGACACTCAAACCTTGGGGTTGGTCTTTGGAGGATTATGTTTGTCTGCCATT
GGCATCTTCTGGTGTGACTTTTCCATGAAGGAAACGTCATATGAAGAAGCCCTAGCCAACCAGCGC
AAGGAGATGGCGAAAACCTACCACCAGAAAGTCGAGAAGAAAAAGGAGAAAACAGTGGAGAAGAAA
GGAAAGACCAAGAAAAGGAAGAGAAAACCTAATGGGAAGATACCTGATCATGATCCAGCCCCAATGTG
ACTGTCCTCCTTCGAGAACCAGTGCGGGCTCCTGCTGTGGCTGTGGCTCCAACCCAGTGACGCCCCC
ATTATCGTTGCTCCTGTCGCCACAGTTCAGCCATGCCCCAGGAGAAGCTGGCCTCCTCCCCAAGGAC
AAAAAGAAGAAGGAGAAAAAAGTGGCAAAGTGGAAACAGCTGTCAGCTCTGTAGTGAATTCATCCAG
GTTCTCACTTCGAAGGCTGCCATCTTGGAACTGCTCCAAGGAGGCAGAAATACAGATGTGGCCAG
AGCCAGAGGCACAAAGCAAGAGGCTCCTGCCAAGAAGAAGTCTGGTTCAAAGAAAAAGGCCCCCA
GATGCCGACGGCCCTCTACCTCCCTACAAGACGCTGGTCTCCACGGTTGGGAGCATGGTGTTCAC
GAGGGCGAGGCCAGCGCTCATCGAGATCCTGTCTGAGAAGGCTGGCATTATCAGGACACCTGGCAC
AAGGCCACTCAGAAGGGTGACCTGTGGCGATTCTGAAACGCCAGCTGGAAGAGAAGGAAAACTGCTG
GCCACAGAACAGGAAGATGCGGCTGTGCGCAAGAGCAAACCTGAGGGAGCTCAACAAGGAGATGGCAGCA
GAAAAGGCCAAAGCAGCAGCCGGGAGGCCAAAGTGAAGAACAGCTGGTGGCCCGGAGCAGGAGATC
ACGGCTGTGCAGGCACGCATGCAGGCCAGCTACCGGGAGCACGTGAAGGAGGTGCAGCAGCTGCAGGGC
AAGATCCGGACTTTCAGGAGCAGCTGGAGAATGGCCCAACACGCAGCTGGCCCGCTGCAGCAGGAG
AACTCCATCCTGCGGGATGCCTTGAACCAAGCCAGCAGCCAGGTGGAGAGCAAGCAGAACGCAGAGCTG
GCCAAGCTTCGGCAGGAGCTCAGCAAGGTGAGCAAGAGCTGGTGGAGAAGTCAAGGCTGTGCGGCAA
GATGAGCAGCAGCGGAAAAGCTCTGGAAGCAAGGCAGCTGCCTTCGAGAAGCAGGTCTGCAGCTGCAG
CGTCCCACAGGGAGAGTGAGGAGGCCCTGCAGAAGCGCCTGGACGAGGTGAGCCGGGAGCTGTGCCAC
ACGCAGAGCAGCCAGCCAGCCTCCGGCGGATGCCGAGAAGGCCAGGAGCAACAGCAGCAGATGGCC
GAGCTGCACAGCAAGTTACAGTCTCCGAGGCGGAGGTGCGCAGCAAATGCGAGGAGCTGAGTGGCCTC
CACGGGCAGCTCCAGGAGGCCAGGGCGGAGAATCCCAGCTCACAGAGAGAATCCGTTCCATTGAGGCC
CTGCTGGAGGCGGGCCAGGCGGGATGCCAGGAGTCCAGGCCAGCCAGGCGGAGGCTGACCAGCAG
CAGACTCGCTCAAGGAGCTGGAGTCCCAGGTGTGCGGTCTGGAGAAGGAGGCCATCGAGCTCAGGGAG
GCCGTCGAGCAGCAGAAAGTGAAGAACAATGACCTCCGGGAGAAGAACTGGAAGGCCATGGAGGCACTG
GCCACGGCCGAGCAGGCCCTGCAAGGAGAAGCTGCACTCCCTGACCCAGGCCAAGGAGGAATCGGAGAAG
CAGCTCTGTCTGATTGAGGCGCAGACCATGGAGGCCCTGCTGGCTCTGCTCCCAGAACTCTCTGTCTTG
GCACAACAGAATTACACCGAGTGGCTGCAGGATCTCAAAGAGAAAAGGCCCCACGCTGCTGAAGCACCCG
CCAGCTCCCGGAGCCCTCCTCGGACCTGGCCTCCAAGTTGAGGGAGGCCGAGGAGACGCAGAGCACA
CTGCAGGCCGAGTGTGACCAGTACCGCAGCATCCTGGCGGAGACGGAGGGCATGCTCAGAGACCTGCAG
AAGAGCGTGGAGGAGGAGGAGCAGGTGTGGAGGGCCAAGTGGGCGCCGAGAGGAGGAGCTCCAGAAG
TCCCGGGTCACAGTGAAGCATCTCGAAGAGATTGTAGAGAAGCTAAAAGGAGAATTTGAAAGTTCGGAC
CAGGTGAGGGAGCACACGTGCAATTTGGAGGCAGAGCTGGAAGCAGCATGGCGGCCGACGCGCCGAG
TGCCAGAACTACCCAAGGAGGTGGCAGGCTGAGGCAACTTCTCCTAGAATCTCAATCTCAGCTCGAT
GCCGCCAAGAGCGAAGCCAGAAACAGAGCGATGAGCTTGCCCTGGTCAAGCAGCAGTTGAGTGAATG
AAGAGCCACGTAGAGGATGGTGACATAGCTGGGCCCCAGCTTCTCCCCAGAGGCGCCCCAGCCGAG
CAGGACCCCGTTAGCTGAAGACGCAGCTGGAGTGGACAGAAGCCATCCTGGAGGATGAGCAGACACAG
CGGCAGAAGCTCACGGCCGAGTTTGGAGGCTCAGACCTCGGCATGTGCGTTACAAGAAGAAATGGAG
AAGCTCCGCACAGCCGGCCCCCTAGAGTCTTCAAGAACAGAGGAGGCTCACAGCTGAAGGAGAGACTA
GAAAAAGAGAAGAAGTTAAACAAGTGACCTGGGGCGCGCCACGAGACTGCAGGAGCTTCTGAAGACG
ACCCAGGAGCAGCTGGCAAGGAGAAGGACACGGTGAAGAAGCTGCAGGAACAGCTGGAAGGCGAGAG
GACGGCAGCAGCTCAAAGGAGGGCACCTCTGCTGA
ACGCGTACGCGGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTAAACGGCCGGC
  
```

Restriction Sites: SgfI-MluI

Plasmid Map:


ACCN: NM_001042576

Insert Size: 2934 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
 3. Close the tube and incubate for 10 minutes at room temperature.
 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq:	NM_001042576.1
RefSeq Size:	3792 bp
RefSeq ORF:	2934 bp
Locus ID:	6238
UniProt ID:	Q9P2E9
Cytogenetics:	20p12.1
Protein Families:	Druggable Genome, Transmembrane
MW:	108.7 kDa
Gene Summary:	<p>This gene encodes a ribosome-binding protein of the endoplasmic reticulum (ER) membrane. Studies suggest that this gene plays a role in ER proliferation, secretory pathways and secretory cell differentiation, and mediation of ER-microtubule interactions. Alternative splicing has been observed and protein isoforms are characterized by regions of N-terminal decapeptide and C-terminal heptad repeats. Splicing of the tandem repeats results in variations in ribosome-binding affinity and secretory function. The full-length nature of variants which differ in repeat length has not been determined. Pseudogenes of this gene have been identified on chromosomes 3 and 7, and RRBP1 has been excluded as a candidate gene in the cause of Alagille syndrome, the result of a mutation in a nearby gene on chromosome 20p12. [provided by RefSeq, Apr 2012]</p> <p>Transcript Variant: This variant (1) represents the longer variant.</p>