

Product datasheet for **SC311423**

SLC12A6 (NM_001042496) Human Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: SLC12A6 (NM_001042496) Human Untagged Clone
Tag: Tag Free
Symbol: SLC12A6
Synonyms: ACCPN; KCC3; KCC3A; KCC3B
Vector: pCMV6 series
Fully Sequenced ORF: >NCBI ORF sequence for NM_001042496, the custom clone sequence may differ by one or more nucleotides

```

ATGGCTTCAGTTCGGTTCATGGTGACACCGACAAAGATCGATGACATTCCAGTTTGTCA
GACACCAAGTCCGGACCTCAGCTCTCGATCTAGTCCCGAGTAAGATTTAGCTCCCGGAA
AGCGTGCCTGAAACAAGCCGGAGTGAGCCTATGAGTGAGATGTCTGGGGCCACCACTTCG
CTGGCAACTGTTGCACTGGATCCACCCAGTGACCGGACTTCTCACCCCAAGGATGTCATC
GAGGACCTGAGTCAGAATCCATCACAGGGGAACACAGCCAAGTGTAGACGACGGACAT
AAGAAAGCTCGAAATGCTTATCTCAATAATTCCAATTATGAAGAAGGAGATGAATATTTT
GATAAAAAATTTGGCACTTTTGGGAAGAAATGGACACCAGACCGAAGGTGTCTTCCCTC
CTCAACCGCATGGCCAATTACACTAATCTGACTCAAGGAGCAAAGGAACATGAAGAGGCA
GAAAACATCACTGAAGGGAAAAAGAACCCACCAAGACCCCAATGGGTACCTTCATG
GGTGTCTACCTCCCATGTCTACAAAATATTTTGGAGTGATCCTTTTTTACGCCTTACA
TGGGTGGTGGGCACAGCTGGAGTTCTTCAGGCTTTTGAATTGTCCTTATCTGCTGCTGC
TGTACAATGTTGACTGCTATCTCCATGAGTGCCATTGCCACTAATGGAGTGGTGCCAGCT
GGGGGCTCATACTTTATGATTTCCCGGGCACTGGGCCAGAGTTTGGTGGGGCTGTTGGC
CTCTGCTTTTATCTTGGTACCACATTTGCAGCAGCCATGTACATCCTTGGTGCCATTGAA
ATCTTTCTGGTCTATATCGTCCCGGAGCTGCCATCTTTACAGTGATGACGCACTCAAG
GAATCAGCAGCCATGCTAAATAACATGCGTGTCTACGGCACAGCTTTCTTGGTCTTATG
GTATTAGTGGTATTTATCGGCGTACGCTATGTGAACAAGTTTGCCTCACTTTTCTCGGCC
TGTGTCATTGTGCCATCTTGGCCATCTATGCTGGAGCCATCAAGTCTTCTTTTGTCTCT
CCACACTTCCCGGTCTGCATGCTGGTAACCGCACCTTTTCAAGACACATTGACGTT
TGCTCTAAGACCAAGGAAATTAACAACATGACAGTCCCATCAAAGTTATGGGGATTCTTC
TGTAACCTCGAGTCAATTTTTCAATGCCACCTGTGATGAATACTTTGTTTACAATAACGTC
ACTTCAATCCAGGGCATTCTGGATTGGCTAGTGGTATAATTACAGAGAATCTTTGGAGT
AATTACCTACCAAGGGAGAGATCATCGAAAAGCCTTCAGCCAAATCTTCTGATGCTTA
GGCAGCTTAAACCATGAATATGTTCTTGTGACATCACCACTCCTTACGCTTCTGGTG
GGAATCTTCTTTCCCTCTGTTACAGGTATCATGGCTGGATCAAACAGATCTGGAGATCTG
AAAGATGCTCAGAAGTCTATTCCGATTGGTACTATCCTTGCCATCCTGACCACCTCCTTT
GTTTATTTAAGCAATGTTGTCCTTTTTGGTGATGTATTGAAGGGGTTGTTCTCAGAGAC
AAGTTCGGTGATGCTGTGAAAGGTAATTTGGTGGTAGGCACCTTATCTTGGCCATCCCA
TGGGTGATTGTTATTGGCTCCTTCTTTCAACATGTGGGGCTGGACTTCAGAGCCTCACA

```



[View online »](#)

```

GGTGCACCGAGGCTGCTACAAGCTATTGCCAAGGATAACATCATACCGTTTCTGAGGGTT
TTTGGCCACAGCAAAGCCAATGGGGAACCTACCTGGGCTTTACTTCTAACTGCTGCCATT
GCAGAGCTTGGAACTACTCATTGCCTCCCTGGATCTTGTGGCCCAATTCTTTCCATGTTT
TTTCTCATGTGTTACCTCTTTGTAACTTGGCATGTGCCTTGCAAACATTACTTCGAACA
CCCAACTGGAGACCCCGATTCCGCTACTACCATTGGGCCCTTTCTTTTCATGGGAATGAGT
ATCTGTCTGGCTCTGATGTTCAATTTCTTCTGGTATTATGCCATTGTAGCCATGGTAATA
GCTGGTATGATCTACAAGTACATTGAATACCAAGGAGCTGAGAAAAGTGGGGTATGGT
ATCCGTGGGCTGTCCCTCAGTGCAGCCCGTTTGTCTTTCGATTGGAGGAAGGACCT
CCACACACTAAAACTGGAGGCCTCAGTTGCTTGTATTACTGAACTAGATGAAGACTTA
CATGTCAAGCATCCTCGCCTCCTCACCTTTGCCTCACAGCTCAAAGCAGGAAAAGGTCTC
ACTATTGTGGGCTCTGTATCGTGGGAACTTCCCTAGAGAACTACGGTGAAGCTTTAGCT
GCTGAGCAGACCATAAAGCACCTAATGGAGGCAGAGAAGGTAAGGATTCTGCCAGCTG
GTGGTGGCCGCAAGCTGAGAGAGGGCATTCCACCTCATCCAGTCATGTGGCCTTGGG
GGCATGAAGCACACACGGTGGTATGGGCTGGCCTAATGGCTGGCGTCAAAGCGAAGAT
GCCCGCGCTTGAAGACTTTTATTGGCACAGTTCGAGTGACAACCTGCTGCCATCTTGCA
CTGCTGGTGGCTAAAAACATCTCCTTCTTCCAGCAATGTGGAGCAATTTCTGAGGGC
AACATTGATGTGTGGTGGATTGTGCATGATGGGGGATGCTTATGCTACTACCATTCCCTA
CTGAAACAGCACAAAGGTGTGGCGAAAGTGCAGCATACGGATCTTACAGTAGCCCAATTA
GAAGACAACAGTATCCAAATGAAGAAGGACCTAGCCACCTTCTATATCACTTACGCATT
GAGGCGGAGGTAGAAGTGGTGGAGATGCATGACAGTGATATACAGCATATACTTACGAG
CGCACTTTGATGATGGAACAAAGTCCCAGATGCTCCGGCACATGCGGCTATCCAAAACA
GAGCGAGACAGAGAGGCACAATTGGTGAAGACCGAAACTCAATGCTACGATTGACCAGC
ATTGGCTCTGATGAGGACGAAGAGACAGAAACCTATCAGGAGAAGGTGCACATGACTTGG
ACAAAAGACAAGTACATGGCATCCCGGGACAAAAGCGAAGTCAATGGAAGGATTCCAG
GACCTGCTTAACATGCGTCCGGACCAAGTCAATGTGAGGCGGATGCATACAGCAGTGAAA
CTCAACGAGGTTATAGTTAAACAAGTCCCATGAAGCAAAGCTGGTTTTATTGAATATGCCA
GGGCCACCCGAAACCCTGAGGGTATGAAAACATACATGGAGTTCCTAGAGGTGCTTACC
GAGGGACTAGAGCGAGTCTACTTGTCCGGGGTGGTGGCAGTGAAGTGATCACCATTAT
TCATAA
    
```

- Restriction Sites:** Please inquire
- ACCN:** NM_001042496
- OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
- OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
- Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001042496.1](#), [NP_001035961.1](#)

RefSeq Size: 7754 bp

RefSeq ORF: 3426 bp

Locus ID: 9990

UniProt ID: [Q9UHW9](#)

Cytogenetics: 15q14

Protein Families: Transmembrane

Gene Summary: This gene is a member of the K-Cl cotransporter (KCC) family. K-Cl cotransporters are integral membrane proteins that lower intracellular chloride concentrations below the electrochemical equilibrium potential. The proteins encoded by this gene are activated by cell swelling induced by hypotonic conditions. Alternate splicing results in multiple transcript variants encoding different isoforms. Mutations in this gene are associated with agenesis of the corpus callosum with peripheral neuropathy. [provided by RefSeq, Jul 2008]
Transcript Variant: This variant (5) has an additional exon in its 5' UTR and uses an alternate in-frame splice site in the first protein coding exon, compared to variant 1. The encoded protein (isoform d) uses a downstream start codon, compared to isoform a.