

## **Product datasheet for SC312650**

## Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

EU: info-de@origene.com CN: techsupport@origene.cn

## TL1A (TNFSF15) (NM\_005118) Human Untagged Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: TL1A (TNFSF15) (NM\_005118) Human Untagged Clone

Tag: Tag Free

Symbol: TL1A

Synonyms: TL1; TL1A; TNLG1B; VEGI; VEGI192A

Mammalian Cell

None

Selection:

Vector: pCMV6-XL6

E. coli Selection: Ampicillin (100 ug/mL)

Fully Sequenced ORF: >OriGene ORF sequence for NM\_005118 edited

GAAGATAAAACCTTCTTTGGAGCCTTCTTACTATAG

Restriction Sites: Notl-Notl
ACCN: NM\_005118
Insert Size: 2400 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**OTI Annotation:** The ORF of this clone has been fully sequenced and found to be a perfect match to

NM 005118.2.





**Domains:** 

## TL1A (TNFSF15) (NM\_005118) Human Untagged Clone - SC312650

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 005118.2</u>, <u>NP 005109.2</u>

RefSeq Size:2011 bpRefSeq ORF:756 bpLocus ID:9966UniProt ID:O95150Cytogenetics:9q32

Protein Families: Druggable Genome, Transmembrane
Protein Pathways: Cytokine-cytokine receptor interaction

TNF

**Gene Summary:** The protein encoded by this gene is a cytokine that belongs to the tumor necrosis factor (TNF)

ligand family. This protein is abundantly expressed in endothelial cells, but is not expressed in either B or T cells. The expression of this protein is inducible by TNF and IL-1 alpha. This cytokine is a ligand for receptor TNFRSF25 and decoy receptor TNFRSF21/DR6. It can activate

NF-kappaB and MAP kinases, and acts as an autocrine factor to induce apoptosis in

endothelial cells. This cytokine is also found to inhibit endothelial cell proliferation, and thus

may function as an angiogenesis inhibitor. Two transcript variants encoding different

isoforms have been found for this gene. [provided by RefSeq, Feb 2011]

Transcript Variant: This variant (1) represents the longer transcript and encodes the longer isoform (VEGI-251). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript

alignments.