

# Product datasheet for SC312671

## KCTD1 (NM\_198991) Human Untagged Clone

## **Product data:**

#### OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	KCTD1 (NM_198991) Human Untagged Clone
Tag:	Tag Free
Symbol:	KCTD1
Synonyms:	C18orf5
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC312671 representing NM_198991. Blue=Insert sequence <mark>Red</mark> =Cloning site Green=Tag(s)
	GCTCGTTTAGTGAACCGTCAGAATTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGCGATCGCCATGTCAAGACCTCTGATCACTAGATCCCCTGCATCTCCACTGAACAACCAAGGCATCCCTACTCCAGCACAACTCACAAAATCCAATGCGCCTGTCCACATTGATGTGGGCGGCCACATGTACACCAGCAGCCTGGCCACCCTCACCAAATACCCTGAATCCAGAATCGGAAGACTTTTTGATGGTACAGAGCCCATTGTTTTGGACAGTCTCAACAGCACTATTTCATTGACAGAGATGGAAGACTGTTCAGATATATCTTGAATTTTCTACGAACATCCAAACTCCTCATTCCTGATGATTTCAAGGACTACACTTTGTTATATGAAGAGGCCAAAATATTTTCAGCTTCAGCCCATGTTGTTGGAGAGTGGAAAGATGGAAGCAGGACAGAGAAACTGGTCGATTTTCAAGGCCCTGTGAGTGCCTCGTCGTGGGCGTGTGGCCCCAGACCTCGGAGAAAGGATCACGCTAAGCGGTGACAAATCCTTGATAGAAGAAGTATTTCCAGAGATCGGCGACGTGATGTGTAACTCTGTCAATGCAGGCTGGAATCACGACTCGACGCACGTCATCAGGTTTCCACTAAATGGCTACTGTCACCTCAATCCAGGCTGCACATCGAGAGGTTGCAGCACGACAAGAGGATCTGGGCGCCCCGTGTACCCTCAACTCAGTCCAGGTCCTCGAGAGGTTGCAGCACAGAAACTGATGGGGACGCCCCGTGTACCCTCCGTCATCCGGATAAAGCAAGACCCTCTGGACTAAACGCGTACGCGCCCCGCTCGAGCAGAAACTCATCCTGGCAGCACAAATGATATCCTGGATACGCGTACGCGGCCCCCGCTCGAGCAGAAACTCATCCAGAACCCCCCGTGTACCCTCCGTCATCCGGATAAAACCAAGAGCCTCTGGACTAAACGCGTACGCGCCCCGCTCGAGCAGAAACTCATCCAGAACCCACCGCGCACAAATGATATCCTGGATACACGCACGACCACTAAAGGTTTAAACGGCCGGC
<b>Restriction Sites:</b>	Sgfl-Mlul



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### Plasmid Map:



ACCN:	NM_198991
Insert Size:	774 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
RefSeq:	<u>NM 198991.3</u>
RefSeq Size:	1754 bp

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	KCTD1 (NM_198991) Human Untagged Clone – SC312671
RefSeq ORF:	774 bp
Locus ID:	284252
UniProt ID:	<u>Q719H9</u>
Cytogenetics:	18q11.2
Protein Families	lon Channels: Other
MW:	29.4 kDa
Gene Summary:	This gene encodes a protein containing a BTB (Broad-complex, tramtrack and bric a brac), also known as a POZ (POxvirus and zinc finger) protein-protein interaction domain. The encoded protein negatively regulates the AP-2 family of transcription factors and the Wnt signaling pathway. A mechanism for the modulation of Wnt signaling has been proposed in which the encoded protein enhances ubiquitination and degradation of the beta-catenin protein. Mutations in this gene have been identified in Scalp-ear-nipple (SEN) syndrome. [provided by RefSeq, May 2017] Transcript Variant: This variant (2) differs in the 5' UTR, lacks a portion of the 5' coding region, and uses a downstream in-frame start codon, compared to variant 3. Variants 1, 2, 4 and 6 all encode the same isoform (a), which has a shorter N-terminus compared to isoform b.

**%**// \_

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US