

Product datasheet for **SC312811**

Cyclin Y (CCNY) (NM_181698) Human Untagged Clone

Product data:


Product Type:	Expression Plasmids
Product Name:	Cyclin Y (CCNY) (NM_181698) Human Untagged Clone
Tag:	Tag Free
Symbol:	CCNY
Synonyms:	C10orf9; CBCP1; CCNX; CFP1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC312811 representing NM_181698. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTGTAAACGACTACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGAATCAATCCTTCAGATCATCCTCGGGCCAGCACAAATTCCTCAGTAAATCTCAGACGGACGTG
AGAGAAAAACGCAAGAGTCTCTTCATTAACCATCATCCTCCAGGACAAATAGCAAGGAAATACAGTTCC
TGCTCCACCATTTTCCTAGATGATAGCACAGTCAGTCAACCAAACCTCAAGTATACAATTAATGTGTC
GCTCTTGCAATATATTATCACATCAAAAACAGGGACCCAGATGGAAGGATGCTCTTAGATATTTTGTG
GAAAATCTTCACCCTCTTCGAAATCCGAAGTCCACCAGATTATGACAAACACAACCCAGAGCAGAAG
CAGATTTACCGGTTTCGTTCCGACACTGTTCAAGTGTGCTCAGCTGACGGCTGAATGTGCCATCGTCACC
CTGGTGTACCTTGAAAGACTTTTAAACATACGCAGAGATAGATATCTGTCCGGCCAACTGGAAGCGGATT
GTTTTAGGGGCGATCCTGCTGGCCTCCAAGGTGTGGGATGACCAGGCTGTATGGAATGTGGATTACTGC
CAGATCCTGAAAGACATCACGGTGGAGGACATGAACGAGCTAGAGCGACAGTTTCTTGAATTGCTGCAG
TTCAACATCAATGTTCTTCCAGTGTCTATGCCAAGTATTATTTTGTATCTTCTGTTCTCTGGCAGAAGCG
AACAACTGAGCTTTCCCTTGGAGCCCCGAGCAGGGAGAGGGCTCACAAGCTTGAGGCCATCTCTCGC
CTCTGCGAGGACAAGTACAAGGACCTAAGAAGATCCGCGAGGAAGCGCTCAGCCAGTGCAGACAACCTG
ACTCTGCCCGGTGGTCCCCAGCCATCATCTCTTAA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGCGC
```

Restriction Sites: SgfI-MluI



[View online »](#)

Plasmid Map:


ACCN: NM_181698

Insert Size: 864 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_181698.3](#)

RefSeq Size: 4735 bp

RefSeq ORF: 864 bp

Locus ID: 219771

UniProt ID: [Q8ND76](#)

Cytogenetics: 10p11.21

MW: 33.2 kDa

Gene Summary: Cyclins, such as CCNY, control cell division cycles and regulate cyclin-dependent kinases (e.g., CDC2; MIM 116940) (Li et al., 2009 [PubMed 18060517]).[supplied by OMIM, May 2009]
Transcript Variant: This variant (2) differs in the 5' UTR, lacks a portion of the 5' coding region, and uses a downstream start codon, compared to variant 1. Variants 2 and 4 encode the same isoform (2), which has a shorter N-terminus than isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.