

Product datasheet for SC313070

CD46 (NM_172350) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: CD46 (NM_172350) Human Untagged Clone

Tag: Tag Free Symbol: CD46

Synonyms: AHUS2; MCP; MIC10; TLX; TRA2.10

Mammalian Cell Neomycin

Selection:

E. coli Selection:

Vector: pCMV6-Entry (PS100001)

Fully Sequenced ORF: >SC313070 representing NM_172350.

Kanamycin (25 ug/mL)

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

AGAGAGGCTGAATAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Plasmid Map:



ACCN: NM_172350 **Insert Size:** 1050 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 172350.2</u>

RefSeq Size: 3155 bp
RefSeq ORF: 1050 bp
Locus ID: 4179



CD46 (NM_172350) Human Untagged Clone - SC313070

 UniProt ID:
 P15529

 Cytogenetics:
 1q32.2

Protein Families: Druggable Genome, Transmembrane
Protein Pathways: Complement and coagulation cascades

MW: 39.3 kDa

Gene Summary: The protein encoded by this gene is a type I membrane protein and is a regulatory part of the

complement system. The encoded protein has cofactor activity for inactivation of

complement components C3b and C4b by serum factor I, which protects the host cell from damage by complement. In addition, the encoded protein can act as a receptor for the Edmonston strain of measles virus, human herpesvirus-6, and type IV pili of pathogenic Neisseria. Finally, the protein encoded by this gene may be involved in the fusion of the spermatozoa with the oocyte during fertilization. Mutations at this locus have been associated with susceptibility to hemolytic uremic syndrome. Alternatively spliced transcript variants

encoding different isoforms have been described. [provided by RefSeq, Jun 2010]

Transcript Variant: This variant (n) lacks three alternate in-frame exons as well as an alternate segment compared to variant a, which causes a frameshift. The resulting isoform (14) is

shorter and has a distinct C-terminus compared to isoform 1.