

## **Product datasheet for SC313385**

## KRT13 (NM 002274) Human Untagged Clone

## **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** KRT13 (NM\_002274) Human Untagged Clone

Tag: Tag Free Symbol: KRT13

Synonyms: CK13; K13; WSN2

**Vector:** <u>pCMV6 series</u>

Fully Sequenced ORF: >NCBI ORF sequence for NM\_002274, the custom clone sequence may differ by one or more

nucleotides

ATGAGCCTCCGCCTGCAGAGCTCCTCTGCCAGCTATGGAGGTGGTTTCGGGGGTGGCTCT TGCCAGCTGGGAGGAGGCCGTGGTGTCTCTACCTGTTCAACTCGGTTTGTGTCTGGGGGA TCAGCTGGGGGCTATGGAGGCGGCGTGAGCTGTGGTTTTGGTGGAGGGGCTGGTAGTGGC TTTGGAGGTGGCTATGGAGGTGGCCTTGGAGGTGGCTATGGAGGTGGCCTTGGAGGTGGC TTTGGTGGGGGTTTTGCTGGTGGCTTTGTTGACTTTGGTGCTTGTGATGGCGGCCTCCTC ACTGGCAATGAGAAGATCACCATGCAGAACCTCAACGACCGCCTGGCTTCCTACCTGGAG AAGGTGCGCCCTGGAGGAGGCCAACGCTGACCTGGAGGTGAAGATCCGTGACTGGCAC CTGAAGCAGAGCCCAGCTAGCCCTGAGCGGGACTACAGCCCCTACTACAAGACCATTGAA GAGCTCCGGGACAAGATCCTGACCGCCACCATTGAAAACAACCGGGTCATCCTGGAGATT GACAATGCCAGGCTGGCTGTGGACGACTTCAGGCTCAAGTATGAGAATGAGCTGGCCCTG CGCCAGAGCGTGGAGGCCGACATCAACGGCCTGCGCCGGGTGCTGGATGAGCTCACTCTG AAGAACCATGAAGAGGAGTGAAGGAATTTAGCAACCAGGTGGTCGGCCAGGTCAACGTG GAGATGGATGCCACCCCAGGCATTGACCTGACCCGCGTGCTGGCAGAGATGAGGGAGCAG TACGAGGCCATGGCAGAGAGGAACCGCCGGGATGCTGAGGAATGGTTCCACGCCAAGAGT GCAGAGCTGAACAAGGAGGTGTCTACCAACACTGCCATGATTCAGACCAGCAAGACAGAG ATCACGGAGCTCAGGCGCACGCTCCAAGGCCTGGAGATTGAGCTGCAGTCCCAGCTGAGC ATGAAAGCGGGGCTGGAGAACACGGTGGCAGAGACGGAGTGCCGCTATGCCCTGCAGCTG ATGGAGTGCCAGAACCAAGAGTACAAGATGCTGCTGGACATCAAGACACGTCTGGAGCAG GAGATCGCCACCTACCGCAGCCTGCTCGAGGGCCAGGACGCCAAGAAGCGTCAGCCCCCG

**Restriction Sites:** Please inquire ACCN: NM 002274

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

ORIGENE

**OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

> into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube Components:

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

NM 002274.2, NP 002265.1 RefSeq:

RefSeq Size: 1693 bp RefSeq ORF: 1263 bp Locus ID: 3860 **UniProt ID:** P13646 Cytogenetics: 17q21.2 **Domains:** filament

**Gene Summary:** The protein encoded by this gene is a member of the keratin gene family. The keratins are

> intermediate filament proteins responsible for the structural integrity of epithelial cells and are subdivided into cytokeratins and hair keratins. Most of the type I cytokeratins consist of

acidic proteins which are arranged in pairs of heterotypic keratin chains. This type I

cytokeratin is paired with keratin 4 and expressed in the suprabasal layers of non-cornified stratified epithelia. Mutations in this gene and keratin 4 have been associated with the autosomal dominant disorder White Sponge Nevus. The type I cytokeratins are clustered in a region of chromosome 17q21.2. Alternative splicing of this gene results in multiple transcript

variants; however, not all variants have been described. [provided by RefSeq, Jul 2008]

Transcript Variant: This variant (2) utilizes an alternate splice site in the 3' coding region, which results in a frameshift and early stop codon, compared to transcript variant 1. The encoded

isoform (b) is shorter, compared to isoform a.