

## **Product datasheet for SC314203**

## Acinus (ACIN1) (AF124728) Human Untagged Clone

## **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** Acinus (ACIN1) (AF124728) Human Untagged Clone

Tag: Tag Free
Symbol: Acinus

**Synonyms:** ACINUS; ACN; fSAP152

**Vector:** <u>pCMV6 series</u>

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn





**Fully Sequenced ORF:** 

>NCBI ORF sequence for AF124728, the custom clone sequence may differ by one or more nucleotides

CTGGCCCTCTTCCCCAGAGAGACCAATCCAGCCGAACTCGGGGTTTGCCTGAG GAGAAGGAGGAAGTGACCATGGACACAAGTGAAAACAGACCTGAAAATGATGTTCCAGAA CCTCCCATGCCTATTGCAGACCAAGTCAGCAATGATGACCGCCCGGAGGGCAGTGTTGAA GATGAGGAGAAGAAGAGAGCTCGCTGCCCAAATCATTCAAGAGGAAGATCTCCGTTGTC TCAGCTACCAAGGGGGTGCCAGCTGGAAACAGTGACACAGAGGGGGGCCAGCCTGGTCGG AAACGACGCTGGGGAGCCAGCACAGCACACAGAAGAAACCTTCCATCAGTATCACC ACTGAATCACTAAAGAGCCTCATCCCCGACATCAAACCCCTGGCGGGGCAGGAGGCTGTT GTGGATCTTCATGCTGATGACTCTCGCATCTCTGAGGATGAGACAGAGCGTAATGGCGAT GATGGGACCCATGACAAGGGGCTGAAAATATGCCGGACAGTCACTCAGGTAGTACCTGCA GAGGGCCAGGAGAATGGGCAGAGGGAAGAAGAAGAAGAAGAAGAAGAACCTGAAGCAGAA CCTCCTGTACCTCCCCAGGTGTCAGTAGAGGTGGCCTTGCCCCCACCTGCAGAGCATGAA GTAAAGAAAGTGACTTTAGGAGATACCTTAACTCGACGTTCCATTAGCCAGCAGAAGTCC GGAGTTTCCATTACCATTGATGACCCAGTCCGAACTGCCCAGGTGCCCTCCCCACCCCGG CTAAAGGAGTTGTTGGGGCGCACAGGAACCTTGGTGGAAGAGGCCTTCTGGATTGACAAG ATCAAATCTCATTGCTTTGTAACGTACTCAACAGTAGAGGAAGCTGTTGCCACCCGCACA GCTCTGCACGGGGTCAAATGGCCCCAGTCCAAATCCCAAATTCCTTTGTGCTGACTATGCC GAGCAAGATGAGCTGGATTATCACCGAGGCCTCTTGGTGGACCGTCCCTCTGAAACTAAG ACAGAGGAGCAGGGAATACCACGGCCCCTGCACCCCCACCCCCACCCCGGTCCAGCCA CCACAGCACCCCGGGCAGAGCAGCGGGAGCAGGAACGGGCAGTGCGGGAACAGTGGGCA GAACGGGAACGGGAAATGGAGCGGCGGGAGCGGACTCGATCAGAGCGTGAATGGGATCGG GACAAAGTTCGAGAAGGGCCCCGTTCCCGATCAAGGTCCCGTGACCGCCGCCGCAAGGAA CGTGCGAAGTCTAAAGAAAAGAAGAGTGAGAAGAAGAAGAGAAAGCCCAGGAGGAACCACCT GCCAAGCTGCTGGATGACCTTTTCCGAAAGACCAAGGCAGCTCCCTGCATCTATTGGCTC CCACTGACTGACAGCCAGATCGTTCAGAAAGAGGCAGAGCGGGCCGAACGGGCCAAGGAG CGGGAGAAGCGGCGAAAGGAGCAAGAAGAAGAAGAAGGAGCGGGAGAAGGAAGCC GAGCGGGAACCGACAGCTGGAGCGAGAGAAACGTCGGGAGCACAGTCGGGAGAGG GACAGGGAGAGAGAGAGAAAGGGAGCGGGACAGGGGGGACCGAGATCGGGATAGGGAA AGGGACCGAGAACGAGGCAGGGAAAGGGATCGCAGGGACACCAAGCGCCACAGCAGAAGC CGGAGTCGGAGCACACCTGTGCGGGACCGGGGTGGGCGCCGC

**Restriction Sites:** Please inquire

**ACCN:** AF124728

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



**Reconstitution Method:** 

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** <u>AF124728.1</u>, <u>AAD56726.1</u>

RefSeq Size: 2497 bp
RefSeq ORF: 1845 bp
Locus ID: 22985
Cytogenetics: 14q11.2

**Protein Pathways:** Spliceosome

**Gene Summary:** Apoptosis is defined by several morphologic nuclear changes, including chromatin

condensation and nuclear fragmentation. This gene encodes a nuclear protein that induces apoptotic chromatin condensation after activation by caspase-3, without inducing DNA fragmentation. This protein has also been shown to be a component of a splicing-dependent multiprotein exon junction complex (EJC) that is deposited at splice junctions on mRNAs, as a consequence of pre-mRNA splicing. It may thus be involved in mRNA metabolism associated with splicing. Alternatively spliced transcript variants encoding different isoforms have been

described for this gene. [provided by RefSeq, Oct 2011]