

Product datasheet for **SC314544**

OSBPL9 (NM_148908) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	OSBPL9 (NM_148908) Human Untagged Clone
Tag:	Tag Free
Symbol:	OSBPL9
Synonyms:	ORP-9; ORP9
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)




[View online »](#)

Fully Sequenced ORF: >SC314544 representing NM_148908.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGGATCGCC
ATGGCGTCCATCATGGAAGGGCCGCTGAGCAAATGGACTAACGTGATGAAGGGCTGGCAGTACCGTTGG
TTCGTGCTGGACTACAATGCAGGACTGCTCTCTACTACACGTCCAAGGACAAAATGATGAGAGGCTCT
CGCAGAGGATGTGTTAGACTCAGAGGAGCTGTGATTGGTATAGACGATGAGGACGACAGCACCTTACA
ATAACTGTTGATCAGAAAACCTTCCATTTCCAGGCCCGTGATGCTGATGAGCGAGAGAAGTGATCCAT
GCCTTAGAAGAAACAATTCTTCGACATACTCTCCAGCTTCAAGGTTTGGATTGAGGATTTGTTCTAGT
GTCCAAGATTTTGATAAGAACTTACAGAAGCTGATGCTTACCTACAAATCTTGATTGAACAATTAAG
CTTTTTGATGACAAGCTTCAAACCTGCAAAGAAGATGAACAGAGAAGAAAATGAAACTCTCAAAGAG
ACAACAATAGCATGGTAGAATCAATTAACACTGCATTGTGTTGCTGCAGATTGCCAAAAGTACTATT
AATCCCGTAGATGCAATATATCAACCTAGTCTTTGGAACCTGTGATCAGCACAATGCCTTCCCAGACT
GTGTTACCTCCAGAACCTGTTTCAGTTGTGTAAGTCAGAGCAGCGTCCATCTTCCCTACCAGTTGGACCT
GTGTTGGCTACCTTGGGACATCATCAGACTCCTACACCAAATAGTACAGGCAGTGCCATTACACCACCG
AGTAGCAGTCTCACTTCTCCAAGCCACGTGAACCTGTCTCCAATACAGTCCCAGAGTTCTCTTACTCC
AGCAGTGAAGATGAATTTATGATGCTGATGAATTCATCAAAGTGGCTCATCCCAAAGCGCTTAATA
GATTCTTCTGGATCTGCCTCAGTCCCTGACACACAGCAGCTCGGGAATAGTCTAAAACGCCCAGATACC
ACAGAATCACTTAATTCTTCTGTCCAATGGAACAAGTATGCTGACCTGTTTGATTACATGATGAC
AGAGATGATGATGCGGAGGCAGGCTCTGTGGAGGAGCACAAGAGCGTTATCATGCATCTCTTGTGCGAG
GTTAGACTTGGAAATGGATCTTACTAAGGTAGTTCTTCCAACGTTTATTCTTGAAGAAGATCTCTTTTA
GAAATGTATGCAGACTTTTTTGCACATCCGGACCTGTTTGTGAGCATTAGTGACCAGAAGGATCCCAAG
GATCGAATGGTTTCAGTTGTGAAATGGTACCTCTCAGCCTTTCATGCGGGAAGGAAAGGATCAGTTGCC
AAAAAGCCATACAAATCCCATTTTGGGCGAGATTTTTCAGTGTCTTGGACATTACCAAATGATACTGAA
GAGAACACAGAAGTGTTCAGAAGGACCAGTTCCTGGGTTTCCAAAACAGTGAACATTTGTGGCT
GAGCAGGTTTCCCATCATCCACCATTTTCAGCCTTTTATGCTGAGTGTTTTAAACAAGAAGATACAATTC
AATGCTCATATCTGGACCAAATCAAATTCCTTGGGATGTCAATTGGGGTGCACAACATAGGGCAGGGC
TGTGTCTCATGTCTAGACTATGATGAACATTACATTCTCACATTCCCAATGGCTATGGAAGTCTATC
CTCACAGTGCCCTGGGTGGAATTAGGAGGAGAATGCAATATTAATTGTTCCAAAACAGGCTATAGTGCA
AATATCATCTTCCACACTAAACCCTTCTATGGGGCAAGAAGCACAGAATTACTGCCGAGATTTTTTCT
CCAAATGACAAGAAGTCTTTTTGCTCAATTGAAGGGGAATGGAATGGTGTGATGTATGCAAAATATGCA
ACAGGGGAAAATACAGTCTTTGTAGATACCAAGAAGTTGCCTATAATCAAGAAGAAAGTGAGGAAGTTG
GAAGATCAGAACGAGTATGAATCCCGCAGCCTTTGGAAGGATGCTCACTTCAACTTAAAAATCAGAGAC
ATTGATGCAGCAACTGAAGCAAAGCACAGGCTTGAAGAAAAGACAAAGAGCAGAAGCCCGAGAAAGGAAG
GAGAAGGAAAATCAGTGGGAGACAAGGTTATTTTCATGAAGATGGAGAATGCTGGGTTTATGATGAACCA
TTACTGAAACGTCTTGGTGTGCCAAGCATTAG
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: SgfI-MluI

Plasmid Map:


ACCN: NM_148908

Insert Size: 2172 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_148908.3](#)

RefSeq Size: 3856 bp

RefSeq ORF: 2172 bp

Locus ID: 114883

UniProt ID: [Q96SU4](#)

Cytogenetics: 1p32.3

MW: 81.8 kDa

Gene Summary: This gene encodes a member of the oxysterol-binding protein (OSBP) family, a group of intracellular lipid receptors. Most members contain an N-terminal pleckstrin homology domain and a highly conserved C-terminal OSBP-like sterol-binding domain, although some members contain only the sterol-binding domain. This family member functions as a cholesterol transfer protein that regulates Golgi structure and function. Multiple transcript variants, most of which encode distinct isoforms, have been identified. Related pseudogenes have been identified on chromosomes 3, 11 and 12. [provided by RefSeq, Jul 2010]
Transcript Variant: This variant (5) differs in the 5' UTR and 5' coding region, and uses an alternate start codon, compared to variant 1. The encoded isoform (d) has a longer and distinct N-terminus, compared to isoform a. Isoform d contains both a pleckstrin homology domain and a sterol-binding domain. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments. This transcript contains a uAUG that would result in an 18 aa N-terminal extension, but it has a weak Kozak signal, is not supported by the vast majority of human and homologous transcripts, and dAUG use is supported by data in PMID:19413330, which selectively purifies acetylated protein N-termini and shows that Ala-2 is acetylated following cleavage of Met-1 as encoded by the dAUG.