

Product datasheet for **SC314631**

FIGN (NM_018086) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	FIGN (NM_018086) Human Untagged Clone
Tag:	Tag Free
Symbol:	FIGN
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)




[View online »](#)

Fully Sequenced ORF: >SC314631 representing NM_018086.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGATCAGTAGCACCAGTGTATGGCTTGAAGATGCAGTGGACGCCAGAGCATGCCAGTGGCCAGAA
CAGCACTTTGACATCACCTCAACCACCTCGGTCTCCTGCCACAAAGTTGAAGCTACAGAGTCACTG
CAGCGCACCTATCAGTACGCCTGGGCGAATGATGACATATCTGCTCTGACTGCATCCAACCTACTAAA
AAATATGCAGAGAAGTATTCCGGCATTGGAAAGTCTGTGGACCGACCCGTACTCAGCAACTATTTCG
GACACACCATCAGGACTAGTGAACGGTCGGAAAAATGAAAGTGAACCCTGGCAGCCTTCCTGAATTCA
GAAGCTGTTTATCCCATGAACTGTTCGGATGTTACTGCCAGCAAAGCTGGAGTCAGTTCAGCC
CTCCCTCCAGCAGATGTCTCTGCGAGTATAGGAAGCTCTCCTGGGGTAGCCAGCAACCTGACAGAACCT
AGTTATTCAAGTAGTACCTGTGGAAGCCACACTGTACCCAGTCTCATGCAGGGCTCCCATCTCAGGAA
TATGCCCCAGGATACAACGGATCATATTTGCATTCTACTATAGTAGCCAGCCAGCACCTGCACTTCCT
TCACCTCATCCGTCTCCTTTGCATAGCTCTGGGCTACTACAGCCCCACCACCACCTCCTCGCCACCA
GCCTTGGTCCCAGGCTACAATGGGACTTCTAACCTCTCCAGTTACAGCTATCCGTCTGCTAGCTATCCT
CCTCAGACTGCTGTGGGGTCTGGGTACAGCCCTGGGGGGCACCCTCCGCCTTCAGCGTACCTGCCT
TCAGGAATTCCTGCTCCCACCCCTACCCCCACCAGTTCCTGGCTACACCTACCAGGGCCATGGT
TTGACACCTATTGACCCGTCGGCTCTGACAAACAGTTCAGCAAGTTCCTCAAAGGAAAGCTTTCTAC
ATGGCAGGGCAAGGAGATATGGACTCCAGTTATGGAAATTACAGCTATGGCCAACAGAGATCTACACAG
AGTCTATGTACAGAATGCCGACAACAGCATTCAAACACAAATCGGGGAATGGCTTTGACAGAAGT
GCTGAAACATCATCCTTAGCATTAAAGCCAACGAAGCAGCTAATGCTCTGAACAGCAAAGGAAATTC
AGCAGCCAGTCCAGTAGGGCTCTGACCCCTCCTTCTACAGTACTGCTAAAAATTCATTGGGATCAAGA
TCCAGTGAATCCTTTGGGAAGTACACATCGCCAGTAATGAGTGAGCATGGGGACGAGCACAGGCAGCTC
CTCTCTACCCAATGCAAGGCCCTGGACTCCGTGAGCTACCTCATCCAACCCTCTGTGGACGAGCAA
CTGAAGAATACTGACACGCACCTCATCGACCTGGTAACCAATGAGATTATCACCCAAGGACCTCCAGTG
GACTGGAATGACATTGCTGGTCTCGACCTGGTGAAGGCTGTCATTAAGAGGAGGTTTTATGGCCAGTG
TTGAGGTCAGACGCGTTCAGTGGACTGACGGCCTTACCTCGGAGCATCCTTTTATTTGGACCTCGGGGG
ACAGGCCAAAACATTATTGGGCAGATGCATCGCTAGTCAGCTGGGGCCACATTTTCAAATGCGCGT
TCTGGACTAGTCGCAAGTGGTTAGGAGAAGCAGAGAAAATTATCCATGCCTCTTTTCTGTGGCCAGG
TGTCGCCAGCCCTCGGTGATTTTGTAGTGACATTGACATGCTTCTCTCCTCTCAAGTGAATGAGGAA
CATAGTCCAGTCAGTCGGATGAGAACC GAATTTCTGATGCAACTGGACACTGTACTAACTTCGGCTGAG
GACCAAATCGTAGTAATTTGTGCCACCAGTAAACCAGAAGAAATAGATGAATCCCTTCGGAGGTAATTC
ATGAAACGACTTTAATCCCCTTCTGACAGCACAGCGAGGCACCAGATAATAGTACAACCTGCTCTCA
CAGCACAATTACTGTCTCAATGACAAGGAGTTGCACTGCTCGTCCAGCGCACAGAAGGCTTTTCTGGA
CTAGATGTGGCTCATTTGTGTCAGGAAGCAGTGGTGGGCCCTCCATGCCATGCCAGCCACAGACCTT
TCAGCCATTATGCCAGCCAGTTGAGGCCGTTACATATCAAGACTTTGAAAATGCTTTCTGCAAGATT
CAGCCTAGCATATCTCAAAGGAGCTTGATATGTATGTTGAATGGAACAAAATGTTTGGTTCAGTCA
TGA
AGCGGACCGACGCGTACGCGGCCCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGAT
ATCCTGGATTACAAGGATGACGACGATAAGGTTTAA
  
```

Restriction Sites: SgfI-RsrII

Plasmid Map:


ACCN: NM_018086

Insert Size: 2280 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_018086.3](#)

RefSeq Size: 7210 bp

RefSeq ORF: 2280 bp

Locus ID: 55137

UniProt ID: [Q5HY92](#)

Cytogenetics: 2q24.3

Domains: AAA

MW: 82.1 kDa

Gene Summary: ATP-dependent microtubule severing protein. Severs microtubules along their length and depolymerizes their ends, primarily the minus-end, that may lead to the suppression of microtubule growth from and attachment to centrosomes. Microtubule severing may promote rapid reorganization of cellular microtubule arrays and the release of microtubules from the centrosome following nucleation. Microtubule release from the mitotic spindle poles may allow depolymerization of the microtubule end proximal to the spindle pole, leading to poleward microtubule flux and poleward motion of chromosome.[UniProtKB/Swiss-Prot Function]