

Product datasheet for **SC314664**

HIF1 beta (ARNT) (NM_178427) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	HIF1 beta (ARNT) (NM_178427) Human Untagged Clone
Tag:	Tag Free
Symbol:	HIF1 beta
Synonyms:	bHLHe2; HIF-1-beta; HIF-1beta; HIF1-beta; HIF1B; HIF1BETA; TANGO
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL5</u>
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

Fully Sequenced ORF: >OriGene ORF within SC314664 sequence for NM_178427 edited (data generated by NextGen Sequencing)

```

ATGGCGGGCGACTACTGCCAACCCCGAAATGACATCAGATGTACCATCACTGGGTCCAGCCATTGCCTCTG
GAAACTCTGGACCTGGAATTC AAGGTGGAGGAGCCATTGTCCAGAGGGCTATTAAGCGGCGACCAGGGCT
GGATTTTGATGATGATGGAGAAGGGAACAGTAAATTTTGGAGTGTGATGATGATCAGATGTCTAACGAT
AAGGAGCGGTTTCCAGGAAAAATCACAGTAAAATTGAACGGCGGCGACGGAACAAGATGACAGCCTACA
TCACAGAAGTGTGATATGGTACCCACCTGTAGTGCCCTGGCTCGAAAAACCAGACAAGCTAACCATCTT
ACGCATGGCAGTTTCTCACATGAAGTCCTTGGGGGAACTGGCAACACATCCACTGATGGCTCCTATAAG
CCGTCTTCTCACTGATCAGGAACTGAAACATTTGATCTTGGAGGCAGCAGATGGCTTTCTGTTTATTG
TCTCATGTGAGACAGGCAGGGTGGTGTATGTGTCTGACTCCGTGACTCCTGTTTTGAACCAGCCACAGTC
TGAATGGTTTGGCAGCACACTCTATGATCAGGTGCACCCAGATGATGTGGATAAACTTCGTGAGCAGCTT
TCCACTTCAGAAAATGCCCTGACAGGGCGTATCCTGGATCTAAAGACTGGAACAGTGAAAAAGGAAGGTC
AGCAGTCTTCATGAGAATGTGTATGGGCTCAAGGAGATCGTTTATTTGCCGAATGAGGTGTGGCAGTAG
CTCTGTGGACCCAGTTTCTGTGAATAGGCTGAGCTTTGTGAGGAACAGATGCAGGAATGGACTTGGCTCT
GTAAAGGATGGGGAACCTCACTTCGTGGTGGTCCACTGCACAGGCTACATCAAGGCTGGCCCCAGCAG
GTGTTTCCCTCCCAGATGATGACCCAGAGGCTGGCCAGGGAAGCAAGTTTGCCTAGTGGCCATTGGCAG
ATTGCAGGTAAGTTCCTCCAAGTACAGACATGAGTAATGTTTGTCAACCAACAGAGTTTCTATCTCC
CGACACAACATTGAGGGTATCTTCACTTTTGGGATCACCGCTGTGTGGCTACTGTTGGCTACCAGCCAC
AGGAACTTTAGGAAAGAATATTGTAAGAATTCTGTCATCTGAAGACCAGCAGCTTCTAAGAGACAGCTT
CCAACAGGTAGTAAAATTAAGGCAAGTGTCTGTCTGATGTTCCGGTCCGGTCTAAGAACCAAGAA
TGGCTCTGGATGAGAACCAGCTCCTTTACTTTCCAGAACCTTACTCAGATGAAATTTGATACATCATCT
GTACCAACACCAATGTGAAGAACTCTAGCCAAGAACCACGGCCTACACTCTCCAACACAATCCAGAGGCC
ACAAGTGGTCCACAGCTAATTTACCCCTGGAGATGGGCTCAGGACAGCTGGCACCCAGGCAGCAGCAA
CAGCAAACAGAATTGGACATGGTACCAGGAAGAGATGGACTGGCCAGCTACAATCATTCCAGGTGGTTC
AGCCTGTGACAACCACAGGACCAGAACACAGCAAGCCCTTGAGAAGTCAGATGGTTTATTTGCCAGGA
TAGAGATCCAAGATTTTCAGAAATCTATCACAACATCAATGCGGATCAGAGTAAAGGCATCTCTCCAGC
ACTGTCCCTGCCACCAACAGCTATTCTCCAGGGCAACACATTCCTCTACCCCCGGCCGGCAGAGA
ATTTCAGGAATAGTGGCCTAGCCCTCCTGTAACCATTGTCCAGCCATCAGCTTCTGCAGGACAGATGTT
GGCCCAGATTTCCGCCACTCCAACCCCAAGGAGCAACCCCAACTGGACCCCTACTACCCGCTCA
GGCTTTTCTGCCAGCAGGTGGCTACCCAGGCTACTGCTAAGACTCGTACTTCCCAGTTTGGTGTGGGCA
GCTTTCAGACTCCATCCTCCTCAGCTCCATGTCCCTCCCTGGTGGCCCAACTGCATCGCCTGGTGTCTGC
TGCCACCTAGTCTACCAATCGTGGATCTAACTTTGCTCCTGAGACTGGACAGACTGCAGGACAATTC
CAGACACGGACAGCAGAGGGTGTGGGTGTCTGGCCACAGTGGCAGGGCCAGCAGCCTCATCATCGTTCAA
GTTCTAGTGAGCAACATGTTCAACAACCCAGCACAGCAACCTGGCCAGCCTGAGGTCTTCCAGGAGAT
GCTGTCCATGTGGGAGATCAGAGCAACAGCTACAACAATGAAGAATTCCTGATCTAACTATGTTTCCC
CCCTTTTCAGAA TAG
    
```

Clone variation with respect to NM_178427.2

Restriction Sites:

Please inquire

ACCN:

NM_178427

Insert Size:

2300 bp

OTI Disclaimer:

Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_178427.1</u> , <u>NP_848514.1</u>
RefSeq Size:	4858 bp
RefSeq ORF:	2325 bp
Locus ID:	405
UniProt ID:	<u>P27540</u>
Cytogenetics:	1q21.3
Protein Families:	Druggable Genome, Transcription Factors
Protein Pathways:	Pathways in cancer, Renal cell carcinoma
Gene Summary:	<p>This gene encodes a protein containing a basic helix-loop-helix domain and two characteristic PAS domains along with a PAC domain. The encoded protein binds to ligand-bound aryl hydrocarbon receptor and aids in the movement of this complex to the nucleus, where it promotes the expression of genes involved in xenobiotic metabolism. This protein is also a co-factor for transcriptional regulation by hypoxia-inducible factor 1. Chromosomal translocation of this locus with the ETV6 (ets variant 6) gene on chromosome 12 have been described in leukemias. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Oct 2013]</p> <p>Transcript Variant: This variant (3) lacks an alternate in-frame exon, compared to variant 1. The encoded isoform (3) is shorter than isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>