

Product datasheet for **SC314808**

FAM115C (TCAF2) (NM_173678) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	FAM115C (TCAF2) (NM_173678) Human Untagged Clone
Tag:	Tag Free
Symbol:	FAM115C
Synonyms:	FAM115C; FAM139A; GATD9
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC314808 representing NM_173678.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGCACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGATCGCC
ATGGCGACCATTTGCTGCTGCTGCGTTTGAGGCCCTCATGGATGGAGTGACATGCTGGGATGTCCCCAGA
GGCCCCATCCCCAGTGAACCTCTTCTTATTGGAGAAGCCGCTTCCCCGTGATGGTGAATGACAAGGGC
CAGGTGCTCATTGCTGCCCTCCTCTACGGCCGAGGCCGCTCGTGGTTGTGTCCCATGAGGGCTACCTG
TCGCATACTGGCTTGGCTCCATTCTCCTCAATGCAGTGAGCTGGCTCTGTCCCTGTCTGGGGCTCCC
GTGGGAGTGATCCATCCCTGGCACCTCTAGTAAACATCCTACAGGATGCTGGGCTTGAGGCACAGGTC
AAGCCAGAACCAGGAGAGCCCTAGGGGTTTACTGTATCAATGCCTACAATGACACCTTGACTGCAACG
CTGATCCAGTTTGTGAAACATGGAGGGGCTTGTAAATCGGGGGCCAGGCCTGGTACTGGCCAGCCAG
CACGGCCCTGACAAGGTGCTCTCCAGGTTCCCTGGGAACAAGGTGACAAGTGTAGCTGGAGTGTACTTC
ACTGACACCTATGGGGACAGAGACCGGTTCAAGGTCTCTAAGAAGGTGCCAAGATCCCCTCCATGTC
AGGTATGGGGAGGATGTGAGGCAGGACCAGCAGAGCTCTGGAGGGGATCTCAGAGCTGGACATCAGG
ACAGGGGGAGTCCCTCAGAGTCTTGTACATGGAGCCCTGGCCTTCCCTCTGGGGCTGGATGCCTCA
CTCAACTGCTTCTCTGGCGCTGCTCACTATGGCCGGGGCCGGGTGGTCTGGCTGCCCACGAGTGCTG
CTCTGTGCTCCCAAGATGGGGCCCTTCTTGTCTCAATGCGGTGCGTGGCTGGCCAGAGGCCAGACAGGC
AAAGTTGGGGTGAACACAAATCTAAAAGATCTGTGTCTCTCTATCGGAGCATGGCCTGCAATGCAGC
CTGGAGCCCCATCTGAACAGCGACTTGTGTGCTACTGCTGCAAGGCGTACAGTGACAAGGAGGCTAAG
CAGCTGCAGGAGTTTGTGGCTGAGGGTGGGGGGCTGTGATTGGGGGCCAGGCCTGGTGGTGGGCTCC
CAGAACCCTGGCACTGCCCTTGGCTGGCTTCCCTGGTAACATCATCTCAACTGCTTTGGCCTCAGC
ATCCTGCTCAGACTCTCAAAGCAGGCTGCTTCCCGTTCCCACCCCTGAGATGAGAAGTACCATTTC
CGCAAGGCGCTCTCTCAATTCCAGGCTATACTGAACCACGAGAATGGGAAGTGGAAAAGAGCTGTCTG
GCAAAGTTGAGAGTTGATGGTGCAGCCTTCTACAGATTCTGCGGAGGGGGTCCCTGCTTACATATCC
CTGCACAGGCTCCTGAGGAAGATGCTACAGGGTCTGGCCTCCAGCTGTGAGCCGGGAAAATCCAGTT
GCCAGTGACTCCTATGAGGCTGCGGTGCTCTCCCTGGCCACTGGGCTGGCTCACTCTGGAAGTACTGC
TCCAGCTGGCCAGGGGCTTGGCACCTGGACCTGCTCTCCAGTTTGTACCCCTCAAAACACCCCATC
ACCGTGGAGATCAATGGAATCAACCCAGGCAACAATGATTGCTGGGTGAGTACCGGGCTCTACCTCCTG
GAAGGACAAAATGCAGAAGTCTCACTGTCTGAAGCTGCTGCCTCTGCTGGCTGAGGGTACAGATAGGC
TGCCACACCGATGACCTTACCAAGGCCAGGAAGCTATCTCGAGCCCCGTTGGTACTCACCATGCTGG
ATGGACAGGACTGAGCGGTGAGTCTCTGCCTCTGGGGCGGCCTCTCTACGTATCGTGCCCAAGGGC
AGCCAAGTAGGCCTGTGCCTGTCACTATCAGGGGAGCTGTGCCTGCCCCATACTACAAGCTGGGTAAAG
ACATCGCTGGAGGAGTGGAAGAGGCAGATGCAGGAGAACCTGGCTCCCTGGGGAGAGCTGGCCACGGAC
AACATCATCTGACAGTGCCAACCAAAACCTTCAGGCCCTGAAGGACCCCGAGCCTGTGCTCCGCCTC
TGGGATGAGATGATGCAGGCTGTGGCCAGGCTGGCGGCTGAGCCCTTCCCTTTCCGCCGTCTGAGAGG
ATTGTGGCTGATGTGAGATCTCAGTGGCTGGATGCATTAGGATACCCCATCATGTGCCACCTGGAG
TCTGTGAAGGAGATCATCAATGAGATGGACATGAGGAGCAGGGGTGTGTGGGGCCCCATCCATGAGCTG
GGCCACAACCAACAGCGCATGGATGGGAGTTCCCCCACAACACTACTGAGGCCACCTGTAACCTTTGG
TCAGTCTACGTGCATGAAACAGTCTGGGGATCCCCAGGGCTCAGGCCACGAGGCTCTGAGCCCTCCA
GAGCGAGAGAGGAGAATCAAGGCCACCTGGGAAAGGGAGCCCCCTGTGTGACTGGAATGTATGGACA
GCCCTGGAACATATCTACAGTACTGAGCAGAAATCTGGGAGAAGGGATGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: SgfI-MluI
ACCN: NM_173678
Insert Size: 2538 bp

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_173678.2</u>
RefSeq Size:	2983 bp
RefSeq ORF:	2538 bp
Locus ID:	285966
UniProt ID:	<u>A6NFAQ2</u>
Cytogenetics:	7q35
MW:	92 kDa
Gene Summary:	Isoform 2: Negatively regulates the plasma membrane cation channel TRPM8 activity. Involved in the recruitment of TRPM8 to the cell surface. Promotes prostate cancer cell migration stimulation in a TRPM8-dependent manner.[UniProtKB/Swiss-Prot Function] Transcript Variant: This variant (2) differs in the 5' UTR, compared to variant 1. Both variants 1 and 2 encode the same isoform (A).