

Product datasheet for **SC314867**

ITIH3 (NM_002217) Human Untagged Clone

Product data:

| | |
|---------------------------|--|
| Product Type: | Expression Plasmids |
| Product Name: | ITIH3 (NM_002217) Human Untagged Clone |
| Tag: | Tag Free |
| Symbol: | ITIH3 |
| Synonyms: | H3P; ITI-HC3; SHAP |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |




[View online »](#)

Fully Sequenced ORF: >SC314867 representing NM_002217.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAATACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGGATCGCC
ATGGCATTGTCATGGTGGCCCTGTCTCATCTTGGCTCTGCTCTCCAGCTTGGCAGCCTCTGGCTTCCCG
AGAAGCCCTTTTCGGCTGCTTGGGAAACGGAGCCTCCCGAAGGGGTGGCCAATGGCATCGAGGTCTAC
AGTACCAAAATCAACTCCAAGGTGACCTCCCGTTTTGCTCACAATGTTGTACCATGAGAGCCGTCAAC
CGTGACAGACCGCCAAGGAGGTTTCTTTGATGTGGAGCTGCCAAGACGGCCTTCATACCAACTTC
ACCTTGACCATCGACGGTGTACCTACCCTGGGAATGTCAAGGAGAAGGAAGTTGCCAAGAAGCAGTAT
GAAAAGGCTGTGTCCAGGGCAAGACGGCCGGCTTGGTCAAGGCCTCTGGGAGGAAGTTGGAGAAGTTC
ACAGTCTCGGTCAACGTGGCTGCAGGCAGCAAAGTCACCTTCGAGCTAACCTACGAGGAGCTGTGAAG
AGGCACAAGGGCAAGTACGAGATGTACCTCAAGGTCCAGCCTAAGCAACTGGTCAAACACTTTGAGATC
GAGGTAGACATCTTCGAGCCTCAGGAATCAGCATGCTGGATGCTGAGGCCTCTTTCATACCAACGAC
CTCTGGGAAGCGCCCTACCAAGTCTTCTCAGGAAAAAGGGCCATGTGTCTCAAGCCAGCTTA
GACCAACAGCGTTCATGCCAACCTGTACAGACTCCCTCCTCAATGGAGATTTCACTATACCTATGAC
GTGAACAGAGAATCTCCTGGCAACGTGCAGATAGTCAATGGCTACTTCGTGCACTCTTTGCACCTCAA
GGCCTTCCAGTGGTGCCTAAGAAGCTGGCCTTTGTGATTGACATCAGCGGCTCCATGGTGGTGGAAA
TTAGAGCAGACAAAGGAGGCCCTTCTCAGAATCCTGGAAGATATGCAAGAGGAAGACTATCTGAATTC
ATCCTGTTCAAGTGGAGATGTGTCCACATGGAAAGAGCACTTAGTCCAGGCCACGCCCGAGAACCCTCAG
GAGGCCAGGACGTTTGTGAAGAGCATGGAGGATAAAGGAATGACCAACATCAATGACGGGCTGTGAGG
GGCATCAGTATGCTGAACAAGGCCCGAGAGGAGCACAGAATCCCAGAGAGGAGCAGCCTCCATTGTCTATC
ATGCTGACTGATGGGGATGCCAATGTTGGTGGAGCAGACCCGAAAAAATCCAAGAGAATGTGCGGAAT
GCCATCGGGGGCAAGTTCCCTTTGATAACCTGGGCTTTGGCAACAATCTGAATTAACCTTCTGGAG
AACATGGCCCTGGAGAACCATGGGTTTGCCTGGCATTATGAGGACTCTGATGCCGATTTGCAGTTG
CAGGGCTTCTATGAGGAGGTGGCAACCCACTGCTGACGGGTGTGGAGATGGAGTACCCCGAGAACGCT
ATCCTGGACCTCACCCAGAACACTTACCAGCACTTCTACGATGGCTCTGAGATCGTGGTGGCCGGGCGC
CTGGTGGACGAGGACATGAACAGCTTAAAGGCAGATGTGAAGGGCCATGGGGCCACCAACGACCTGACC
TTCACAGAGGAGGTGGACATGAAGGAGATGGAGAAGGCCCTGCAGGAGCGGGACTACATCTTCGGGAAT
TACATTGAGCGGCTCTGGGCTACCTACCATTGAGCAGCTGCTGGAGAAGCGCAAGAACGCCCATGGC
GAGGAGAAGGAGAACCCTACGGCCCGGGCCCTGGACCTGTCCCTCAAGTATCACTTTGTGACTCCACTG
ACCTCAATGGTGGTGACCAAGCCTGAGGACAACGAGGATGAGAGGGCCATTGCCGACAAGCCTGGGGAA
GATGCAGAAGCCACACCGGTGAGCCCGCCATGTCTACCTGACCAGCTACCAGCCTCCTAAAACCCC
TACTACTATGTGGACGGGGATCCCACTTCATCATCCAAATTCGGGAGAAAGACGATGCCCTCTGTTC
AACATCGATGAAGCCCCAGGCACAGTGTGCGCCTTATTCAGGATGCAGTACAGGCCTCACAGTTAAT
GGGAGATCACTGGGACAAGAGAGGCAGCCCTGACTCCAAGACCAGAAAGACTTACTTTGGAAAACCTG
GGCATCGCCAATGCTCAGATGGACTTCCAGGTGGAGGTGACAACGGAGAAGATCACCTGTGGAACAGG
GCCGTGCCGAGCACTTTCAGCTGGCTGGACACAGTACAGTACGCAGGATGGGCTGTCCATGATGATC
AACAGGAAGAACATGGTGGTCTCCTTTGGAGATGGGGTTACCTTCGTGGTCTACACCAGTGTGG
AAGAAACATCCTGTCCACCGTACTTTCTAGGCTTCTACGTGGTGGACAGTACCCGGATGTGAGCAG
ACGCATGGGCTGTGGGCAATTCTTCAAACCTTTGACTTTAAAGTGTCTGACATCCGGCCAGGCTCT
GACCCCAAAAGCCAGATGCCACATTGGTGGTGAAGAACCATCAGCTGATTGTACCAGGGGCTCCAG
AAAGACTACAGAAAGGATGCCAGCATCGGCACGAAGGTTGTCTGCTGGTTCGCCACAACAACGGAGAA
GGGCTGATTGATGGTGTCCACACTGACTACATTGTCCCAACCTGTTTGA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: Sgfl-Mlul

Plasmid Map:


ACCN: NM_002217

Insert Size: 2673 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_002217.3](#)

RefSeq Size: 3037 bp

RefSeq ORF: 2673 bp

Locus ID: 3699

UniProt ID: [Q06033](#)

Cytogenetics: 3p21.1

Domains: VWA, VIT

MW: 99.8 kDa

Gene Summary: This gene encodes the heavy chain subunit of the pre-alpha-trypsin inhibitor complex. This complex may stabilize the extracellular matrix through its ability to bind hyaluronic acid. Polymorphisms of this gene may be associated with increased risk for schizophrenia and major depressive disorder. This gene is present in an inter-alpha-trypsin inhibitor family gene cluster on chromosome 3. [provided by RefSeq, Jul 2015]