

Product datasheet for **SC314978**

PCDHA8 (NM_018911) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PCDHA8 (NM_018911) Human Untagged Clone
Tag:	Tag Free
Symbol:	PCDHA8
Synonyms:	PCDH-ALPHA8
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)




[View online »](#)

Fully Sequenced ORF: >SC314978 representing NM_018911.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGGATTACTACTGGCGAGGAGAGCTGGGATCCTGGCGACTACTACTCTTGTCTTCTGCTCCTCGCAGCC
TGGAAAGTTGGGGAGCGGCCAGCTCCACTACTCCGTCCCGAGGAGGCCAAACACGGCACCTTCGTGGGC
CGGATCGCGCAGGACCTGGGGCTGGAGCTGGCGGAGCTGGTGCCGCGCCTGTTCCGGGTGGCGTCCAAA
AGACACCGGGACCTTCTGGAGGTAAGTCTGCAGAATGGCATTGTTTGTGAATTCTCGGATCGACCGC
GAGGAGCTGTGCGGGCGGAGCGGGAGTGCAGCATCCACCTGGAGGTGATCGTGGACAGGCCGCTGCAG
GTTTTCCATGTGGACGTGGAGGTGAAGGATGTTAATGACAACCCGCCAGTGTCCGGGTAAGACCAA
AAGCTGTTTGTTCAGAATCCAGAATGCCAGACTCTCGGTTTCCGCTAGAGGGCGCGTCCGATGCAGAT
GTTGGAGTAACCTCCGTGTTAACCTACAGGCTTAGCTCTCATGATTACTCATGCTAGATGTGAATTCA
AAGAACGATGAGAATAAACTGGTTGAGCTCGTATTAAGAAAATCCTTGGACAGAGAGGACGCTCCTGCG
CACCATTATTCTGACAGCCACAGATGGGGGCAAACCTGAGCTCACAGGCACTGTTAGCTGCTGGTC
ACAGTGTGGATGTGAATGATAATGCTCCCACTTTCGAACAGTCTGAATACGAAGTAAGAATATTCGAA
AACGCAGACAACGGAACAACAGTTATCAAACCTGAATGCTTCTGATCCGGATGAAGGAGCCAATGGGGCA
ATTTCAATTTCTTTAATAGCCTTGTGAAACTATGGTTATTGACCACCTTAGCATAGATCGAAATACG
GGAGAAATAGTGATTCGGGGTAATTTGGATTTTGAACAAGAAAATTATACAAAATCCTCATTGACGCC
ACGGACAAAGGCCATCTCCCATGGCGGGTCATTGACCGTTTTAGTGAGAAATTTGGATAAAAATGAT
AACGTCCTGAGATAGCACTGACTTCCTATCCTTGCCTGTACGTGAAGACGCTCAATTTGGTACTGTC
ATCGCCCTAATTAGCGTGAACGACCTCGATTCAAGTAATACTACTCGTTGGTGTGGACAGCGCCCTGAC
CGCGAGAGAGTGTGCGCCTATGAGTTGGTAAACCGCGGGGAGCGGGGCTCGCCTTCCGTGTGGGCC
ACCGCCAGCTTGTCTGTGGAGGTGGCCGACGTGAACGACAATGCTCCGGGTTTCGCGCAGCCGAGTAC
ACGGTGTTCGTGAAGGAGAAACAACCCGCGGGCTGCCACATCTTACGGTGTCTGCGCGAGACGCGGAC
GCGCAGGAGAACGCGCTGGTGTCTACTCGCTTGTGGAGCGGGGTTGGCGAGCGCTCGCTGTGAGC
TACATTTCCGTGCACACGGAGAGCGCAAGGTGTACGCGTGCAGCCGCTGGACCACGAGGAGCTAGAG
CTGCTGCAGTCCAGGTGAGCGCGCGACGCGGGCTGCCGCTCTGGGAGCAACGTGACGCTGCAG
GTGTTCTGTGCTGGACGAGAATGACAACGCGCCGCACTGCTGGAGCCTCGGGTGGTGGCACTGGTGGC
GCAGCGAGCAAGTGGTCCGCGGTCTGTGGGCGGGCCACGTGGTAGGAAGGTGCGCGCAGTGGAC
GCCGACTCGGGCTACAACGCGTGGCTTTCGTATGAGCTGCAGCCAGCTGCAAGCAGCCCTCGCATCCCG
TTCCGCGTGGGGCTGTACACGGGCGAGATCAGCACCCTCGTGTCTGGACGAAGCGGACTCTCCGCGC
CACCGTCTGCTGGTCTGGTGAAGGATCATGGTGAACCTGCGCTGACCGCCACGGCCACGGTTCTGGTG
TCGCTGGTGGAGAGCGGCCAGGCTCCAAAAGCGTCATCGAGGCAGTCCGGTGGCGTTTTGGTCCGGAA
GCGGCGCTGGTGGATGTCAACGTGTACCTGATCATCGCCATCTGCGCGGTATCCAGCCTGCTGGTGTCTC
ACGCTGCTGTGTACACTGCGCTGCGGTGCTCAGCACTGCCACTGAGGGCGGGTCCCGGGCGGGCAAG
CCCCTCTGGTGTCTCAGTGGGTGGGAGCTGGTCACTCGCAACAACAGCCGAGAGGGTGTGC
TCTGGTGAAGGGCCACCGAAGACGGACCTCATGGCCTTACGCCCTTCCCTCTGATCTGGGATCA
GTTGATGTAGGCGAAGAGCAAGATTTAAATGTTGATCATGGCCTCAAACCACGACAGCCCAACCCTGAC
TGGCGTACTCTGCCTCCCTGAGAGCAGGCATGCACAGCTCTGTGCACCTAGAGGAGGCTGGCATTCTA
CGGGCTGGTCCAGGAGGGCTGATCAGCAGTGGCCAACAGTATCCAGTGCAACACCAAGAACCAGAGGCA
GGAGAAGTGTCCCTCCAGTCCGGTGCGGGTGTCAACAGCAACAGCTGGACCTTTAAATACGGACCAGGC
AACCCCAAACAATCCGGTCCCGGTGAGTTGCCGACAAATTCATTATCCAGGATCTCCTGCAATCATC
TCCATCCGGCAGGAGCCTACTAACAGCCAAATTGACAAAAGTACTTCATAACCTTCGGCAAAAAGGAG
GAGACCAAGAAAAAGAAGAAAAAGAAGGGTAACAAGACCCAGGAGAAAAAGAGAAAGGAACAGC
ACGACTGACAACAGTGACCAGTGA
AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGAT
ATCCTGGATTACAAGGATGACGACGATAAGGTTTAA
  
```

Restriction Sites: SgfI-RsrII

Plasmid Map:


ACCN: NM_018911

Insert Size: 2853 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_018911.2](#)

RefSeq Size: 5260 bp

RefSeq ORF: 2853 bp

Locus ID: 56140

UniProt ID: [Q9Y5H6](#)

Cytogenetics: 5q31.3

Domains: CA

Protein Families: Transmembrane

MW: 103.1 kDa

Gene Summary: This gene is a member of the protocadherin alpha gene cluster, one of three related gene clusters tandemly linked on chromosome five that demonstrate an unusual genomic organization similar to that of B-cell and T-cell receptor gene clusters. The alpha gene cluster is composed of 15 cadherin superfamily genes related to the mouse CNR genes and consists of 13 highly similar and 2 more distantly related coding sequences. The tandem array of 15 N-terminal exons, or variable exons, are followed by downstream C-terminal exons, or constant exons, which are shared by all genes in the cluster. The large, uninterrupted N-terminal exons each encode six cadherin ectodomains while the C-terminal exons encode the cytoplasmic domain. These neural cadherin-like cell adhesion proteins are integral plasma membrane proteins that most likely play a critical role in the establishment and function of specific cell-cell connections in the brain. Alternative splicing has been observed and additional variants have been suggested but their full-length nature has yet to be determined. [provided by RefSeq, Jul 2008]

Transcript Variant: This variant (1) includes the constant region exons and encodes the longest isoform (1).