

Product datasheet for SC315148

ZFR (NM_016107) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	ZFR (NM_016107) Human Untagged Clone
Tag:	Tag Free
Symbol:	ZFR
Synonyms:	SPG71; ZFR1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC315148 representing NM_016107. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTGTAGTGAACCGTCAGAATTTTGTAAATACGACTACTATAGGGCGGCCGGGAATTCGTGCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGATTCCCATATGCCCTGTAGTTTCTTTCACCTATGTGCCAGCCGGCTGGGGGAAGATGCCAAAATG
GCGACCGGCAACTACTTTGGATTACCCACAGCGGGGCGCGCGCGCGGCTGCGGCCAATATAGC
CAGCAGCCAGCTTCGGGTGTAGCCTATTCTCATCCAACACTACAGTTGCTAGCTACACTGTCCATCAGGCT
CCAGTAGCTGCTCACACAGTTACTGCTGCCTATGCACCAGCAGCCGCCACAGTTGCAGTTGCCAGGCCT
GCTCCAGTAGCTGTTGCAGCTGCTGCAACAGCTGCTGCTTATGGAGGCTACCCCACTGCACACACAGCA
ACTGACTATGGTTATACTCAGAGGCAACAAGAAGCACCACCACCACCACCCAGCTACTACACAAAAC
TACCAGGATTCATACTCATATGTAAGGTCCACAGCTCCTGCTGTAGCTTATGATAGTAAGCAATACTAC
CAACAACCAACAGCAACTGCTGCTGTAGTGCCTGCTGCCCAACCTCAGCCTTCTGTTGCTGAAACT
TACTATCAGACAGCCCCAAAGCAGGTTACAGCCAAGGTGCAACTCAGTATACTCAAGCCCAGCAAAC
CGACAAGTGACAGCCATAAAACCAGCCACACCAAGTCCAGCTACCACTACTTTCTCCATCTATCCTGTA
TCCTCCACCGTACAGCCAGTAGCAGTGCAGGCTACTGTGGTGCCATCCTATACTCAGAGTGTACTTAC
AGTACCACAGCAGTTACATATTCTGGTACGTCTTATTACAGTTATGAAGCAGCAGTGTATTACAGTGCA
TCTTCTACTATCAACAGCAGCAGCAGCAACAGAAGCAGCAGCAGCAGCTGCTGCTGCTGCTGCA
ACAGCTGCCTGGACAGGGACCACCTTTACTAAAAAAGCACCATTCCAAAATAAACAACTGAAACCAAAA
CAGCCTCCAAAACCACCACAGATTCATATTGTGATGTTTGAAGATCAGCTGTGCTGGACCACAGACT
TATAAAGAACATTTAGAAGGACAGAAAACATAAAAAAAGAAAGCTGCATTGAAAGCCTCACAAAATACC
AGCAGCAGCAACAGTTCTACTCGTGGGACTCAAAATCAGCTACGTTGTGAGCTCTGCGATGTGCTTGT
ACAGGAGCAGATGCGTATGCTGCCACATTCGTGGTGCTAAGCATCAGAAAGTGGTTAAGTTACACACA
AACTTGGTAAACCCATTCCATCAACAGAACCAATGTTGTTAGCCAAGCTACTTCTTCAACAGCTGTA
TCTGCTTCAAAGCCGACTGCCTCTCCTTCAAGCATTGCAGCAACAATTGACTGTGAATACGTCATCA
GTTGCAACGTCTTCAATGAAGGGTCTTACGACTACAGGAAACTCGTCTCTTAATAGCACATCTAACACT
AAAGTATCAGCAGTGCCTACAAATATGGCTGCCAAGAAAACATCTACCCCAAAAATAAATTTTGTGGT
```




[View online »](#)

GGTAATAAGCTGCAGTCAACAGGAAATAAAGCAGAAGACATAAAAAGGAACCGAATGTGTTAAAAGTACT
 CCTGTCACTTCTGCTGTGCAGATTCTGAAGTAAAGCAAGACACAGTGTGAGAACCAGTCACACCTGCA
 TCTCTTGTGCTTTACAGAGTGTATGTCAGCCAGTGGGCCATGATTATGTGGAAGAGGTACGAAATGAT
 GAAGGAAAAGTAATTCGGTTCATTGTAATATATGCGAGTGCAGCTTTAATGATCCCAATGCTAAGGAG
 ATGCACTTAAAAGGGCGAAGACACAGACTTCAATATAAAAAAAGTAAATCCAGATTTGCAAGTAGAA
 GTAAAGCCTAGTATTCGAGCAAGAAAGATTCAAGAAGAGAAAAATGAGGAAGCAAAATGCAGAAGGAGGAG
 TACTGGCGAAGACGAGAAGAAGAGGAGCGTTGGAGAATGGAATGAGACGTTATGAAGAGGACATGTAC
 TGGAGGAGAATGGAGGAAGAACAACATCATTGGGATGATCGCCGCGAATGCCAGATGGAGGTTATCCT
 CATGGTCTCCAGGCCATTAGGCCTTCTGGGAGTCCGACCAGGCATGCCTCCTCAGCCTCAGGGCCCT
 GCACCCTTACGTCGCTCTGACTCATCTGATGACCGTTATGTAATGACAAAACATGCCACCATTTATCCA
 ACTGAAGAGGAGTTACAGGCAGTTCAGAAAATTGTTTCTATTACTGAACGTGCTTTAAAACCTGTTTCA
 GACAGTTTGTCTGAACATGAGAAGAACAAGAACAAGAGGGAGATGATAAGAAAGAGGGAGGTAAGAC
 AGAGCTTTGAAAGGAGTTTTCGAGTGGGAGTATTGGCAAAGGATTACTTCTCCGAGGAGATAGAAAT
 GTCACCTTGTGTTGCTGTGCTCAGAGAACTTCAAAGACATTATTAAGCCGTATTGCAGAAAACCTA
 CCCAAACAGCTTGCTGTTATAAGCCCTGAGAAGTATGACATAAAATGTGCTGTATCTGAAGCGGCAATA
 ATTTTGAATTCATGTGTGGAACCCAAAATGCAAGTCACTATCACACTGACATCTCCAATTATTCCGAGAA
 GAGAACATGAGGGAAGGAGATGTAACCTCGGGTATGGTGAAGACCCACCGGACGCTTGGACAGGCAA
 AAATGCCTTGACGCTCTGGCTGCTACGCCACGCTAAGTGGTCCAGGCTAGAGCTAATGGTCTGCAG
 TCCTGTGTGATTATCATACGCATTCTTCGAGACCTCTGTCAGCGAGTTCACACTTGGTCTGATTTTCCA
 AGCTGGGCTATGGAGTTACTAGTAGAGAAAGCAATCAGCAGTGCCTTAGCCCTCAGAGCCCTGGGGAT
 GCACTGAGAAGAGTTTTGAATGCATTTCTTCAGGATTATTCTTAAAGGTAGTCTGGACTTCTGGAT
 CCTTGTGAAAAGGATCCCTTTGATACCTTGGCAACAATGACTGACCAGCAGCGTGAAGACATCACATCC
 AGTGCACAGTTTGCATTGAGACTCCTTGCATTCCGCCAGATACACAAAGTTCTAGGCATGGATCCATTA
 CCGCAAAATGAGCCAACGTTTTAACATCCACAACAGGAAACGAAGAAGAGATAGTGATGGAGTTGAT
 GGATTTGAAGCTGAGGGGAAAAAAGACAAAAAAGATTATGATAACTTTTAA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
 TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

Restriction Sites:

Sgfl-Mlul

Plasmid Map:



ACCN:

NM_016107

Insert Size:

3225 bp

OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	<p>This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.</p>
Components:	<p>The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).</p>
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_016107.3
RefSeq Size:	4746 bp
RefSeq ORF:	3225 bp
Locus ID:	51663
UniProt ID:	Q96KR1
Cytogenetics:	5p13.3
Domains:	DZF
MW:	117 kDa
Gene Summary:	<p>This gene encodes an RNA-binding protein characterized by its DZF (domain associated with zinc fingers) domain. The encoded protein may play a role in the nucleocytoplasmic shuttling of another RNA-binding protein, Staufen homolog 2, in neurons. Expression of this gene is regulated through alternative polyadenylation that mediates differential microRNA targeting. Elevated expression of this gene has been observed in human patients with pancreatic cancer and knockdown of this gene may result in reduced viability and invasion of pancreatic cancer cells. [provided by RefSeq, Sep 2016]</p>