

## Product datasheet for **SC315153**

### ZNF827 (NM\_178835) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	ZNF827 (NM_178835) Human Untagged Clone
Tag:	Tag Free
Symbol:	ZNF827
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC315153 representing NM_178835. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGCCAGGAGGAAGCAGGAGCAGCCAAAGCGCCTTCCCTCACATGTTAGTAGGCAGGAAGAGGGGAG
GGAGAGCTCAGTGAAGGAGAAGCACTGGTATGAAACTCTTCAGAGACTCCGTGAGAGCATCCTATGGG
GAAGTCCAGGAGAATAAAGTTGTCTCTGGAGGACCGGATCCAGGAGCAGTCCACGTCCCCGGACACC
TCCTTGGGAAGCAGACTCCCAGCAGCCACACGTTGGAGCTGGTGGCACTGGACAGTGGGTCTGCGA
GACTCACTGCAGTGTCAAGATCACCTTTCCCGGGAGTGTCTTCTTTGTGTGACGATGACCCAGGCTCC
AACAGCCCTGAGCAGCAATTTGAGGCGGCTGCTGGAGGTGGTCCCTCAAACCTCGATGCGACCC
ACGGCTAATGGCAGAGTGGAGTCCCCCGTAAACGTTGGCTCGAACCTCTCCTTTTCCCGCCTTCCAC
CACGCCAGCAGCTCAGTGTCTGGCCAGGAAGTTGGCCGAGAAGCAGGAACAGAATGACCAATACT
CCAAGTAACCGTTTTATATGGAATCAAGTAAGTGGTTGCCAACTCAACCACCCTGCAGCTTGTCT
CCGGATTCAGCCATCCTAAAAGCTGAAAGCTGCAGCCAATGCCGTTCTGCAGGACAAATCTCTACCAGG
ACTGAGGAGACCATGCGATTTGAGTCTTTTCTCCCTTTAGCTCCAGTCTGCCAGTCTACCTTG
GCCGCTTGTCCAAGAAGTCAAGTGAAGAAAGTTGACTCCTGGTCAGGAGCACCTCCACCGGCCAGC
TCCTTCTTTCCCTGGCTTCTATGACCTCTCAGCGGCCCTTCTGAAGGAGGTGGCCGAAGGGCTGCG
GGCAGTCTTCTGGCTGAGAAATCATCGTCTGCTGCTGAGGACCTCTACCGCCCCGCTTCCAGAGAAG
AAACCAGAAAAAGTCACTCCGCCACCTCCACCGCCACCTCCACCACCTCCACCACCACCACAATCC
CTGGAATTATTACTCCAGTTCCTAAGGGAAGAGTTTCTAAACCCTCCAATTCAGCCTCAGAAGAG
GAAAGTGGAAAGCCTTTCCAGTGTCCAATATGTGGTTGGTTATTAAGGAAGAGTTACTGGAAGCGG
CACATGGTGATTCACACAGGTTTAAAAGTCAATCAGTGTCCGCTCTGTCCATTCCGGTGTCTCGAAG
GACAATCTCAAATCCCACATGAAGTTTCAATCAGCACCAGGATCGGGGAGAGACCTTTAGTGCCAGCTG
TGCCCTTTTACTTCTCACGCCACTTCACTGAAACTCCACATGCGTTGCCATCAGCACTTCTGAGG
ACAGAAGCAAGGTGAAGGAGGAGATCCCAGACCCAGATGTCAAGGGATCTCCCACTCAGTGCAGT
GCCTGCTGGGGCAGCAAAGGGAAGGAGGAGGACAGAGCTAGTGGGACCATGATGACGCTCAACT
CCAGAGGAGTCCAGGAGGAGGCTGGCGTCTCGCCTTTGCTGGTGAAGGAGGAACCCAAAGGAGAT
AACGGCCTGCCACCTCTTTACTTTGAATGCTGCCGACAGGCCCGCAACCACAAAGCTGAAAGAC
```



[View online »](#)

```

CCCTCCGAGTATGTGGCCAACAGTGCCTCAGCATTGTTTCAGCCAGGACATCTCTGTTAAGATGGCGTCT
GATTTTCTCATGAAGCTGTGAGCTGCAAAATCAGAAGGAGCCCATGAATCTTAATTTAAAGTGAAAGAG
GAGCCTAAGGAAGGGGAGTCCCTAAGCAGGACTTTGCCTCGGTCCAGCTATGTGTTTCAGCCCGGAATCT
GAAGTGTGAGCCCGAGGCGTCTCTGAGGACGCACTAAAGCCCGAGGAAGGGAAAGTGTGCTAAGG
CGGGATGTGTGAGTCAAAGCAGCCTCTGAACTTCTCATGAACTCTCAGCGGAAAGCTACAAGGAAACA
CAGATGGTGAAGATTAAGAGGAACCCATGGAGGTTGACATCCAGGACTCCCATGTCTCGATATCACCC
AGCCGGAATGTTGGCTACAGCACTTTAATCGGGCAGAGAAAACCGAACCCCTACAGAAGATGCCAGAG
GGCAGAGTACCCCGAGAGAAAACCTCTTCAGTCAGGATATCTCTGTGAAAATGGCTTCCGAGCTCCTC
TTTCAACTGTGAGAAAAAGTGAGCAAAGAGCACAATCATACAAAAGAAAACACCTCCGGACCACGACC
AGCCCTTTCTTTTCAGAAGACACATTTAGACAATCACCATTACCTCCAATTCAAAAGAAGTGTGCC
AGTGACTCCGTGCTGCACGGAAGAATATCAGCTCCAGAAAACAGAAAAGATAGCTCAGAGGCAGGAAAT
GGATTACCATCCTGAAAATCAATGACCAGCTTTTCCCTGTGACGTGTGTGGGAAAGTGTGGCCGA
CAGCAGACATTGTCGACACCTCTCGTGCACACAGAGGAAAGAAAATACAAATGCCACTGTGCCCC
TATGCTGCTAAGTGCCGTGCAAACTGAACCAGCACTTGACCGTCCATCCGTGAAGCTGGTGTGAGTACA
GACACCGAGGACATTGTGACGCGCTCACCTCTGAAGGCAGTGATGGGAAGAAACATCCTTATTATTAC
AGTTGTACAGTGTGTGGATTTGAGACCGAGCTCAATGTCCAGTTTGTGAGCCACATGTCACTCCAGGTG
GACAAGGAGCAGTGGATGTTTTCGATCTGCTGCACTGCCTGCGACTTCGTCAACATGGAGGAAGCAGAG
ATAAAGACTCACATTGGCACAAGCACACAGGGGAAGACAGGAAGACCCCGAGCGAATCAATAGCCCC
TCTTATCCTCCTCTCAGCTCTGAGTGATTGAGCCAACAGCAAAGATGATTGAGATGGCTCCAGAAA
AACAAAGGGCGGGAACAATCTGCTGGTCACTCTGTGATGCTGGGAGCCAGCCCTCACTGAACAGTGAG
GAAAAGCCAGAGAAAGGGTTCGAATGTGTTTTTGAACCTTTGTCTGCAAGACGAAGAACATGTTTGAG
CGTCACTGCAGATACACCTCATCACCCGGATGTTTGAGTGTGATGTGCCACAAGTTCATGAAGACC
CCCGAACAGCTGCTGGAGCATAAGAAATGCCACACTGTCCCGGTTGGGCTCAAGTAA
ACGCGTACGCGGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGCGCCGGC
    
```

**Restriction Sites:**

Sgfl-Mlul

**ACCN:**

NM\_178835

**Insert Size:**

3234 bp

**OTI Disclaimer:**

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:**

This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA

**Components:**

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_178835.4](#)

**RefSeq Size:** 4197 bp

**RefSeq ORF:** 3234 bp

**Locus ID:** 152485

**UniProt ID:** [Q17R98](#)

**Cytogenetics:** 4q31.21-q31.22

**Protein Families:** Transcription Factors

**MW:** 118.7 kDa

**Gene Summary:** May be involved in transcriptional regulation.[UniProtKB/Swiss-Prot Function]  
Transcript Variant: This variant (2) differs in the 3' UTR and uses an alternate splice site that results in a shorter 3' coding region compared to variant 1. It encodes isoform 2, which has a shorter C-terminus compared to isoform 1.