

## Product datasheet for **SC315181**

### SORBS2 (NM\_021069) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	SORBS2 (NM_021069) Human Untagged Clone
Tag:	Tag Free
Symbol:	SORBS2
Synonyms:	ARGBP2; PRO0618
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC315181 representing NM_021069. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTGTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGAGTTACTATCAGAGGCCGTTTTCCCCCTCGGCATATTCTCTCCAGCCTCACTCAACTCCAGCATT
GTCATGCAGCACGGCACATCCCTCGATTCCACAGACACATATCCCAGCATGCGCAGTCTCTGGATGGC
ACCACCAGCAGCTCTATCCCCTGTACCGATCCTCAGAGGAAGAGAAGAGAGTGACAGTCATCAAAGCC
CCGCATTACCCAGGGATCGGGCCCGTGGATGAATCCGGAATCCCACAGCAATTAGAACGACAGTCGAC
CGGCCAAAGGACTGGTACAAGACGATGTTAAGCAAATTCACATGGTGCACAAGCCGGATGATGACACA
GACATGTATAACTCCTTATACATACAATGCAGGTCTGTACAACCCACCCTACAGTGCTCAGTCACAC
CCTGCTGCAAAGACCCAAACCTACAGACCTCTTTCCAAAAGCCACTCCGACAACAGCCCAATGCCTTT
AAGGATGCGTCTCCCCAGTGCCTCCCCACATGTTCCACCTCCAGTCCCAGCCGCTTCGACCAAGAGAT
CGGTCTTCAACAGAAAAGCATGACTGGGATCCTCCAGACAGAAAAGTGGACACAAGAAAATTTGGTCT
GAGCCAAGGAGTATTTTTGAATATGAACCTGGCAAGTCATCAATTCTTCAGCATGAAAGACCAGCCTCC
TTGTATCAGTCTCTATAGACAGAAGCCTGAAAGACCCATGAGTTCTGCAAGCATGGCCAGTGACTTC
AGGAAGCGGAGGAAGAGCGAGCCTGCAGTGGGTCCACCACGGGGCTTGGGAGATCAAAGTGCAGCAGG
ACTAGCCCAGGCCGAGTGGACCTCCAGGATCAAGCACCACTCTTACAAAGTCTTTCAGTACTCTTCT
CCTTCTTCCCATCAAGAGCAAAGGTGGGGATGATAGCAAATATGTCCATCCCTTTGCACTTACTCA
GGGCTCAACGGCAACCCCTCCAGTGAGTTAGATTACTGTAGCACTTACAGACAGCACTTGGATGTCCCT
CGGGACTACCAAGAGCCATTAGTTTTCAAGAACGGCTGGCAAATGGCCCGCAAAAACGCAGAAAATCTGG
AGCAGCACGGAAGAAACCGTCTCTCCAAAATCAAATCCCGAGCTGTGACGATCTCCTAAACGACGAC
TGCGATAGCTTCCCGACCCGAAAGTCAAGTCGAAAGCATGGGCTCCCTGTTATGTGAGGAGGACTCC
AAGGAGAGCTGCCCCATGGCGTGGGGTCCCCCTACGTCCCGGAGGTTTCGAGTAAACGCAGATCAAGG
ATCAGACACAGGTGAGCCGCAACGCCCGGGTTCCTGAAGATGTACAAGAAAATGCACCGCATCAAC
CGCAAGGACCTGATGAACTCCGAGGTGATCTGCTCCGTGAAGTCCAGGATTCGAGTACGAGAGCGAG
CAGCAGACAAGGACCTGCTGCGCGCTGGAGCCAGTGTCCACGGAGGAGGTGCCCGGGACATGGT
```




[View online >](#)

CCCACACGCATCTCCGAATTCGAAAAGCTGATCCAGAAGTCCAAATCCATGCCAAATTTAGGGGATGAC  
 ATGCTGTCTCCCCTAACCTAGAACCCGCAAAATGGCCTATGTCCAAGAGGCGGTTTTCCATTGAG  
 TATTTGCTGGAGGAAGAAAATCAAAGCGGCCCCCGCTCGGGGCGGCGAGGCTGCCAGTCAACGCC  
 CTGGTGCCATTACATTTGAAGTACCAGCGATGAGCAGCCCCGAGCACAGTGGAGTTTTCCGACAGC  
 GACCAGGACGGGTTGTGTCGACCACAGTGACTACATTCACCTAGAGGGGTATCTCTTCGAGTGAA  
 AGTGACTTTGATCACTTTTCTTACATCTCCGAAAGCTTTACGGATCCAGCCACCACCACCACCAT  
 CACCACCACCACCACCACCCTCATCAGCTCTGCAAAGGCAGGTGCCCGGCTCTACACTCGA  
 TTTACCACAATGTTAAAACACGAAAGAGCCAGACACGAAAACACCGAGGAGCCCAAGGCAAGAAATG  
 GACCTGGCCTTTCTAAACTTGCTTTTCTAGTCAGTCCTGTGCCTTTCCGGAGGAAAAAAATTCGGCT  
 CCTAAGAAACAGACTGAAAAGGCAAAATGTAAGCATCTGTGTTTGGGCTCTGGACTCTGCCCTTAAA  
 GACATCTGTGACCAAAATTAAGCTGAAAAGAAAAGGGGAGCTTGCCGGACAACAGCATCTGCACCGC  
 CTCATCAGTGAGCTGCTGCCAGATGTTCCCGAGAGGAACATCCCTGAGAGCGTGAGGAGGAGCCCC  
 CTGCACCAGCCTTCCACCCACTGCCTCCCGATGGTGCTATTATTGTCCACCCTACCAGAATGACTGC  
 GGGAGAATGCCCCGAGTGCTCTTTCCAAGACGTGGACACAGCCAACAGCAGCTGCCACCACCAAGAC  
 CGTGGCGGTGCACTCCAAGACCGTGAGTCCCCTAGAAGTTACTCATCCACTTTGACTGACATGGGGAGA  
 AGTGCACCAAGGGAAGAGGAACTCCAGAAAAGAGAAATTCCTGCAAAAGCTGTTTATGATTTT  
 AAGGCTCAGACATCTAAGGAGTTGTCATTTAAGAAAGGAGATACTGTCTACATCCTCAGGAAAATGAT  
 CAAAATTTGGATGAGGGAGAACCACCGGAGAGTGGGCATCTTCCCGATCTCATACGTAGAGAACTC  
 ACACCTCTGAGAAAGCAGACCTGCAAGACCCTCCGCCAGCCAGCCCGGAGAAATCGGAGAAGCT  
 ATAGCCAAATACAACCTCAACGCAGACAAAATGTGGAGCTGTCACTGAGAAAGGGAGATAGAGTTATT  
 CTTCTTAAAAGAGTTGATCAAACTGGTATGAAGTAAAATCCCAGGAACCAACAGACAAGGCATCTTC  
 CCTGTTTCTATGTGGAGTGTCAAGAAGAACAACAAAAGTGTGAGGACTACCCTGACCTCCAATA  
 CCCCACAGCTATTCTAGTGATAGGATTCACAGCTTGAGCTCAAATAAGCCACAGCTCCGTGTTTACT  
 CATGAAAATATTCAAGTGGGGGGAACCGTTTCAAGCTCTGTATAACTATACTCCAGGAATGAAGAT  
 GAGCTGGAGCTCAGAGAAAGTGATGTCATTGATGTCATGGAAAAGTGATGACGGCTGGTTTGTGGG  
 ACCTCAAGAAGAACAAATTTCTTTGGTACTTTCCCGGAAACTACGTCAAGAGGCTGTGA  
 ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT  
 TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

Restriction Sites:

Sgfl-MluI

Plasmid Map:



ACCN:

NM\_021069

Insert Size:

3303 bp

<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>OTI Annotation:</b>	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u>NM_021069.4</u>
<b>RefSeq Size:</b>	6344 bp
<b>RefSeq ORF:</b>	3303 bp
<b>Locus ID:</b>	8470
<b>UniProt ID:</b>	<u>O94875</u>
<b>Cytogenetics:</b>	4q35.1
<b>Domains:</b>	SH3, Sorb
<b>MW:</b>	124.1 kDa

**Gene Summary:**

Arg and c-Abl represent the mammalian members of the Abelson family of non-receptor protein-tyrosine kinases. They interact with the Arg/Abl binding proteins via the SH3 domains present in the carboxy end of the latter group of proteins. This gene encodes the sorbin and SH3 domain containing 2 protein. It has three C-terminal SH3 domains and an N-terminal sorbin homology (SoHo) domain that interacts with lipid raft proteins. The subcellular localization of this protein in epithelial and cardiac muscle cells suggests that it functions as an adapter protein to assemble signaling complexes in stress fibers, and that it is a potential link between Abl family kinases and the actin cytoskeleton. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008]

Transcript Variant: This variant (2) differs at the 5' end, and contains a large in-frame insertion and a small in-frame deletion compared to transcript variant 1. It encodes a longer isoform (2) with a different amino-terminal, but the same carboxy-terminal sequence containing three SH3 domains, as isoform 1. Sequence Note: The RefSeq transcript and protein were derived from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The extent of this transcript is supported by transcript alignments.