

## Product datasheet for SC315254

### LAMC2 (NM\_005562) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	LAMC2 (NM_005562) Human Untagged Clone
Tag:	Tag Free
Symbol:	LAMC2
Synonyms:	B2T; BM600; CSF; EBR2; EBR2A; LAMB2T; LAMNB2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC315254 representing NM_005562. <span style="color: blue;">Blue</span> =Insert sequence <span style="color: red;">Red</span> =Cloning site <span style="color: green;">Green</span> =Tag(s)

```

GCTCGTTAGTGAACCGTCAGAATTGTAAATCGACTCACTATAGGGCGCCGGGAATCGTCAGTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGCCTGCGCTGGCTGGGCTGCTGCCTCTGCTCCTGCCGAGCCGGGCCACCTCC
AGGAGGAAAGTGTGATTGCAATGGGAAGTCCAGGCAGTGTATCTTGATCGGAACCTCACAGACAA
ACTGGTAATGGATTCCGCTGCCCTCAACTGCAATGACAACACTGATGGCATTCACTGCGAGAAGTGCAAG
AATGGCTTTACCGCACAGAGAAAGGGACCCTGCTGTTGCCCTGCAATTGTAACTCAAAGGTTCTCTT
AGTGTGATGTGACAACCTCCGACGGTGCAGCTGTAACACAGGTGTGACAGGAGCCAGATGCCACCGA
TGTCTGCCAGGCTTCCACATGCTCACGGATGCCGGGTGCAACCAAGAACAGAGACTGCTAGACTCCAAG
TGTGACTGTGACCCAGCTGGCATCGCAGGGCCCTGTGACGCCGGCCGCTGTGCTGCAAGCCAGCTGTC
ACTGGAGAACGCGTGTGATAGGTGTCGATCAGGTTACTATAATCTGGATGGGGAAACCCCTGAGGGCTGT
ACCCAGTGTCTGCTATGGCATTGCGCAGCTGCCAGCTCTGCGAGAATACAGTGTCCATAAGATC
ACCTCTACCTTCTACAGATGTTGATGGCTGAAAGGCTGTCACGAAATGGGCTCTGCAAAGCTC
CAATGGTCACAGGCCATCAAGATGTTGATGGCTGAAAGGCTGTCACGAAATGGGCTCTGCAAAGCTC
CCTGCCAAATTCTTGGGAATCAACAGGTGAGCTATGGTCAAAGCCTGCTTTGACTACCGTGTGGAC
AGAGGAGGCAGACACCCATCTGCCCATGATGTGATTCTGGAAAGGTGCTGGTCTACGGATCACAGCTCCC
TTGATGCCACTTGGCAAGACACTGCCCTGGGCTACCAAGACTTACACATTAGGTTAAATGAGCAT
CCAAGCAATAATTGGAGCCCCCAGCTGAGTTACTTGTGAGTATCGAAGGTTACTGCCGAATCTCACAGCC
CTCCGCATCCGAGCTACATATGGAGAATACAGTACTGGGTACATTGACAATGTGACCTGATTTCAGCC
CGCCCTGTCTGGAGCCCCAGCACCTGGGTTAACAGTGTATATGCTCTGGTACAAGGGCAA
TTCTGCCAGGATTGTGCTTCTGGCTACAAGAGAGATTAGCGAGACTGGGCCTTGGCACCTGTATT
CCTGTAAGGGGAGGGGCCTGTGATCCAGACACAGGGAGATTGTTACGGGGATGAGAAT
CCTGACATTGAGGTGCTGACTGCCAATTGGTTCTACAACGATCCGACGACCCCGCAGCTGCAAG
CCATGTCCTGTCTACAGGGTTAACGGGCTGTCAGTGTGAGCTGTGCTGAGCTGCTGATGGCTACTTGGGACCCCTTGGT


```



GAACATGGCCCAGTGAGGCTTGTCAAGCCGTCAATGCAACAACAATGTGGACCCAGTCGCTCTGG  
 AATTGTGACCGGCTGACAGGCAGGTGTTGAAGTGTATCCACAACACAGCCGGCATCTACTCGGACAG  
 TGCAAAGCAGGCTACTCGGGGACCCATTGGCTCCAAACCCAGCAGACAAGTGTGGAGCTTCAACTGT  
 AACCCATGGGCTCAGAGCCTGAGGATGTCAGTGTGGCACCTGTGTTGCAAGCCAGGATTGGT  
 GGCCCCAAGTGTGAGCATGGAGCATTCACTAGCTGTCAGCTGCTATAATCAAGTGAAGATTCAAGATGG  
 CAGTTATGCACTGAGCAGCTTCAGAGAATGGAGGCCCTGATTCAAAGGCTCAGGGTGGTATGGAGTAGTA  
 CCTGATACAGAGCTGAGGAGCAGGATGCACTGAGCAGGCTGAGCAGGCCCTCAGGACATTCTGAGAGATGCC  
 CAGATTCAGAAGGTGCTAGCAGATCCCTGGTCTCAGTGGCCAAGGTGAGGAGCCAAGAGAACAGC  
 TACCAAGGCCGCTGGATGACCTCAAGATGACTGTGGAAAAGAGTTGGGCTCTGGGAAGTCAGTACCA  
 AACCGAGTTGCCGAAACTCAGGCTCATCACTCAGATGCACTGAGCAGCTGCCAGAAAGTGAAGCTCC  
 TTGGGAAACACTAACATTCTGCCTCAGACCAACTACGTGGGCCAATGGTTAAAAGTCTGGCTCAG  
 GAGGCCACAAGATTAGCAGAAAGCCACGTGAGTCAGGCACTAACATGGAGCAACTGACAAGGGAAACT  
 GAGGACTATTCCAACAAAGCCCTCTCACTGGTGCAGGCCCTGCATGAAGGAGTCAGGAAGCGGAAGC  
 GGTAGCCCGAGGTGCTGGTGCAAGGGCTGTGAAAATTGGAGAAAACCAAGTCCCTGCCAG  
 CAGTGACAAGGGAGGCCACTCAAGCGAAAATTGAAGCAGATAGGCTTATCAGCACAGTCTCCGCTC  
 CTGGATTCACTGTCGGCTCAGGGACTCAGTGTGATCAGTCCTTCAGGTGAAAGCAAAGGAGATC  
 AAACAAAAAGCGGATTCACTCTCAAGCCTGGTAACCAGGCAATGGATGAGTTCAAGCGTACACAGAAG  
 AATCTGGGAAACTGGAAGAAGAAGCACAGCAGCTTACAGAATGGAAAAGTGGGAGAGAGAAAATCA  
 GATCAGCTGCTTCCCGTCCAATCTTGCTAAAAGCAGAGCACAAGAAGCACTGAGTATGGCAATGCC  
 ACTTTTATGAAGTTGAGAGCATCCTTAAAACCTCAGAGAGTTGACCTGCAGGTGACAACAGAAAA  
 GCAGAAGCTGAAGAAGCATGAAGAGACTCTCCTACATCAGCCAGAAGGTTCAGATGCCAGTGAAG  
 ACCCAGCAAGCAGAAAGAGCCCTGGGAGCGCTGCTGATGCACAGAGGGCAAGAATGGGCCGG  
 GAGGCCCTGAAATCTCAGTGAGATTGAACAGGAGATTGGAGCTGAACTTGGAGCCAATGTACA  
 GCAGATGGAGCCTGGCATGGAAAAGGGACTGGCCTCTGAAGAGTGGAGATGAGGAGTGAAGGA  
 GAGCTGGAAAGGAAGGAGCTGGAGTTGACACGAATATGGATGCACTGAGTGGTATTACAGAAGC  
 CAGAAGGTTGATACCAGAGCCAAGAACGCTGGGTTACAATCCAAGACACACTCAACACATTAGACGG  
 CTCCCTGCATCTGATGGACCAGCCTCTCAGTGTAGATGAAGAGGGCTGGTCTACTGGAGCAGAACCT  
 TCCCGAGCCAAGACCCAGATCAACAGCAACTGCGGCCATGATGTCAGAGCTGGAAGAGAGGGCAGT  
 CAGCAGAGGGGCCACCTCCATTGCTGGAGACAAGCATAGATGGATTCTGGTATGTGAAGAACATTG  
 GAGAACATTAGGGACAACCTGCCCCCAGGCTGCTACAATACCCAGGCTTGTGAGAACAGTGA  
 ACGCGTACGCGCCGCTCAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGG  
 TACAAGGATGACGACGATAAGGTTAACCGGCCGGC

**Restriction Sites:**

Sgfl-MluI

**Plasmid Map:**

ACCN:	NM_005562
Insert Size:	3582 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
RefSeq:	<u>NM_005562.2</u>
RefSeq Size:	5623 bp
RefSeq ORF:	3582 bp
Locus ID:	3918
UniProt ID:	<u>Q13753</u>
Cytogenetics:	1q25.3
Domains:	LamB, EGF_Lam
Protein Families:	Druggable Genome, Secreted Protein
Protein Pathways:	ECM-receptor interaction, Focal adhesion, Pathways in cancer, Small cell lung cancer
MW:	131 kDa

**Gene Summary:**

Laminins, a family of extracellular matrix glycoproteins, are the major noncollagenous constituent of basement membranes. They have been implicated in a wide variety of biological processes including cell adhesion, differentiation, migration, signaling, neurite outgrowth and metastasis. Laminins, composed of 3 non identical chains: laminin alpha, beta and gamma (formerly A, B1, and B2, respectively), have a cruciform structure consisting of 3 short arms, each formed by a different chain, and a long arm composed of all 3 chains. Each laminin chain is a multidomain protein encoded by a distinct gene. Several isoforms of each chain have been described. Different alpha, beta and gamma chain isomers combine to give rise to different heterotrimeric laminin isoforms which are designated by Arabic numerals in the order of their discovery, i.e. alpha1beta1gamma1 heterotrimer is laminin 1. The biological functions of the different chains and trimer molecules are largely unknown, but some of the chains have been shown to differ with respect to their tissue distribution, presumably reflecting diverse functions in vivo. This gene encodes the gamma chain isoform laminin, gamma 2. The gamma 2 chain, formerly thought to be a truncated version of beta chain (B2t), is highly homologous to the gamma 1 chain; however, it lacks domain VI, and domains V, IV and III are shorter. It is expressed in several fetal tissues but differently from gamma 1, and is specifically localized to epithelial cells in skin, lung and kidney. The gamma 2 chain together with alpha 3 and beta 3 chains constitute laminin 5 (earlier known as kalinin), which is an integral part of the anchoring filaments that connect epithelial cells to the underlying basement membrane. The epithelium-specific expression of the gamma 2 chain implied its role as an epithelium attachment molecule, and mutations in this gene have been associated with junctional epidermolysis bullosa, a skin disease characterized by blisters due to disruption of the epidermal-dermal junction. Two transcript variants resulting from alternative splicing of the 3' terminal exon, and encoding different isoforms of gamma 2 chain, have been described. The two variants are differentially expressed in embryonic tissues, however, the biological significance of the two forms is not known. Transcript variants utilizing alternative polyA\_signal have also been noted in literature. [provided by RefSeq, Aug 2011]

**Transcript Variant:** This variant (1) represents the full length transcript variant. It encodes isoform (a) which is expressed in the epithelia of embryonic tissues. **Sequence Note:** This RefSeq record was created from transcript and genomic sequence data because transcript sequence consistent with the reference genome assembly was not available for all regions of the RefSeq transcript. The extent of this transcript is supported by transcript alignments.