

Product datasheet for SC315350

RNF123 (NM_022064) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	RNF123 (NM_022064) Human Untagged Clone
Tag:	Tag Free
Symbol:	RNF123
Synonyms:	FP1477; KPC1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC315350 representing NM_022064. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGCATCCAAGGGGGCCGGCATGTCTTTCTCCCGCAAGAGCTATAGGCTGACCTCAGATGCTGAGAAA
TCCAGGGTACAGGCATTGTGCAGGAGAAGCTGCTGAATGACTACCTGAACCGCATCTTTCTCTTCT
GAACATGCACCCCGCAGCCACCAGCAGGAAACCCCTGAACTCCAGAACCTGCCAGAACATTTGGAC
CAGTTGCTACAGGTGGACAATGAGGAGGAGGAAAGCCAGGGACAGGTTGAAGGGCGGCTTGGCCATCC
ACTGTGGTCTGGACCACACAGGCGGCTTTGAGGGGCTTCTCCTGGTGGATGATGACCTGCTGGGGTG
ATTGGACACAGCAACTTTGGCACCATCCGCTCTACCACATGCGTGTACAAAGGAAATGGCTCTACGAG
GTCTCATCTCTCCAGGGGCTCATGCAGATCGGCTGGTGCACCATCAGCTGCCGCTTCAACCAGGAG
GAGGGGGTTGGAGATACACAACTCCTATGCCTATGATGGCAACCGCGTGCAGAAAGTGAATGTGACC
ACAACGAATTATGGCAAGGCGTGGGCAGCGGGGACATCGTGAGCTGCCTGATTGACCTGGATGATGGC
ACTCTGTCTTCTGCCTGAACGGTGTATCACTGGGCACTGCCTTTGAGAACCTGTCCAGGGGCTGGGT
ATGGCCTACTTCCAGCCATCAGCCTCTCTTCAAGGAGTCCGTGGCCTTCAACTTTGGCAGCCGCTCT
CTGCGTACCCAGTGGCAGGCTACCGGCCCTGCAGGACCCAGGAGTGTGACCTGGTGCAGGACACAG
AGGTTGCTGGGCTGCTTCCGGGCAGTGTGAGTGTGGAGCTGGACCCTGTGGAGGGCGGCTGTTGGAC
AAGGAGAGCTCCAAGTGGCGGTTGCGGGCCAGCCACCGTCTCCTCACATGGCCACATCTTCCAT
CACTTTGCACCGCTTCTGCGCAAGGTGTATCTGGTGGAGGCTGTGCTCATGAGCTTCTTGTGGGCATC
GTGGAGAAGGGCACACCCACACAGGCACAGTCCGTGGTGCACCAGGTCCTGGACCTTGTGGCTTTC
ATGGAGGACTACGAGGTACAAGATTGCCTCAAGCAGTTGATGATGTCTCTGCTTCGGCTGTACCGATTC
TCACCCATTGTCCAGACCTGGGCTACAGATCCATTACCTGCGGCTCACTATCGCCATCTGAGGCAT
GAGAAGTCCCGAAGTTTCTGCTTAGCAATGTCTCTTCGACGTGCTCCGCTCCGCTCTTCTTTTAC
ATCAAGAGCCCCCTGCGTGTGGAGGAGGCGGCTGCAGGAGCTCATTCCACCACCTGGTGGCCCCAC
TGCTCCAGTAGGGAGGGCAAAGAGAGCACGGAGATGAAGGAGGAGACCGCAGAGGAGCGGCTGCGGGC
CGAGCCTACGAACGGGGTGTACGGGCTCAGGAAGCGCATCGAAGTGGTGAAGAACTACAGGTCCAG
```




[View online >](#)

ATCCTGAAGCTGCTGCTGGACAATAAAGATGACAATGGGGGTGAAGCTTCTAGGTATATCTTCTGACC
AAGTTTCGAAGTTTCTGCAGGAGAACGCCAGTGGCCGGGGAAACATGCCCATGCTCTGCCCCCTGAG
TACATGGTCTGCTTCTTACACCGGCTGATCTCTGCCCTGCGCTACTATTGGGATGAATACAAGGCTTCC
AATCCTCATGCTTCTTACAGTGAGGAGGCTACATCCCGCCAGGTCTTCTATAATGGCAAGGTGGAC
TACTTTGACCTGCAGCGCTGGGGGCTCCTCTCGCACCTGCGGAAGACCCTCAAAGATGACCTTGCT
TCCAAAGCCAACATTGTGATCGACCCACTGGAGCTCCAGTCAACCGCCATGGATGACCTAGATGAGGAT
GAGGAGCCAGCCCAGCTATGGCCAGCGCCCATGCAGGCCCTGGCTGTTGGGGGCCACTGCCCTG
CCCCGGCCCGGCTGGCTCAGTTCTCCAACCTTGGGCCGAGCCAACCGCTTCTCAGCACAGCGGCTGTG
AGCCTCATGACCCACGCGGCCTCTGAGCACCTCGGAGAAAGTGAAGTCCGCACGCTGAGCGTGGAG
CAGAGGACCCGTGAGGACATTGAAGGCAGCCACTGGAATGAGGGCTTGTGCTGGGGCGCCCCCGAG
GAGCCTGAGCAGCCCTCACCGAGAAGCTGCTGCTGGAAGTCTGGATGGGGCGTATGATGTACAAC
CTCAGCGTACACCAGCAGCTGGCAAGATGGTGGGTGTCTCCGATGATGCAATGAATACGCTATGGCT
CTGAGGGACACAGAGGACAAGCTCCGCCGTGCCCAAGAGGAGGAAGGACATCCTTGACAGTTGACC
AAGAGCCAGAAGTTTTCTCAGAAAAGCTGGACCCTGAGCCCGCTTTCCTGGGTCCATGCCACT
GTCTACTCCAGGAGAAGATGCTGGACATCTACTGGCTGCTGCGGTCTGCTGCGGACCATTGAGCAC
GGTGATCGCACAGGGTCTCTTTGCCTCATGCCGAGTTCTACCTGAGCGTGGCCATCAACAGCTAC
AGTGCTCTCAAGAATTACTTTGGTCCCCTGACAGCATGGAGGAGCTCCCAGGCTATGAAGAGACCTG
ACCCGCTGGCTGCCATTCTCGCAAACACTTTGCCGACGCACGCATTGTGGGACTGACATCCGAGAC
TCACTGATGCAGGCCCTGGCCAGCTACGTGTGCTACCCACACTCCCTGCGGGCTGTGGAGCGAATCCCC
GAGGAGCAGCGTATCGCCATGGTGGGAACCTCCTGGCGCCTATGAGCAGCGGCCCTGGGCCAGACC
AACTGGATCCTGGTGGGCTCTGGAGGGCTGTGGCTTCGGGTACCGCTATACACGGTGCCACATCTG
CTGAAAACCAAACCTTGGAGACGCCAATTTGCCAGCCTCCAGAAGCCCTGCCCTTCCACCCTGCTGCAG
CAGCACATGGCGACCTCTACAGCAGGCTCTGATGTGGCACCCAGCTTCTCAACAGCGTCTCAAT
CAGCTCAACTGGCCTTCTCTGAATTCATTGGCATGATCCAAGAGATCCAGCAGGCTGCTGAGCGCCTG
GAGCGAACTTTGTGGACAGCCGCGAGCTCAAGGTATGTGCCACCTGCTTTGACCTCTCGGTGAGCCTG
CTGCGTGTCTGGAGATGACTATCACACTGGTGCCTGAGATATTCCTTGACTGGACCCGGCTACCTCT
GAGATGCTGCTGCGGCTCTTGACAGCTGCTAAACCAGGTGCTGAACCGGGTACAGCTGAGAGGAAC
CTGTTTGTGCTGGTACCCTACGGCTGCCTGGCTAGAGAGCGTGGACCACTATCCATTCTGGTG
GCAGTGACGGGCATCCTGGTGCAGCTCCTGGTGCCTGGCCAGCCTCAGAGAGAGCAAGCCACATCA
GTGCTCCTGGCAGATCCCTGCTCCAGTACGCTCAATATGCTATCTCCTGGGACAGCCAGAGCCCCCA
GCACCTGGCACTGCTCTGCCAGCCCTGACCGGAAGCGCTTCTCCTGCAGAGCTATGCGGATTATC
AGTGCCGATGAGCTGGCCAAGTGAACAGATGCTGGCGACCTGACCTCTGCATCTGCCAGGCAGCA
GCTGCCTCCCTGCCACCAAGTGGAGGAGCCTCTGCCCATCTGCTATGCCACCCCATCTCTGCTGTG
TTCCAGCCCTGTGGCCACAAGTCTGCAAAGCCTGTATCAACCAGCACCTGATGAACAACAAGGACTGC
TCTTTCTGCAAACCACCATCGTGTCTGTAGAGGACTGGGAGAAGGGAGCCAATACGAGTACTACCTCC
TCAGCTGCC TAG
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

Restriction Sites:

Sgfl-Mlul

Plasmid Map:


ACCN: NM_022064

Insert Size: 3945 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in *E. coli* are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_022064.4
RefSeq Size:	4330 bp
RefSeq ORF:	3945 bp
Locus ID:	63891
UniProt ID:	Q5XPI4
Cytogenetics:	3p21.31
Domains:	RING
Protein Families:	Druggable Genome
MW:	148.5 kDa
Gene Summary:	<p>The protein encoded by this gene contains a C-terminal RING finger domain, a motif present in a variety of functionally distinct proteins and known to be involved in protein-protein and protein-DNA interactions, and an N-terminal SPRY domain. This protein displays E3 ubiquitin ligase activity toward the cyclin-dependent kinase inhibitor 1B which is also known as p27 or KIP1. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Feb 2016]</p> <p>Transcript Variant: This variant (1) encodes the supported protein.</p>