

TTGGATCTCTCCCGAAACCTGCTAGAGTGTGCCCTGACTGGGCCTGTGAAGCAAAGAAGATAGAAGTA
 TTAGATGTGAGCTATAATCTTCTCACAGAGGTTCCCGTGAGAATTCTGAGTAGCTTGAGTCTTAGAAAA
 CTGATGCTGGGACACAATCATGTGCAAAACCTTCCAACACTGGTAGAGCATATCCCCCTCGAGGTGCTG
 GATCTTCAGCATAATGCACTCACGAGGCTGCCAGACACCTCTTCTCCAAGGCCTTAAATCTCAGATAC
 TTGAATGCATCTGCAAAAGTCTGGAGTCTTTACCATCCGCTGCACTGGAGAGGAGAGTTTGTAGTATG
 CTGCAGCTGCTTTATCTGACCAACAATCTCCTGACGGATCAGTGCATACCTGTCTGGTAGGGCACCTG
 CACCTGCGAATCTTGACCTTGCAAAACAATCAGTTACAGACCTTTCCTGCAAGCAAACATAAATAATTG
 GAGCAATTGGAGGAACGAACCTAAGTGGAACAAGCTTAAACCATTTCCACAACCATAGCAAACTGT
 AAAAGGCTGCACACCTTGTGTGCACTCCAACAACATCAGCATTTTCCAGAAATACTGCAAGTGCCT
 CAGATCCAGTTTGTAGACCTAAGTTGCAACGACTTGACAGAAATCCTGATTCCAGAGGCTTTGCCTGCT
 ACATTACAAGACCTTGACCTGACTGGAAATACAAATCTGGTTCTGGAACACAAGACACTGGACATATTT
 AGCCATATCACAAACCTGAAAATTGATCAGAAACCTTTGCCAACACAGATTCTACAGTTACGTCAACC
 TTCTGGAGCCATGGACTGGCTGAGATGGCAGGGCAGAGAAATAAGCTGTGTGTCTCAGCACTTGCTATG
 GATAGCTTTGAGAGGGGTGGGAGCTGTGTATGGCATGTTTGTGGAGACCGAAATGAGGAGCTCCCG
 CGCTGCTGCAGTGTACGATGGCAGATGTGCTTTAGAAGAGGTACAGCAGTCAACTAATGACACAGTT
 TTCATGGCTAACACCTTCTTGGTATCTCACAGGAAATTAGGAATGGCTGGCCAGAAAGTTGGGCTCTCC
 GCTCTCTGTGCTACATCCGCCCTGACACTGCCGATCCAGCAAGTAGCTTTAGCTTGACTGTAGCCAAT
 GTTGGCACGTGCCAAGCAGTCTGTGCCGAGGTGGGAAGCCAGTGCCCTCTCTAAAGTCTTCAGCCTG
 GAGCAGGACCCAGAGGAGGCTCAAAGGGTGAAGGACCAAAAGCCATCATCACAGAGGACAACAAAGTG
 AATGGGGTAACCTGCTGTACCCGGATGCTGGGCTGTACATACCTCTACCTTGGATCCTCCCAAGCCC
 CACATATCTTCCACTCCGCTGACCATTCAAGATGAGTTGCTGATTCTGGGAAACAAAGCATTGTGGGAA
 CACTTGTCTACACAGAAGCTGTCAATGCTGTACGTACGTACAAGACCCATTAGCAGCTGCTAAGAAG
 CTGTGCACATTAGCGCAGAGCTATGGCTGTGAGGACAATGTAGGGGCGATGGTAGTTTATTTGAATATT
 GGTGAGGAAGGCTGCACTTGTGAAATGAATGGGCTCACCTCCAGGTCTGTGGGATTTGCTTCAACC
 ACCACTATCAAGGATGCCCTAAGCCAGCCACTCCATCCTCTAGCAGTGGGATTGCCTCTGAGTTCAGC
 AGTGAGATGTCCACCTCAGAGGTGAGCAGTGAAGTGGGGTCCACTGCTTCTGATGAGCATAATGCTGGG
 GGCCTGGACACTGCCTTGCTTCCGAGGCCAGAGCGGCGCTGCAGCCTCCACCAACACCCACCTCTGGG
 CTGTTTCAGCGCCAGCCTTCTTCTGTACCTTCTCCAGTAACCAAGTCTGACAACGGCCTGGACAGTGAT
 GATGACCAGCCCGTTGAGGGGTGATAACCAATGGCAGCAAGGTAGAGGTGGAAGTAGACATCCACTGC
 TGCAGGGGAGGGATCTGGAGAATCACCCCTCTCATAGAGAGTTCTCCTACCCTGTGTTCTGAGGAA
 CATGCTAGAGGGTCGTGTTTGGGATCCGAAGACAGAACAGTGTGAATAGTGGCATGCTCCTGCCAATG
 AGCAAGGACAGGATGGAGTTACAGAAGTCTCCCTCCACCTCCTGCCTCTATGGGAAGAACTCTCCAAT
 GGCTCTATTGTGCCCCTAGAGGACAGCCTGAACCTCATTGAAGTGGCCACAGAAGTGCCCAAGAGGAAA
 ACTGGCTATTTTGTGCCCCACTCAGATGGAACCAGAGGACAGTTTGTGTGCCTCATGACCTGGAA
 GAAGAAGTGAAGGAACAAATGAAACAGCACCAGGACAGCCGGCTCGAGCCTGAGCCCCATGAAGAGGAT
 CGGACCGAGCCCCCGAGGAGTTCGACACAGCACTATGA
 ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
 TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

Restriction Sites:

SgfI-MluI

ACCN:

NM_015020

Insert Size:

3972 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_015020.3](#)

RefSeq Size: 8317 bp

RefSeq ORF: 3972 bp

Locus ID: 23035

UniProt ID: [Q6ZVD8](#)

Cytogenetics: 16q22.2

MW: 146.8 kDa

Gene Summary:

Protein phosphatase involved in regulation of Akt and PKC signaling. Mediates dephosphorylation in the C-terminal domain hydrophobic motif of members of the AGC Ser/Thr protein kinase family; specifically acts on 'Ser-473' of AKT1, 'Ser-660' of PRKCB isoform beta-II and 'Ser-657' of PRKCA. Akt regulates the balance between cell survival and apoptosis through a cascade that primarily alters the function of transcription factors that regulate pro- and antiapoptotic genes. Dephosphorylation of 'Ser-473' of Akt triggers apoptosis and decreases cell proliferation. Also controls the phosphorylation of AKT3. Dephosphorylates STK4 on 'Thr-387' leading to STK4 activation and apoptosis (PubMed:20513427). Dephosphorylates RPS6KB1 and is involved in regulation of cap-dependent translation (PubMed:21986499). Inhibits cancer cell proliferation and may act as a tumor suppressor. Dephosphorylation of PRKCA and PRKCB leads to their destabilization and degradation. Dephosphorylates RAF1 inhibiting its kinase activity (PubMed:24530606).[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (1) represents the longer transcript and encodes the longer isoform (1). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.