

Product datasheet for **SC315371**

BRCA1 (NM_007297) Human Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: BRCA1 (NM_007297) Human Untagged Clone
Tag: Tag Free
Symbol: BRCA1
Synonyms: BRCA1; BRCC1; BROVCA1; FANCS; IRIS; PNCA4; PPP1R53; PSCP; RNF53
Vector: pCMV6 series
Fully Sequenced ORF: >NCBI ORF sequence for NM_007297, the custom clone sequence may differ by one or more nucleotides

```

ATGAATGTAGAAAAGGCTGAATTCTGTAATAAAAAGCAAACAGCCTGGCTTAGCAAGGAGC
CAACATAACAGATGGGCTGGAAGTAAGGAAACATGTAATGATAGGCGGACTCCCAGCACA
GAAAAAAGGTAGATCTGAATGCTGATCCCCTGTGTGAGAGAAAAGAATGGAATAAGCAG
AAACTGCCATGCTCAGAGAATCCTAGAGATACTGAAGATGTTCCCTGGATAACACTAAAT
AGCAGCATTCCAGAAAGTTAATGAGTGGTTTTCCAGAAGTGATGAAGTGTAGGTTCTGAT
GACTCACATGATGGGAGTCTGAATCAAATGCCAAAGTAGCTGATGTATTGGACGTTCTA
AATGAGGTAGATGAATATTCTGGTTCTTCAGAGAAAATAGACTTACTGGCCAGTGATCCT
CATGAGGCTTTAATATGTAAAAGTGAAAGAGTTCACTCCAAATCAGTAGAGAGTAATATT
GAAGACAAAATATTTGGGAAAACCTATCGGAAGAAGGCAAGCCTCCCAACTTAAGCCAT
GTAAGTAAAAATCTAATTATAGGAGCATTGTTACTGAGCCACAGATAATACAAGAGCGT
CCCCTCACAAAATAAATTAAGCGTAAAAGGAGACCTACATCAGGCCTTCATCCTGAGGAT
TTTATCAAGAAAGCAGATTTGGCAGTTCAAAAGACTCCTGAAATGATAAATCAGGGAAC
AACCAAACGGAGCAGAATGGTCAAGTGATGAATATTACTAATAGTGGTCATGAGAATAAA
ACAAAAGGTGATTCTATTCAGAATGAGAAAAATCCTAACCCAATAGAATCACTCGAAAAA
GAATCTGCTTTCAAACGAAAGCTGAACCTATAAGCAGCAGTATAAGCAATATGGAACCT
GAATTAATATCCACAATTCAAAAGCACCTAAAAAGAATAGGCTGAGGAGGAAGTCTTCT
ACCAGGCATATTCATGCGCTTGAAGTAGTCAAGTAGAATCTAAGCCACCTAATTGT
ACTGAATTGCAAATTGATAGTTGTTCTAGCAGTGAAGAGATAAAGAAAAAAGTACAAC
CAAATGCCAGTCAGGCACAGCAGAAACCTACAACCTCATGGAAGGTAAAGAACCTGCAACT
GGAGCCAAGAAGAGTAACAAGCCAAATGAACAGACAAGTAAAAGACATGACAGCGATACT
TTCCCAGAGCTGAAGTTAACAAATGCACCTGGTTCTTTACTAAGTGTTCAAATACCAGT
GAACCTAAAGAATTTGTCAATCCTAGCCTTCCAAGAGAAGAAAAAGAAGAGAACTAGAA
ACAGTTAAAGTGTCTAATAATGCTGAAGACCCCAAGATCTCATGTTAAGTGGAGAAAGG
GTTTTGCAAACCTGAAAGATCTGTAGAGAGTAGCAGTATTTCAATTGGTACCTGGTACTGAT
TATGGCACTCAGGAAAGTATCTCGTTACTGGAAGTTAGCACTCTAGGGAAGGCAAAAACA
GAACCAATAAATGTGTGAGTCAAGTGTGCAGCATTGAAAACCCCAAGGGACTAATTCAT
GGTTGTTCCAAAGATAATAGAAATGACACAGAAGGCTTTAAGTATCCATTGGGACATGAA
GTTAACCAACAGTCGGGAAACAAGCATAGAAATGGAAGAAAGTGAAGTGTGCTCAGTAT
TTGAGAATACATTCAAGGTTTCAAAGCGCCAGTCATTTGCTCCGTTTTCAAATCCAGGA

```



[View online »](#)

AATGCAGAAGAGGAATGTGCAACATTCTCTGCCACTCTGGGTCCTTAAAGAAACAAAGT
 CCAAAAAGTCACTTTTGAATGTGAACAAAAGGAAGAAAATCAAGGAAAAGATGAGTCTAAT
 ATCAAGCCTGTACAGACAGTAAATATCACTGCAGGCTTCTCTGTGGTTGGTCAGAAAAGAT
 AAGCCAGTTGATAATGCCAAATGTAGTATCAAAGGAGGCTCTAGGTTTTGTCTATCATCT
 CAGTTCAGAGGCAACGAAACTGGACTCATTACTCCAAATAAACATGGACTTTTACAAAAC
 CCATATCGTATACCACCCTTTTTCCCATCAAGTCATTTGTTAAAATAAATGTAAGAAA
 AATCTGCTAGAGGAAAACCTTTGAGGAACATTCAATGTCACCTGAAAGAGAAAATGGGAAAT
 GAGAACATTCCAAGTACAGTGAGCACAATTAGCGTAATAACATTAGAGAAAATGTTTTT
 AAAGAAGCCAGCTCAAGCAATATTAATGAAGTAGGTTCCAGTACTAATGAAGTGGCTCC
 AGTATTAATGAAATAGGTTCCAGTGATGAAAACATTCAAGCAGAACTAGGTAGAAACAGA
 GGGCCAAAATTGAATGCTATGCTTAGATTAGGGGTTTTGCAACCTGAGGTCTATAAAACA
 AGTCTTCTGGAAGTAATTGTAAGCATCCTGAAATAAAAAAGCAAGAATATGAAGAAGTA
 GTTCAGACTGTTAATACAGATTTCTCTCCATATCTGATTTAGATAACTTAGAACAGCCT
 ATGGGAAGTAGTCATGCATCTCAGGTTTGTCTGAGACACCTGATGACCTGTTAGATGAT
 GGTGAAATAAAGGAAGATACTAGTTTTGCTGAAAATGACATTAAGGAAAGTTCTGCTGTT
 TTTAGCAAAAAGCGTCCAGAAAAGGAGAGCTTAGCAGGAGTCTAGCCCTTTCACCCATACA
 CATTTGGCTCAGGGTTACCGAAGAGGGGCAAGAAATTAGAGTCCCTCAGAAGAGAACTTA
 TCTAGTGAGGATGAAGAGCTTCCCTGCTTCCAACACTTGTATTGGTAAAGTAAACAAT
 ATACCTTCTCAGTCTACTAGGCATAGCACCGTTGCTACCGAGTGTCTGTCTAAGAACACA
 GAGGAGAAATTTATTATCATTGAAGAATAGCTTAAATGACTGCAGTAACCAGGTAATTTG
 GCAAAGGCATCTCAGGAACATCACCTTAGTGAGGAAAACAAAATGTTCTGCTAGCTTGTTT
 TCTTACAGTGCAGTGAATTGGAAGACTTGACTGCAAATACAAACACCCAGGATCCTTTC
 TTGATTGGTTCTTCCAAACAAATGAGGCATCAGTCTGAAAGCCAGGGAGTTGGTCTGAGT
 GACAAGGAATTTGTTTCCAGATGATGAAGAAAGAGGAACGGGCTTGGAAAGAAAATAATCAA
 GAAGAGCAAAGCATGGATTCAAACCTTAGGTGAAGCAGCATCTGGGTGTGAGAGTGAACA
 AGCGTCTCTGAAGACTGCTCAGGGCTATCCTCTCAGAGTGACATTTTAACCACTCAGCAG
 AGGGATACCATGCAACATAACCTGATAAAGCTCCAGCAGGAAATGGCTGAACTAGAAGCT
 GTGTTAGAACAGCATGGGAGCCAGCCTTCTAACAGCTACCCTTCCATCATAAGTGACTCT
 TCTGCCCTTGAGGACCTGCGAAATCCAGAACAAAGCACATCAGAAAAAGCAGTATTAAC
 TCACAGAAAAGTAGTGAATACCCTATAAGCCAGAATCCAGAAGGCCTTTCTGCTGACAAG
 TTTGAGGTGTCTGAGATAGTTCTACCAGTAAAAATAAAGAACCAGGAGTGAAAGGTCA
 TCCCTTCTAAATGCCCATCATTAGATGATAGGTGGTACATGCACAGTTGCTCTGGGAGT
 CTTCAGAATAGAACTACCCATCTCAAGAGGAGCTCATTAAAGTTGTTGATGTGGAGGAG
 CAACAGCTGGAAGAGTCTGGGCCACACGATTTGACGGAACATCTTACTTGCCAAGGCAA
 GATCTAGAGGGAACCCCTTACCTGGAACTCTGGAATCAGCCTCTTCTCTGATGACCCTGAA
 TCTGATCCTTCTGAAGACAGAGCCAGAGTCAAGTCTGTTGGCAACATACCATCTTCA
 ACCTCTGCATTGAAAGTTCCCAATTGAAAGTTGCAGAATCTGCCAGAGTCCAGCTGTCT
 GCTCATACTACTGATACTGCTGGGTATAATGCAATGGAAGAAAGTGTGAGCAGGGAGAAG
 CCAGAATTGACAGCTTCAACAGAAAGGGTCAACAAAAGAATGTCCATGGTGGTGTCTGGC
 CTGACCCAGAAAGAAATTTATGCTCGTGTACAAGTTTGCCAGAAAACACCACATCACTTTA
 ACTAATCTAATTACTGAAGAGACTACTCATGTTGTTATGAAAACAGATGCTGAGTTTGTG
 TGTGAACGGACTGAAATATTTTCTAGGAATTGCGGGAGGAAAATGGGTAGTTAGCTAT
 TTCTGGGTGACCCAGTCTATTAAGAAAGAAAAATGCTGAATGAGCATGATTTTGAAGTC
 AGAGGAGATGTGGTCAATGGAAGAAACCACCAAGGTCCAAGCGAGCAAGAGAATCCAG
 GACAGAAAGATCTCAGGGGGCTAGAAAATCTGTTGCTATGGGCCCTTACCAACATGCC
 ACAGATCAACTGGAATGGATGGTACAGCTGTGTGGTCTCTGTGGTGAAGGAGCTTTCA
 TCATTACCCTTGGCACAGGTGTCCACCAATTGTGGTTGTGAGCCAGATGCCTGGACA
 GAGGACAATGGCTTCCATGCAATTGGGCAGATGTGTGAGGCACCTGTGGTACCCGAGAG
 TGGGTGTTGGACAGTGTAGCACTCTACCAGTGCCAGGAGCTGGACACCTACCTGATACCC
 CAGATCCCCACAGCCACTAC

Restriction Sites:

Please inquire

ACCN:	NM_007297
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_007297.2</u> , <u>NP_009228.1</u>
RefSeq Size:	6502 bp
RefSeq ORF:	4704 bp
Locus ID:	672
UniProt ID:	<u>P38398</u>
Cytogenetics:	17q21.31
Domains:	BRCT
Protein Families:	Druggable Genome, Transcription Factors
Protein Pathways:	Ubiquitin mediated proteolysis

Gene Summary:

This gene encodes a 190 kD nuclear phosphoprotein that plays a role in maintaining genomic stability, and it also acts as a tumor suppressor. The BRCA1 gene contains 22 exons spanning about 110 kb of DNA. The encoded protein combines with other tumor suppressors, DNA damage sensors, and signal transducers to form a large multi-subunit protein complex known as the BRCA1-associated genome surveillance complex (BASC). This gene product associates with RNA polymerase II, and through the C-terminal domain, also interacts with histone deacetylase complexes. This protein thus plays a role in transcription, DNA repair of double-stranded breaks, and recombination. Mutations in this gene are responsible for approximately 40% of inherited breast cancers and more than 80% of inherited breast and ovarian cancers. Alternative splicing plays a role in modulating the subcellular localization and physiological function of this gene. Many alternatively spliced transcript variants, some of which are disease-associated mutations, have been described for this gene, but the full-length nature of only some of these variants has been described. A related pseudogene, which is also located on chromosome 17, has been identified. [provided by RefSeq, May 2020]

Transcript Variant: This variant (3) differs in the 5' UTR, lacks a portion of the 5' coding region and uses a downstream translational start codon, compared to variant 1. The encoded isoform (3) is shorter at the N-terminus, compared to isoform 1.