

# **Product datasheet for SC315513**

## HNRNPC (NM 001077443) Human Untagged Clone

#### **Product data:**

**Product Type:** Expression Plasmids

Product Name: HNRNPC (NM\_001077443) Human Untagged Clone

Tag: Tag Free
Symbol: HNRNPC

Synonyms: C1; C2; HNRNP; HNRPC; SNRPC

Mammalian Cell N

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC315513 representing NM\_001077443.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGGCCAGCAACGTTACCAACAAGACAGATCCTCGCTCCATGAACTCCCGTGTATTCATTGGGAATCTC
AACACTCTTGTGGTCAAGAAATCTGATGTGGAGGCAATCTTTTCGAAGTATGGCAAAATTGTGGGCTGC
TCTGTTCATAAGGGCTTTGCCTTCGTTCAGTATGTTAATGAGAGAAATGCCCGGGCTGCTGTAGCAGGA
GAGGATGGCAGAATGATTGCTGGCCAGGTTTTAGATATTAACCTGGCTGCAGAGCCAAAAGTGAACCGA
GGAAAAGCAGGTGTGAAACGATCTGCAGCGGAGATGTACCGGCTCCTCTTTTTGACTTGGACTATGACTTT
CAACGGGACTATTATGATAGGATGTACAGTTACCCAGCACGTGTACCTCCTCCTCCTCCTATTGCTCGG
GCTGTAGTGCCCTCGAAACGTCAGCGTGTATCAGGAAACACTTCACGAAGGGGCAAAAAGTGGCTTCAAT
TCTAAGAGTGGACAGCGGGGATCTTCCAAGTCTGGAAAACCTTCACGAAGGAGCAAAAAATTGAAAAGGAA
AAGGAGCTGACCCAGATAAAACAAAAAGTGGATTCTCCTGGAAAAACCTGGAAAAAATTGAAAAGGAA
CAGAGCAAACAAGCAGTAGAGATGAAGAATGATAAGTCAGAAGAGAGCAGACCAGCTCCGTGAAG
AAAGATGAGACTAATGTGAAGATGGAGTCTGAGGGGGGTGCAGATTGATCAAGGATGATGAAAAAAGAG
CTGGATGATGATGATAATGAAGATCGGGGGGGTTGACCAGCTTGATCAAGGATGAAAAAAGAG
CTGGATGATGATGATAATGAAGATCGGGGGGGTTGACCAGCTTGATCAAGGATGAAAAAAGAG

GCTGAGGAAGGAGAGACAGAGACAGCGCCAATGGCGAGGATGACTCTTAA

**ACGCGTACGCGCCCCTC**GAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

**Restriction Sites:** Sgfl-Mlul




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



#### Plasmid Map:



**ACCN:** NM\_001077443

**Insert Size:** 882 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** NM 001077443.1

RefSeq Size: 3187 bp RefSeq ORF: 882 bp



### HNRNPC (NM\_001077443) Human Untagged Clone - SC315513

 Locus ID:
 3183

 UniProt ID:
 P07910

 Cytogenetics:
 14q11.2

**Protein Pathways:** Spliceosome

MW: 32.3 kDa

**Gene Summary:** This gene belongs to the subfamily of ubiquitously expressed heterogeneous nuclear

ribonucleoproteins (hnRNPs). The hnRNPs are RNA binding proteins and they complex with heterogeneous nuclear RNA (hnRNA). These proteins are associated with pre-mRNAs in the

nucleus and appear to influence pre-mRNA processing and other aspects of mRNA

metabolism and transport. While all of the hnRNPs are present in the nucleus, some seem to shuttle between the nucleus and the cytoplasm. The hnRNP proteins have distinct nucleic acid binding properties. The protein encoded by this gene can act as a tetramer and is involved in the assembly of 40S hnRNP particles. Multiple transcript variants encoding at least two different isoforms have been described for this gene. [provided by RefSeq, Jul 2008] Transcript Variant: This variant (4) differs in the 5' UTR and lacks an in-frame segment

compared to variant 1. The resulting isoform (b, also known as isoform C1) has the same N-and C-termini but is shorter compared to isoform a. Variants 2 and 4 both encode isoform b.