

Product datasheet for SC315554

MIER1 (NM 001077704) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: MIER1 (NM_001077704) Human Untagged Clone

Tag: Tag Free
Symbol: MIER1

Synonyms: ER1; MI-ER1

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC315554 representing NM_001077704.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GCTCGTTTAGTGAACCGTCAGAATTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGGCGGAGCCATCTGTTGAATCTTCAAGTCCAGGAGGTTCAGCAACATCAGATGACCATGAATTTGAT GGAGAAACAAACTTCAGCTCTGAAATAGAAGATCTTGCAAGGGAAGGCGACATGCCAATTCATGAACTT GAAGAAGGTGAAGATGATGAAGATGCTGATAATGATGACAACAGTGGCTGTAGTGGGGAAAATAAAGAG GAGAATATAAAGGATTCATCAGGTCAGGAGGATGAAACTCAGTCTTCCAATGATGATCCATCACAATCT GTTGCTTCTCAAGATGCCCAGGAAATAATCCGCCCACGTCGATGTAAATATTTTGATACAAATAGTGAA GTAGAAGAAGAATCTGAAGAAGATGAAGATTATATTCCATCAGAAGACTGGAAAAAGGAGATTATGGTG GGCTCCATGTTTCAAGCAGAAATTCCAGTTGGCATTTGTAGATACAAAGAAAATGAAAAAGTATATGAA AATGATCAGCTCCTGTGGGACCCTGAGTACTTACCAGAAGATAAAGTGATTATATTTCTTAAAGAT GCATCTAGAAGAACAGGTGATGAGAAGGGTGTAGAAGCAATTCCTGAAGGATCTCACATAAAAGACAAT GAACAGGCTTTATATGAATTGGTTAAATGCAATTTTGATACAGAAGAAGCATTGAGAAGATTAAGATTT AATGTAAAAGCAGCTAGAGAGGAATTATCTGTTTGGACAGAGGAAGAGTGTAGAAATTTTGAACAAGGG CTGAAGGCCTATGGAAAGGATTTTCATTTGATTCAGGCTAATAAAGTCCGAACAAGGTCAGTTGGTGAA TGTGTAGCATTCTATTACATGTGGAAAAAATCTGAACGTTATGATTTCTTTGCTCAGCAAACACGATTT GGAAAGAAGAAATATAATCTTCATCCTGGTGTAACGGATTACATGGATCGTCTTCTAGACGAAAGTGAA AGTGCTGCATCTAGTCGAGCACCATCCCCTCCCCCAACTGCATCAAACAGTAGTAACAGCCAGTCTGAG AAAGAAGATGGCACTGTAAGCACTGCTAATCAAAATGGAGTGTCATCTAATGGACCAGGCATACTCCAA ATGCTTCTTCCAGTTCATTTTTCAGCCATCAGTTCAAGAGCCAATGCCTTTTTAAAATAA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Restriction Sites: Sgfl-Mlul

Plasmid Map:



ACCN: NM_001077704

Insert Size: 1302 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001077704.2</u>

RefSeq Size: 3615 bp RefSeq ORF: 1302 bp Locus ID: 57708



MIER1 (NM_001077704) Human Untagged Clone - SC315554

 UniProt ID:
 Q8N108

 Cytogenetics:
 1p31.3

 MW:
 49.1 kDa

Gene Summary: This gene encodes a protein that was first identified in Xenopus laevis by its role in a

mesoderm induction early response (MIER). The encoded protein functions as a

transcriptional regulator. Alternatively spliced transcript variants encode multiple isoforms, some of which lack a C-terminal nuclear localization signal. [provided by RefSeq, May 2013] Transcript Variant: This variant (6) differs in the 5' UTR, lacks a portion of the 5' coding region, initiates translation at an alternate start codon, and lacks an alternate segment in the 3' coding region, compared to variant 1. The resulting isoform (f, also known as N3-alpha), has shorter and distinct N- and C-termini, compared to isoform a. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the

transcript record were based on transcript alignments.