

## Product datasheet for **SC315622**

### PHF16 (JADE3) (NM\_001077445) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	PHF16 (JADE3) (NM_001077445) Human Untagged Clone
Tag:	Tag Free
Symbol:	PHF16
Synonyms:	JADE-3; PHF16
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC315622 representing NM\_001077445.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGGATCGCC
ATGAAACGCCATAGGCCTGTCAGCAGCAGTGACAGTTCAGACGAAAGTCCTTCCACTTCCTTTACTTCT
GGCTCAATGTATAGGATCAAGTCAAAAATTCAAATGAACACAAGAAACCTGCTGAGGTATTCGGGAAG
GACCTCATCAGTGCCATGAAACTTCCAGATTCTACCACATTAATCCTGATAGCTATTACCTCTTTGCT
GATACATGGAAGGAAGAATGGGAAAAGGGAGTCCAGGTACCAGCCAGTCCAGACACCGTTCCACAGCCT
TCTCTCAGGATTATAGCTGAGAAGGTAAGGACGTTCTGTTTATCCGACCCCGGAAGTATATTCACTGC
TCCAGCCAGACACCACAGAGCCTGGCTACATCAACATCATGGAGTTGGCAGCATCTGTTTGCCGCTAT
GACCTAGATGACATGGACATCTTCTGGCTTCCAGAACTCAATGAAGACCTTGACAGAAATGGGTTGTGGG
CCAGTTGATGAGAATCTTATGAAAAGACAGTAGAAGTCTGGAACGCCATTGCCATGAAAATATGAAC
CATGCTATTGAGACAGAGGAAGGGCTAGGCATAGAGTATGATGAAGATGTGATCTGTGATGTGTCCGG
TCTCCAGACAGTGAAGAAGGGAATGATATGGTGTCTGTGATAAGTGAACGTCTGTGTGCATCAGGCC
TGCTATGGCATCCTCAAGGTCCCAGAAGGCAGCTGGCTGTGTGCTCCTGTGTCCGGGCAATTTATCCG
CAATGTGTGTTATGTCCAAGAAAGGTGGAGCCCTGAAGACCACCAAGACAGGGACTAAATGGGCTCAT
GTCAGCTGTGCCCTGTGGATCCCAGAGGTGAGCATTGCTTGTCCCTGAGAGGATGGAACCGATCACGAAG
ATCTCCACATCCCACCCAGTCGGTGGGCTTAGTCTGCAACTTGTGCAAGTTGAAGACGGGGCTTGT
ATTCAGTGCTCTATAAAAAGCTGCATCACTGCCTTCCACGTCACTGTGCCTTTGAGCACGGCCTAGAG
ATGAAGACCATCTAGATGAGGGAGACGAAGTGAAGTTCAAGTCATATTGCCTCAAGCATAGCCAAAAC
AGGCAGAACTTGGAGAAGCTGAGTACCCACCCACAGGGCTAAAGAGCAGAGCCAGGCCAAAAGTGAG
AAAACAGCCTGCGGGCACAGAAGCTTCGGGAGCTGGAGGAGGATTCTATTCTTGGTACGAGTGGAA
GATGTGGCCGCAGAGCTGGGTATGCCACGCTAGCTGTGGACTTATCTATAACTACTGGAAACTGAAG
CGGAAAAGTAACCTCAATAAGCCATTATTTCTCAAAGGAGGATGAAGAAAATGGGCTGGTGCAGCCA
AAAGAGGAAAAGCATTCACTCGAATGAGAATGTTTATGCATCTACGCCAGGACCTGGAGAGGGTCCGA
AATCTGTGCTATATGATAAGCAGACGAGAGAAGCTGAAGCTGTCACACAACAAAATACAGGAACAGATC
TTCGGTTTGCAAGTCCAGCTTCTTAACCAAGAAATTGATGCAGGGCTTCTTTGACAAAATGCACTTGAA
AACTCACTGTTTTACCCACCACCAAGAATTACCTTGAAGTTAAAAATGCCAAAATCAACCCAGAAGAC
CACAGAAAACAGCTCCACAGAAACCGATCAGCAGCCCACTCTCCTGACAGCAGCTCATCTGTTACAGT
ATAAGGAACATGCAGGTGCCTCAGGAGTCACTAGAAATGAGAACAAAATCGTATCCGAGATACCCACTA
GAGAGCAAGAATAACCGTTTGTGGCCAGTCTCAGCCATTCTAGGAGTGAAGCAAAGGAGTCCAGTCC
GCTTGGAGAACCCGTCCTCGGAGTGCTATCATGGGCAGTCACTGGGAAAGCCTCTGGTCCCTCAGGCT
GCCCTCCATGGACAGTCTTCCATTGGGAATGGGAAAAGTCAAGCTAACTCCAAGTTTGCCAAATCCAAT
GGCCTGGAGGGCAGCTGGTCTGGGAATGTACCCAAAAAGACAGCTCGAGTGAGATGTTCTGTGACCAG
GAGCCTGTGTTACAGCCCCACTTGGTCACTCAGGGCAGCTTTAGAAAATCCACTGTAGAACACTTTAGT
AGGTCTTTAAAGAGACCACCAATAGGTGGTGAAGAACACAGAGGACCTCCAGTGCTATGTGAAGCCA
ACCAAGAATATGAGCCCCAAGGAGCAGTCTGGGGTAGACAGGTCTCAGGCGGTCTGCAGGGAGAGCT
CCATATCAGGAAAATGATGGCTATTGCCAGATTTGGAGCTGAGTGATTACAGAGCAGAAAAGTATGGG
AATAAAGAAAAAGTCAAGGTAAGGAAAGATAGCTCAGACAGGAAAATCCTCCCATGACTCTAGACGG
GATTGCCATGGTAAAAGCAAGACACATCCCTTTCCACAGTTCAATGCAAAGGTGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: Sgfl-Mlul  
 ACCN: NM\_001077445  
 Insert Size: 2472 bp

<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>OTI Annotation:</b>	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001077445.2</a>
<b>RefSeq Size:</b>	4713 bp
<b>RefSeq ORF:</b>	2472 bp
<b>Locus ID:</b>	9767
<b>UniProt ID:</b>	<a href="#">Q92613</a>
<b>Cytogenetics:</b>	Xp11.3
<b>Protein Families:</b>	Druggable Genome, Transcription Factors
<b>MW:</b>	93.8 kDa
<b>Gene Summary:</b>	<p>This gene encodes a member of a family of large proteins containing PHD (plant homeo domain)-type zinc fingers. The encoded protein may be associated in a nuclear complex that functions in histone H4 acetylation. Alternative splicing results in multiple transcript variants encoding the same protein. [provided by RefSeq, Aug 2013]</p> <p>Transcript Variant: This variant (2) differs in the 5' UTR compared to variant 1. Variants 1 and 2 encode the same protein.</p>