

Product datasheet for **SC315880**

Insulin Receptor (INSR) (NM_001079817) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Insulin Receptor (INSR) (NM_001079817) Human Untagged Clone
Tag:	Tag Free
Symbol:	Insulin Receptor
Synonyms:	CD220; HHF5
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL4</u>
E. coli Selection:	Ampicillin (100 ug/mL)

Fully Sequenced ORF: >OriGene ORF sequence for NM_001079817 edited
GGCACGAGGCGGAGCTCCGGGCCCGAGATCCTGGGACGGGGCCCGGCCGAGCGGCCG
GGGGTTCGGGGCCACCACCGCAAGGGCCCTCCGCTCAGTATTTGTAGCTGGCGAAGCCGCG
CGCGCCCTTCCCGGGGCTGCCTCTGGGCCCTCCCGGCAGGGGGGCTGCGGCCCGCGGGT
CGCGGGCGTGGAAGAGAAGGACGCGCGGCCCCAGCGCCTCTTGGGTGGCCGCTCGGAG
CATGACCCCGCGGGCCAGCGCCGCGCTCTGATCCGAGGAGACCCGCGCTCCCGCAG
CCATGGGCACCGGGGCCGGGGGGCGCGGCCGCGCCGCTGCTGGTGGCGGTGGCCG
CGCTGCTACTGGGCGCCGGGGCCACCTGTACCCCGGAGAGGTGTGTCCCGCATGGATA
TCCGGAACAACCTCACTAGGTTGCATGAGCTGGAGAATTGCTCTGTCATCGAAGGACACT
TGCAGATACTCTTGATGTTCAAACGAGGCCGAAGATTTCCGAGACCTCAGTTTCCCA
AACTCATCATGATCACTGATTACTTGCTGCTCTTCCGGGTCTATGGGCTCGAGAGCCTGA
AGGACCTGTTCCCAACCTCACGGTCATCCGGGATCACGACTGTTCTTTAACTACGCGC
TGGTCATCTTCGAGATGGTTACCTCAAGGAACTCGGCCTCTACAACCTGATGAACATCA
CCCGGGTCTGTCCGCATCGAGAAGAACAATGAGCTCTGTTACTTGGCCACTATCGACT
GGTCCCGTATCCTGGATTCCGTGGAGGATAATTACATCGTGTGAACAAAGATGACAACG
AGGAGTGTGGAGACATCTGTCCGGTACCGGAAGGGCAAGCAACTGCCCGCCACC
TCATCAACGGGCAGTTTGTGCAACGATGTTGGACTCATAGTCACTGCCAGAAAGTTTGC
CGACCATCTGTAAGTACACGGCTGCACCGCCGAAGGCCTCTGTTGCCACAGCAGTGC
TGGGCAACTGTTCTCAGCCGACGACCCACCAAGTGCCTGCGCCGCAACTTCTACC
TGGACGGCAGGTGTGTGAGACCTGCCCGCCCGTACTACCCTTCCAGGACTGGCGCT
GTGTGAACCTCAGCTTCTGCCAGACCTGCACCAAAATGCAAGAAGTCCGCGAGGCAGG
GCTGCCACAGTACGTATTCACAACAACAAGTGCATCCCTGAGTGTCCCTCCGGGTACA
CGATGAATTCAGCAACTTGCTGTGCACCCATGCCTGGGTCCCTGTCCCAAGGTGTGCC
ACCTCCTAGAAGGCGAGAAGACCATCGACTCGGTGACGTCTGCCAGGAGCTCCGAGGAT
GCACCGTCATCAACGGGAGTCTGATCATCAACATTCGAGGAGGCAACAATCTGGCAGCTG
AGCTAGAAGCCAACCTCGGCCTCATTGAAGAAATTTAGGGTATCTAAAAATCCGCCGAT
CCTACGCTCTGGTGTCACTTTCCTTCTCCGGAAGTACGTCTGATTCGAGGAGAGACCT



[View online »](#)

TGGAAATTGGGAACACTCCTTCTATGCCTTGGACAACCAGAACCTAAGGCAGCTCTGGG
 ACTGGAGCAAACACAACCTCACCATCACTCAGGGGAAACTCTTCTTCCACTATAACCCCA
 AACTCTGCTTGTGAGAAATCCACAAGATGGAAGAAGTTTCAGGAACCAAGGGGCGCCAGG
 AGAGAAACGACATTGCCCTGAAGACCAATGGGGACCAGGCATCCTGTGAAAATGAGTTAC
 TTAATTTTCTTACATTCGGACATCTTTTGACAAGATCTTGTGAGATGGGAGCCGTACT
 GGCCCCCGACTCCGAGACCTCTTGGGTTTCATGCTGTTCTACAAGAGGCCCTTATC
 AGAATGTGACGGAGTTCGACGGGCAGGATGCGTGTGGTTCCAACAGTTGGACGGTGGTAG
 ACATTGACCCACCCTGAGGTCCAACGACCCCAAATCACAGAACCACCCAGGGTGGCTGA
 TCGGGGTCTCAAGCCCTGGACCAAGTATGCCATCTTTGTGAAGACCCTGGTCACCTTTT
 CGGATGAACGCCGGACCTATGGGGCCAAGAGTGACATCATTTATGTCCAGACAGATGCCA
 CCAACCCCTCTGTGCCCTGGATCCAATCTCAGTGTCTAACTCATCATCCAGATTATTC
 TGAAGTGGAAACCACCCTCCGACCCCAATGGCAACATCACCCACTACCTGGTTTTCTGGG
 AGAGGCAGGCGGAAGACAGTGAGCTGTTTCGAGCTGGATTATTGCCTCAAAGGGCTGAAGC
 TGCCCTCGAGGACCTGGTCTCCACCATTGAGTCTGAAGATTCTCAGAAGACAACCAGA
 GTGAGTATGAGGATTCGGCCGGGAATGCTGCTCCTGTCAAAGACAGACTCTCAGATCC
 TGAAGGAGCTGGAGGAGTCTCGTTTAGGAAGAGCTTTGAGGATTACCTGCACAACGTGG
 TTTTCGTCCCCAGAAAACCTCTTCAGGCACTGGTGGCCGAGGACCCTAGGCCATCTCGGA
 AACGCAGGTCCCTTGGCGATGTTGGGAATGTGACGGTGGCCGTGCCACGGTGGCAGCTT
 TCCCAACACTTCCTCGACCAGCGTGCCACGAGTCCGGAGGAGCACAGGCCTTTTGAGA
 AGGTGGTGAACAAGGAGTGCCTGGTCACTCCGGCTTGCAGACTTCACGGGCTATCGCA
 TCGAGCTGCAGGCTTGAACCAAGGACACCCCTGAGGAACGGTGCAGTGTGGCAGCCTACG
 TCAGTGCAGGACCATGCCTGAAGCCAAGGCTGATGACATTGTTGGCCCTGTGACGCATG
 AAATCTTTGAGAACAACGTCGTCCTTGTGATGTGGCAGGAGCCGAAGGAGCCCAATGGT
 TGATCGTGTATGAAGTGAAGTTATCGCGCATATGGTGTGAGGAGCTGCATCTCTGCG
 TCTCCCGCAAGCACTTCGCTCTGGAACGGGGCTGCAGGCTGCGTGGGCTGTACCCGGGA
 ACTACAGCGTGCGAATCCGGGCCACCTCCCTTGCGGGCAACGGCTCTTGGACGGAACCCA
 CCTATTTCTACGTGACAGACTATTTAGACGTCCCGTCAAATATTGCAAAAATTATCATCG
 GCCCCTCATCTTTGCTTTCTCTTTCAGTGTGTGATTGGAAGTATTTATCTATTCTGA
 GAAAGAGGCAGCCAGATGGGCCGCTGGGACCGCTTACGCTTCTTCAAACCCTGAGTATC
 TCAGTGCCAGTGTGTGTTCCATGCTCTGTGTACGTGCCGACGAGTGGGAGGTGTCTC
 GAGAGAAGATCACCTCCTTCGAGAGCTGGGGCAGGGCTCCTTCGGCATGGTGTATGAGG
 GCAATGCCAGGGACATCATCAAGGGTGAGGCAGAGACCCCGTGGCGGTGAAGACGGTCA
 ACGAGTACGCCAGTCTCCGAGAGCGGATTGAGTTCCTCAATGAGGCCCTCGGTATGAAGG
 GCTTACCTGCCATCACGTGGTGCCTCCTGGGAGTGGTGTCCAAGGGCCAGCCACGC
 TGGTGGTGTGAGGAGTGTGGCTCACGGAGACCTGAAGAGCTACCTCCGTTCTCTGCGGC
 CAGAGGCTGAGAATAATCCTGGCCGCCCTCCCCTACCCTTCAAGAGATGATTAGATGG
 CGGCAGAGATTGCTGACGGGATGGCCTACCTGAACCCAAGAAGTTTGTGCATCGGGACC
 TGGCAGCGAGAACTGCATGGTCCCATGATTTTACTGTCAAAATTGGAGACTTTGGAA
 TGACCAGAGACATCTATGAAACGGATTACTACCGAAAAGGGGGCAAGGGTCTGCTCCCTG
 TACGGTGGATGGCACCGGAGTCCCTGAAGGATGGGGTCTTCAACACTTCTTCTGACATGT
 GGTCTTTTGGCGTGGTCTTTGGGAAATCACCAGCTTGGCAGAACAGCCTTACCAAGGCC
 TGTCTAATGAACAGGTGTTGAAATTTGTCATGGATGGAGGGTATCTGGATCAACCCGACA
 ACTGTCCAGAGAGAGTCACTGACCTCATGCGCATGTGCTGGCAATTCAACCCCAAGATGA
 GGCCAACCTTCTGGAGATTGTCAACCTGCTCAAGGACGACCTGCACCCAGCTTTCCAG
 AGGTGTCGTTCTCCACAGCGAGGAGAACAAGGCTCCCGAGAGTGAAGGAGCTGGAGATGG
 AGTTTGAAGACATGGAGAATGTGCCCTGGACCGTTCTCGACTGTGAGGGGAGGAGG
 CGGGGGCCGGGATGGAGGGTCTCGCTGGGTTTCAAGCGGAGCTACGAGGAACACATCC
 CTTACACACACATGAACGGAGGCAAGAAAAACGGGCGGATTCTGACCTTGCTCGGTCCA
 ATCCTTCTAACAGTGCCTACCGTGGCGGGGGCGGCAGGGGTTCCCATTTTCGTTTCC
 TCTGGTTTGAAGCCTCTGGAAAACCTCAGGATTCTCACGACTCTACCATGTCCAATGGAG
 TTCAGAGATCGTTCTATACATTTCTGTTTCACTTAAGGTGGACTCGTTTGGTTACCAAT
 TTAAGTGTGACCTGGAGGGCAAGGGGTTTCCACAGTTG

```

CTGCTCCTTTGGGGCAACGACGGTTTCAAACCAGGATTTTGTGTTTTTTCGTTCCCCCA
CCCCCCCCAGCAGATGGAAAGAAAGCACCTGTTTTTACAAATCTTTTTTTTTTTTTTTT
TTTTTGTGGTGTCTGAGCTTCAGTATAAAAGACAAAATTCCTGTTTGTGGAACAAAA
GTTTCGAAAGAAAAACAAAAACAAACACCCAGCCCTGTTCCAGGAGAATTTCAAGTTTT
ACAGGTTGAGCTCAAGATGGTTTTTTTTGGTTTTTTTTTCTCTCATCCAGGCTGAAG
GATTTTTTTTTTCTTTACAAAATGAGTTCCTCAAATTGACCAATAGCTGCTGCTTTCATA
TTTTGGATAAGGGTCTGTGGTCCCGCGTGTGCTCACGTGTGTATGCACGTGTGTGTGC
CATTAGACACGGCTGATGTGTGTGCAAAGTATCCATGCGGAGTTGATGCTTTGGGAATTG
GCTCATGAAGGTTCTTCTCAAGGGTGCAGCTCATCCCCCTCTCTCCTTCTTCTTATTG
ACTGGGAGACTGTGCTCTCGACAGATTCTTCTGTGTGTCAGAAGTCTAGCCTCAGGTTTCT
ACCCTCCCTTACATTGGTGGCCAAGGGAGGAGCATTTTCATTTGGAGTGATTATGAATCT
TTTCAAGACCAACCAAGCTAGGACATTAAGAAAAAAGAAAAAGAAAAAGAAAAACA
AAATGGAAAAA
    
```

Restriction Sites: Please inquire

ACCN: NM_001079817

Insert Size: 5000 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001079817.1](#), [NP_001073285.1](#)

RefSeq Size: 9023 bp

RefSeq ORF:	4113 bp
Locus ID:	3643
UniProt ID:	P06213
Cytogenetics:	19p13.2
Protein Families:	Druggable Genome, Protein Kinase, Transmembrane
Protein Pathways:	Adherens junction, Insulin signaling pathway, Type II diabetes mellitus
Gene Summary:	<p>This gene encodes a member of the receptor tyrosine kinase family of proteins. The encoded preproprotein is proteolytically processed to generate alpha and beta subunits that form a heterotetrameric receptor. Binding of insulin or other ligands to this receptor activates the insulin signaling pathway, which regulates glucose uptake and release, as well as the synthesis and storage of carbohydrates, lipids and protein. Mutations in this gene underlie the inherited severe insulin resistance syndromes including type A insulin resistance syndrome, Donohue syndrome and Rabson-Mendenhall syndrome. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Oct 2015]</p> <p>Transcript Variant: This variant (2) lacks an alternate in-frame exon compared to variant 1. The resulting isoform (Short) has the same N- and C-termini but is shorter compared to isoform Long. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>