

## Product datasheet for **SC315893**

### KDM6B (NM\_001080424) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	KDM6B (NM_001080424) Human Untagged Clone
Tag:	Tag Free
Symbol:	KDM6B
Synonyms:	JMJD3; NEDCFSA
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC315893 representing NM_001080424. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGCATCGGGCAGTGGACCCCTCCAGGGGCCCGCTGCACGGGAAGCCTTTGCCCTTGGGGCCTGAGC
TGTGCTGGGGCCTGGAGCTCCTGCCCGCTCATCCCCCTCCTAGCGCATGGCTGCCTGGAGGCAGA
TGCTCAGCCAGCATTGGGCAGCCCCGCTTCTGCTCCCTACCCCTTACATGGCAGTAGTTCTGGG
CACCCAGCAAACCATATTATGCTCCAGGGGCCCCACTCCAAGACCCCTCCATGGGAAGCTGGAATCC
CTGCATGGCTGTGTGCAGGCATTGCTCCGGGAGCCAGCCAGCCAGGGCTTTGGGAACAGCTTGGCAA
CTGTACGAGTCAGAGCAGATAGTGAGGAGGCCACACGCTGCTACCACAGCGCCCTTCGATACGGAGGA
AGCTTCGCTGAGCTGGGGCCCCGATTGGCCGACTGCAGCAGGCCAGCTCTGGAATTTTATACTGGC
TCTGCCAGCACCGAGCAAGGTCTGCCCCACTGGAGCAAGTGTGGAACCTTGCTACACCTTGAGCAC
AAACGGAACTATGGAGCAAGCGGGGAGGTCCCCGGTGAAGCGAGCTGCTGAACCCCAAGTGGTGCAG
CCTGTGCCTCCTGCAGCACTCTCAGGCCCTCAGGGGAGGAGGGCCTCAGCCCTGGAGGCAAGCGAAGG
AGAGGCTGCAACTCTGAACAGACTGGCCTTCCCCAGGGCTGCCACTGCCTCCACCACCATACCACCA
CCACCACCACCACCACCACCACCACCACCACCCTGCCTGGCCTGGCTACCAGCCCCCATTTACAGTA
ACCAAGCCAGGGCTGTGGAGTACCCTGCATGGAGATGCCTGGGGCCAGAGCGCAAGGGTTCAGCACCC
CCAGAGCGCCAGGAGCAGCGGCACTCGCTGCCATACCCATATCCATACCCAGCTCCAGCGTACACCGCG
CACCCCTGGCCACCGCTGGTCCCGCTGCTCCCCAGGCCAGGCCCGCCCGCCAGGAGCAGAG
AGCCATGGCTGCCTGCCACCCGTCGCCCGGAAGTGACCTTAGAGAGAGCAGAGTTAGAGGTCG
CGGATGGACTCCAGCTTTCACCAGCAGCAACCACCGCCTGCGTGCCTTACGCCCTTCCCGCCCCCT
GGCCTCCCGGCACCACCACCAGCAGCAGCAGTAGCAGCAGCAGCAACTGGTCTCCGGGGCGTGGAG
CCGAACCCAGGCATTCCCGGCGTGACCATTACAAACTCCCGCCTGGAGGTCTCTACCATGGCCGC
CTGGGGCCCTCGGCACACAGCAGTCGGAACCGTTCTTGGGGCTCCCGCTGCCACTCCCACCTATCC
CTGCCACCTGGACCTTCTCACCCCTCCACCCCTGTCCCGCTCTTACGCCCCACCACCCCT
GCCTGTTGAAGGTCCGGCTGCCGGCAGCCGAGAGGATGGAGAGATCTTAGAAGAGCTCTTCTT
```



[View online >](#)

GGGACTGAGGGACCCCCCGCCCTGCCACCACCCCTCCCCATCGCGAGGGCTTCTTGGGCCTCCG  
 GCCTCCCGCTTTTCTGTGGGCACTCAGGATTCTCACACCCTCCCACTCCCCAACCCCAACCACCAGC  
 AGTAGCAACAGCAACAGTGGCAGCCACAGCAGCAGCCCTGCTGGGCTGTGTCTTTCCCCACCACC  
 TATCTGGCAGAAGTATAGACCCCTTCCCGGCTCCAGCCAGCACAGAACCCCAAGGACCCACCT  
 CTTGTACCCTGACTCTTGCCCTGCCTCCAGCCCTCCTTCTCTGCCACAAAATACCTCAGGAAGC  
 TTCAGGCGCCCGGAGAGCCCGGCCAGGGTCTCCTTCCAAAGACCCCGAGGTGGGGCCGGGCCA  
 CCCCAGGCCCTGAGTAAAGCCCCCAGCCTGTGCCGCCGGGTTGGGGAGCTGCCTGCCGAGGC  
 CCTCGACTCTTTGATTTTCCCCCACTCCGCTGGAGGACCAAGTTGAGGAGCCAGCCGAATTCAGATC  
 CTACCTGATGGGCTGGCCAACATCATGAAGATGCTGGACGAATCCATTGCAAGGAAGAGAAACAGCAA  
 CAACACGAAGCAGGCGTGGCCCCAACCCCGCTGAAGGAGCCCTTGCATCTCTGCAGTCTCCTTTC  
 CCCACCGACACAGCCCCACCCTACTGCTCTGCTGTGCCGTACCACCACCACCACCACCACCACC  
 ACCACCACGGCCACCCAGGAAGAGGAGAAGAAGCCACCACCAGCCCTACCACCACCACCGCTCTAGCC  
 AAGTTCCTCCACCCTCTCAGCCACAGCCACCACCACCCACCCCAAGCCCGCCAGCCTGTCAA  
 TCCTTGGCCTCCGTGCTGGAGGGACAAAAGTACTGTTATCGGGGACTGGAGCAGCTGTTCCACCCGG  
 CCTGGGCCCTTGCCACCCTCAGTATCCCTGGCCCCCATCAGGTGCTACCGCCTGCCGCCACC  
 TCAGCGGCCCTAGCGCCAGGGCTCCCCACAGCCCTCTGCTTCTCGTATCTCAGTTCCTACCTCA  
 GCGGGCCCTGGGCCCGGAGCGCAGGGCGGGGAAGAGCCAGTCCCGGGCCCATGACCCCAACCAA  
 CCGCCCCACCCCTATCTCTGCCCTGCTCGCTGAGTCTGAGGTGCTAGAAGAGATCAGCCGGGCT  
 TGCGAGACCTTGTGGAGCGGTGGGCCGAGTGCCTACTGACCCAGCCGACCCAGTGGACACAGCAGAG  
 CCAGCGGACAGTGGGACTGAGCGACTGCTGCCCCCGCACAGGCCAAGGAGGAGGCTGGCGGGTGGCG  
 GCAGTGTACGGCAGTGTAAAGCGGCACAGAAGGAGCATCAGAAGGAGCATCGCGGCACAGGCGGGCC  
 TGTAAAGCAGTGTGGTCTGCGCCCCGTGAGGGCAGGGCAAAGGCCAAGGCCAAGTCCCAAGAA  
 AAGAGCGCCGGTGTGGGAACTGGACCTGCAGAGCGAGGATCCAGGGTCTGAGAAGTCCCGG  
 CCGATCTTGGCGGGCCCTCAAGGCCAAGCCACCACAGCTCCAGCCCTCCATCAGTCTCTGCACCT  
 TCTGCCACGCCACACCCCGTACGCTCTGCTTGGAAAGAAGGCTCGGGAGGAAGCCCAAGGGCCA  
 CCGGTGTGAGCCGGCCGACATGCTGAAGCTGCGCTCACTTAGTGAGGGGCCCCCAAGGAGTGAAG  
 ATCCGGCTCATCAAGGTAGAGAGTGGTACAAGGAGACCTTTATCGCCTCTGAGGTGGAAGAGCGCGG  
 CTGCGCATGGCAGACCTCACCATCAGCCACTGTGCTGCTGACGTCGTGCGGCCAGCAGGAATGCCAAG  
 GTGAAAGGAAGTTTCGAGAGTCTACCTTTCCCTGCCAGTCTGTGAAACCGAAGATCAACACTGAG  
 GAGAAGTGCCTCGGGAAAACTCAACCCCTACACCCAGCATCTATCTGGAGAGCAAACGGGATGCC  
 TTCTACCTGTCTGCTGCACTTGTACAGACCTCGAAATCCCATCACAGTATCCGGGGCTGGCG  
 GGCTCCCTGCGGCTCAACTTGGGCTCTTCTCCACCAAGACCCTGGTGAAGCGAGTGGCGAACACACC  
 GTGGAAGTTCGACCCAGGTGCAGCAGCCCTCAGATGAGAAGTGGATCTGACAGGCACTCGGCAGATC  
 TGGCCTTGTGAGAGTCCCGTCCACACCACCATTGCCAAGTACGCACAGTACCAGGCCTCATCTTC  
 CAGGAGTCTGTCAGGAGGAGAAGGAGTGGATGAGGAGTCAAGGAGCCAGACAGCACCCTGGA  
 ACCCTCTAGCAGCGCACAGACCCGAAGAACCATCACATCAAGTTTGGACCAACATCGACTTG  
 TCTGATGCTAAGCGGTGGAAGCCCGAGTGCAGGAGTGTGAGCTGCCCGCTTATGCGGGTAACA  
 TCCACGGGCAACATGCTGAGCCAGTGGCCACACCCTGCGCATGAACACGGTGCAGCTGTACATG  
 AAGTGGCCGGCAGCCGAACGCCAGGCCACCAGGAGAATAACAACCTTCTGCTCCGTCACATCAACAT  
 GGCCAGCGGACTGCGAGTGGTTGCGGTTGCACGAGCACTACTGGGAGACCATCAGCGCTTCTGTGAT  
 CGGCACGGCTGGACTACTTACGGGTTCTGGTGGCCAATCCTGGATGATCTCTATGCATCCAATATT  
 CCTGTGTACCGCTTCTGTCAGCGACCCGGAGACCTCGTGTGGAATTAATGCGGGGACTGTGCACTGGGTG  
 CAGGCCACCGGCTGGTGAACAACATTGCCTGGAACGTGGGGCCCTCACCGCTATCAGTACCAGCTG  
 GCCCTGGAACGATACGAGTGAATGAGGTGAAGAAGCTCAATCCATCGTCCCATGATTACAGTGTCA  
 TGGAACGTGGCTGCACGGTCAAATCAGCGACCCGACTTGTCAAGATGATCAAGTCTGCTGCTG  
 CAGTCCATGAAGCACTGCCAGGTGCAACCGGAGAGCCTGGTGGGGCAGGGAAGAAAATCGCTTACCAG  
 GGCCGTGTCAAGGACGAGCCAGCCTACTACTGCAACGAGTGCATGTGGAGGTGTTAACATCCTGTTC  
 GTGACAAGTGAAGTGGCAGCCGAACAGTACCTGGTACACTGCGAGGGCTGTGCCCGGCGCCGAGC  
 GCAGGCCTGCAGGGCGTGGTGGTGTGGAGCAGTACCGCACTGAGGAGTGGCTCAGGCCTACGACGCC  
 TTCACGCTGGTGAAGGCCCGCGGGCGCGGGCAGCGGAGGAGGGCACTGGGGCAGGCTGCAGGGACG  
 GGCTTCGGGAGCCCGGCCGCGCTTTCCCTGAGCCCCGCGGCTTTCTCCCCCAGGCCCAAGCCAGC  
 ACGTCGCGATGA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT  
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

<b>Restriction Sites:</b>	Sgfl-Mlul
<b>ACCN:</b>	NM_001080424
<b>Insert Size:</b>	5049 bp
<b>OTI Disclaimer:</b>	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.
	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<a href="#">NM_001080424.1</a>
<b>RefSeq Size:</b>	6704 bp
<b>RefSeq ORF:</b>	5049 bp
<b>Locus ID:</b>	23135
<b>UniProt ID:</b>	<a href="#">O15054</a>
<b>Cytogenetics:</b>	17p13.1
<b>MW:</b>	180.7 kDa

**Gene Summary:**

The protein encoded by this gene is a lysine-specific demethylase that specifically demethylates di- or tri-methylated lysine 27 of histone H3 (H3K27me2 or H3K27me3). H3K27 trimethylation is a repressive epigenetic mark controlling chromatin organization and gene silencing. This protein can also demethylate non-histone proteins such as retinoblastoma protein. Through its demethylation activity this gene influences cellular differentiation and development, tumorigenesis, inflammatory diseases, and neurodegenerative diseases. This protein has two classical nuclear localization signals at its N-terminus. Alternative splicing results in multiple transcript variants encoding distinct isoforms. [provided by RefSeq, Feb 2017]

Transcript Variant: This variant (1) retains an intron in the 3' coding region, compared to variant 2, and encodes a longer protein (isoform 1), compared to isoform 2. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.