

Product datasheet for SC315949

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Keratin 80 (KRT80) (NM_001081492) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Keratin 80 (KRT80) (NM_001081492) Human Untagged Clone

Tag:Tag FreeSymbol:KRT80Synonyms:KB20

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC315949 representing NM_001081492.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GCTCGTTTAGTGAACCGTCAGAATTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGGCCTGCCGCTCCTGCGTGGTTGGCTTCAGCAGCCTCAGCAGCTGTGAGGTGACCCCGGTGGGCAGC CCCCGGCCTGGAACCTCAGGATGGGACAGCTGCAGGGCCCCCGGGCCGGGCTTCAGCTCCCGCAGCCTC ACAGGCTGCTGGTCGGCTGGCACTATCTCCAAGGTGACTGTGAACCCCGGCCTGCTGGTGCCCCTGGAT GTCAAGTTGGACCCCGCTGTTCAGCAGCTGAAGAACCAGGAGAAGGAGGAGATGAAGGCCCTCAATGAT AAATTTGCCTCCTAATTGGCAAGGTGCAAGCCCTGGAACAGCGCAACCAGCTGCTGGAGACACGCTGG AGCTTCCTGCAGGGCCAGGACTCAGCCATCTTCGACCTCGGGCATCTCTATGAGGAATATCAGGGCCGG CTGCAGGAGGAACTGCGCAAAGTGAGCCAGGAGCGGGGGCCAGCTGGAGGCCAACCTGCTGCAGGTGCTG GAGAAGGTTGAGGAGTTTCGAATCAGGTATGAGGATGAGATCTCCAAGCGCACAGACATGGAGTTCACC TTTGTTCAGCTGAAGAAGGACCTGGATGCAGAGTGTCTTCATCGGACTGAACTGGAAACCAAGTTAAAA AGCCTGGAGAGCTTCGTGGAGTTGATGAAAACCATCTATGAGCAGGAGCTGAAGGACCTGGCAGCACAG GTGAAGGATGTGTCGGTGACCGTCGGCATGGACAGCCGCTGCCACATCGACCTGAGCGGCATCGTGGAG GAGGTGAAGGCCCAGTATGACGCCGTCGCGGCTCGCAGCCTGGAGGAGGCCGAGGCATACTCTCGGAGC CAGCTGGAGGAGCAGGCCGCCCGCTCGGCCGAGTATGGGAGCAGCCTCCAGAGCAGCCGCAGCGAGATC GCGGATCTCAATGTGCGCATCCAGAAGCTGCGGTCCCAGATCCTCTCTGTCAAGAGCCATTGCCTGAAA CTGGAGGAGAACATCAAGACAGCTGAGGAGCAGGGTGAGCTGCCTTCCAGGATGCCAAGACCAAGCTG GCCCAGCTGGAGGCCGCCCTGCAGCAGGCCAAGCAGGACATGGCGCGGCAGCTGCGCAAGTACCAGGAG CTGATGAACGTCAAGCTGGCCCTGGACATCGAGATCGCCACCTACAGGAAGCTGGTGGAGGGCGAGGAG GGCAGGATGGACTCGCCCTCAGCCACTGTGGTCAGCGCTGTGCAGTCCAGGTGCAAAACCGCCCCTTCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

CTCCCCTACCCCTTATGTTCCCTGTAG



ORÏGENE

Restriction Sites: Sgfl-Mlul

Plasmid Map:

ACCN: NM_001081492

Insert Size: 1269 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001081492.1</u>

 RefSeq Size:
 3894 bp

 RefSeq ORF:
 1269 bp

 Locus ID:
 144501

 UniProt ID:
 Q6KB66

 Cytogenetics:
 12q13.13

MW: 47.2 kDa



Gene Summary:

Keratins are intermediate filament proteins responsible for the structural integrity of epithelial cells and are subdivided into epithelial keratins and hair keratins. This gene's expression profile shows that it encodes a type II epithelial keratin, although structurally the encoded protein is more like a type II hair keratin. This protein is involved in cell differentiation, localizing near desmosomal plaques in earlier stages of differentiation but then dispersing throughout the cytoplasm in terminally differentiating cells. The type II keratins are clustered in a region of chromosome 12q13. Two transcript variants encoding two different fully functional isoforms have been found for this gene.[provided by RefSeq, Oct 2010]

Transcript Variant: This variant (2) differs in the 3' coding region and 3' UTR, compared to variant 1. The encoded isoform (K80.1, also known as b) has a distinct C-terminus and is shorter than isoform K80.