

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for SC315964

Dystrophia myotonica protein kinase (DMPK) (NM_001081562) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Dystrophia myotonica protein kinase (DMPK) (NM_001081562) Human Untagged Clone
Tag:	Tag Free
Symbol:	Dystrophia myotonica protein kinase
Synonyms:	DM; DM1; DM1PK; DMK; MDPK; MT-PK
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	-	Dystrophia myotonica protein kinase (DMPK) (NM_001081562) Human Untagged Clone – SC315964		
Fully Sequenced	ORF:	>SC315964 representing NM_001081562. Blue=Insert sequence <mark>Red=</mark> Cloning site Green=Tag(s)		
		GCTCGTTTAGTGAACCGTCAGAATTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTG		
		GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC		
		ATGTCAGCCGAGGTGCGGCTGAGGCGGCTCCAGCAGCTGGTGTGGACCCGGGCTTCCTGGGGCTGGAG		
		CCCCTGCTCGACCTTCTCCTGGGCGTCCACCAGGAGCTGGGCGCCTCCGAACTGGCCCAGGACAAGTAC GTGGCCGACTTCTTGCAGTGGGCGGAGCCCATCGTGGTGAGGCTTAAGGAGGTCCGACTGCAGAGGGAC		
		GACTTCGAGATTCTGAAGGTGATCGGACGCGGGGGGGGCGTTCAGCGAGGTAGCGGTAGTGAAGGAGGAC		
		ACGGGCCAGGTGTATGCCATGAAGATCATGAACAAGTGGGACATGCTGAAGAGGGGGCGAGGTGTCGTGC		
		TTCCGTGAGGAGAGGGACGTGTTGGTGAATGGGGACCGGCGGTGGATCACGCAGCTGCACTTCGCCTTC		
		CAGGATGAGAACTACCTGTACCTGGTCATGGAGTATTACGTGGGCGGGGACCTGCTGACACTGCTGAGC		
		AAGTTTGGGGAGCGGATTCCGGCCGAGATGGCGCGCGTTCTACCTGGCGGAGATTGTCATGGCCATAGAC		
		TCGGTGCACCGGCTTGGCTACGTGCACAGGGACATCAAACCCGACAACATCCTGCTGGACCGCTGTGGC		
		CACATCCGCCTGGCCGACTTCGGCTCTTGCCTCAAGCTGCGGGCAGATGGAACGGTGCGGTCGCTGGTG		
		GCTGTGGGCACCCCAGACTACCTGTCCCCCGAGATCCTGCAGGCTGTGGGCCGGTGGGCCTGGGACAGGC		
		AGCTACGGGCCCGAGTGTGACTGGTGGGCGCTGGGTGTATTCGCCTATGAAATGTTCTATGGGCAGACG		
		CCCTTCTACGCGGATTCCACGGCGGAGACCTATGGCAAGATCGTCCACTACAAGGAGCACCTCTCTCT		
		CCGCTGGTGGACGAAGGGGTCCCTGAGGAGGCTCGAGACTTCATTCA		
		ACACGGCTGGGCCGGGGTGGAGCAGGCGACTTCCGGACACATCCCTTCTTCTTTGGCCTCGACTGGGAT		
		GGTCTCCGGGACAGCGTGCCCCCCTTTACACCGGATTTCGAAGGTGCCACCGACACATGCAACTTCGAC		
		TTGGTGGAGGACGGGCTCACTGCCATGGAGACACTGTCGGACATTCGGGAAGGTGCGCCGCTAGGGGGTC		
		CACCTGCCTTTTGTGGGCTACTCCTACTCCTGCATGGCCCTCAGGGACAGTGAGGTCCCAGGCCCCACA CCCATGGAACTGGAGGCCGAGCAGCTGCTTGAGCCACACGTGCAAGCGCCCAGCCTGGAGCCCTCGGTG		
		TCCCCACAGGATGAAACAGCTGAAGTGGCAGTTCCAGCGGCTGTCCCTGCGGCAGAGGCTGAGGCCCGAG		
		GTGACGCTGCGGGAGCTCCAGGAAGCCCTGGAGGAGGAGGAGGTGCTCACCCGGCAGAGCCTGAGCCGGGAG		
		ATGGAGGCCATCCGCACGGACAACCAGAACTTCGCCAGTCAACTACGCGAGGCAGAGGCTCGGAACCGG		
		GACCTAGAGGCACACGTCCGGCAGTTGCAGGAGCGGATGGAGTTGCTGCAGGCAG		
		GTCACGGGGGTCCCCAGTCCCCGGGCCACGGATCCACCTTCCCATATGGCCCCCCGGCCGTGGCTGTGG		
		GCCAGTGCCCGCTGGTGGGGGCCAGGCCCCATGCACCGCCGCCACCTGCTGCTGCCAGGGTCCCTA		
		GGCCTGGCCTATCGGAGGCGCTTTCCCTGCTCCTGTTCGCCGTTGTTCTGTCTCGTGCCGCC		
		GCTGCATTGGGTTGGTGGCCCACGCCGGCCAACTCACCGCAGTCTGGCGCCGCCCAGGAGCCGCCCGC		
		CTCCCTGAACCCTAG		
		ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC		
Restriction Sites	:	Sgfl-Mlul		
ACCN:		NM_001081562		
Insert Size:		1878 bp		
OTI Disclaimer:		Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).		
OTI Annotation:		This TrueClone is provided through our Custom Cloning Process that includes sub-cloning		
on Amotation.		into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.		
Components:		The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube		
		containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).		

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Dystrophia myotonica protein kinase (DMPK) (NM_001081562) Human Untagged Clone –
	SC315964

Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 001081562.2</u>
RefSeq Size:	2855 bp
RefSeq ORF:	1878 bp
Locus ID:	1760
UniProt ID:	<u>Q09013</u>
Cytogenetics:	19q13.32
Protein Families:	Druggable Genome, Protein Kinase
MW:	69.6 kDa
Gene Summary:	The protein encoded by this gene is a serine-threonine kinase that is closely related to other kinases that interact with members of the Rho family of small GTPases. Substrates for this enzyme include myogenin, the beta-subunit of the L-type calcium channels, and phospholemman. The 3' untranslated region of this gene contains 5-38 copies of a CTG trinucleotide repeat. Expansion of this unstable motif to 50-5,000 copies causes myotonic dystrophy type I, which increases in severity with increasing repeat element copy number. Repeat expansion is associated with condensation of local chromatin structure that disrupts the expression of genes in this region. Several alternatively spliced transcript variants of this gene have been described, but the full-length nature of some of these variants has not been

determined. [provided by RefSeq, Jul 2016]

Transcript Variant: This variant (4) has multiple differences in the presence and absence of exons at its 5' end and in the CDS, compared to variant 1. These differences produce a distinct 5' UTR, and cause translation initiation at an alternative start codon, the loss of an in-frame portion of the coding region and a frameshift in the 3' coding region, compared to variant 1. The encoded protein (isoform 4) has a distinct N-terminus and a unique C-terminus, and is shorter than isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., <u>9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US</u>