

Product datasheet for SC316006

PTOP (ACD) (NM_001082487) Human Untagged Clone

Product data:


| Product Type: | Expression Plasmids |
|------------------------------|--|
| Product Name: | PTOP (ACD) (NM_001082487) Human Untagged Clone |
| Tag: | Tag Free |
| Symbol: | ACD |
| Synonyms: | PIP1; PTOP; TINT1; TPP1 |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Fully Sequenced ORF: >SC316006 representing NM_001082487. Blue=Insert sequence Red=Cloning site Green=Tag(s)

> GCTCGTTTAGTGAACCGTCAGAATTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTG GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

| | DP (ACD) (NM_001082487) Human Untagged Clone – SC316006 |
|---------------------|--|
| ACCN: | NM_001082487 |
| Insert Size: | 1587 bp |
| OTI Disclaimer: | Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <u>custsupport@origene.com</u> or by calling 301.340.3188 option 3 for pricing and delivery. |
| | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u> |
| OTI Annotation: | This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA. |
| Components: | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |
| Reconstitution Meth | Dd: 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| RefSeq: | <u>NM 001082487.1</u> |
| RefSeq Size: | 2047 bp |
| RefSeq ORF: | 1587 bp |
| Locus ID: | 65057 |
| UniProt ID: | <u>Q96AP0</u> |
| Cytogenetics: | 16q22.1 |
| MW: | 55.9 kDa |

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

SC316006 PTOP (ACD) (NM_001082487) Human Untagged Clone – SC316006

Gene Summary:This gene encodes a protein that is involved in telomere function. This protein is one of six
core proteins in the telosome/shelterin telomeric complex, which functions to maintain
telomere length and to protect telomere ends. Through its interaction with other
components, this protein plays a key role in the assembly and stabilization of this complex,
and it mediates the access of telomerase to the telomere. Multiple transcript variants
encoding different isoforms have been found for this gene. This gene, which is also referred
to as TPP1, is distinct from the unrelated TPP1 gene on chromosome 11, which encodes
tripeptidyl-peptidase I. [provided by RefSeq, Jul 2008]

Transcript Variant: This variant (3) uses alternate in-frame splice sites in the 5' and 3' coding regions, compared to variant 1, resulting in a shorter protein (isoform 3).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US