

## **Product datasheet for SC316335**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Fucose mutarotase (FUOM) (NM\_001098483) Human Untagged Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: Fucose mutarotase (FUOM) (NM\_001098483) Human Untagged Clone

Tag: Tag Free

**Symbol:** Fucose mutarotase

Synonyms: C10orf125; FucM; FUCU

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC316335 representing NM\_001098483.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

GGAAACCTCATCCTCAGGAAGGGGGTGCTTGCCCTCAACCCCCTGCTGTAG

**ACGCGTACGCGCCCCTC**GAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

**Restriction Sites:** Sgfl-Mlul

**ACCN:** NM 001098483

**Insert Size:** 465 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).



## Fucose mutarotase (FUOM) (NM\_001098483) Human Untagged Clone - SC316335

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 001098483.1</u>

 RefSeq Size:
 699 bp

 RefSeq ORF:
 465 bp

 Locus ID:
 282969

 UniProt ID:
 A2VDF0

 Cytogenetics:
 10q26.3

 MW:
 16.8 kDa

Gene Summary: Involved in the interconversion between alpha- and beta-L-fucoses. L-Fucose (6-deoxy-L-

galactose) exists as alpha-L-fucose (29.5%) and beta-L-fucose (70.5%), the beta-form is metabolized through the salvage pathway. GDP-L-fucose formed either by the de novo or salvage pathways is transported into the endoplasmic reticulum, where it serves as a substrate for N- and O-glycosylations by fucosyltransferases. Fucosylated structures

expressed on cell surfaces or secreted in biological fluids are believed to play a critical role in

cell-cell adhesion and recognition processes.[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (1) encodes the longest isoform (1).