

Product datasheet for **SC316361**

ZC3H12D (NM_207360) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	ZC3H12D (NM_207360) Human Untagged Clone
Tag:	Tag Free
Symbol:	ZC3H12D
Synonyms:	C6orf95; dj281H8.1; MCP4; p34; TFL
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Restriction Sites:	Sgfl-MluI
ACCN:	NM_207360
Insert Size:	1584 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_207360.2



[View online »](#)

RefSeq Size: 4907 bp

RefSeq ORF: 1584 bp

Locus ID: 340152

UniProt ID: [A2A288](#)

Cytogenetics: 6q25.1

MW: 58.1 kDa

Gene Summary: May regulate cell growth likely by suppressing RB1 phosphorylation (PubMed:19531561). May function as RNase and regulate the levels of target RNA species (Potential). In association with ZC3H12A enhances the degradation of interleukin IL-6 mRNA level in activated macrophages (PubMed:26134560). Serve as a tumor suppressor in certain leukemia cells (PubMed:17210687). Overexpression inhibits the G1 to S phase progression through suppression of RB1 phosphorylation (PubMed:19531561).[UniProtKB/Swiss-Prot Function]