

Product datasheet for **SC316400**

DEP1 (PTPRJ) (NM_001098503) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	DEP1 (PTPRJ) (NM_001098503) Human Untagged Clone
Tag:	Tag Free
Symbol:	PTPRJ
Synonyms:	CD148; DEP1; HPTPeta; R-PTP-ETA; SCC1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC316400 representing NM_001098503.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)


```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGAAGCCGGCGCGCGGGAGGCGCGGCTGCCTCCGCGCTCGCCCGGGCTGCGCTGGGCGCTGCCGCTG
CTGCTGCTGCTGCGCCTGGCCAGATCCTGTGCGCAGGTGGCACCCCTAGTCCAATTCCTGACCT
TCAGTAGCAACTGTTGCCACAGGGGAAAAATGGCATAACGCAGATCAGCAGTACAGCAGAATCCTTTTCAT
AAACAGAAATGGAACCTGGAACACCTCAGGTGAAAACAAACACCAGTGAGGATGGTGAAGCTCTGGAGCC
AACGATAGTTAAGAACACCTGAACAAGGATCTAATGGGACTGATGGGCGATCTCAAAAACTCCCAGT
AGCACTGGGCCAGTCTGTGTTTGACATTAAGCTGTTTCCATCAGTCCAACCAATGTGATCTTAACT
TGGAAAAGTAATGACACAGCTGCTTCTGAGTACAAGTATGTAGTAAAGCATAAGATGGAAAATGAGAAG
ACAATTACTGTTGTCATCAACCATGGTGAACATCACAGGCTTACGTCCAGCGACTTCATATGTATTC
TCCATCACTCCAGGAATAGGCAATGAGACTTGGGGAGATCCCAGAGTCATAAAAGTCATCACAGAGCCG
ATCCCAGTTTCTGATCTCCGTGTTGCCCTCACGGGTGTGAGGAAGGCTGCTCTCTCTGGAGCAATGGC
AATGGCACTGCCTCTGCCGGTCTTCTTGAAGCATTGGAAGCCATGAGGAGTTGACTCAAGACTCA
AGACTTACAGTCAATATCTCGGGCTGAAGCCAGGGGTTCAATACAACATCAACCCGATCTTCTACAA
TCAAAATAGACAAAGGGAGACCCCTTGGGCACAGAAGGTGGCTTGGATGCCAGCAATACAGAGAGAAGC
CGGGCAGGGAGCCCCACCGCCCTGTGCATGATGAGTCCCTCGTGGGACCTGTGGACCCATCCTCCGGC
CAGCAGTCCCAGACACGGAAGTCTGCTTGTCCGGTTAGAGCCTGGCACCCGATACAATGCCACCGTT
TATTCOAAGCAGCGAATGGCACAGAAGGACAGCCCCAGGCCATAGAGTTCAGGACAAATGCTATTCAG
GTTTTTGACGTCACCGCTGTGAACATCAGTGCCACAAGCCTGACCCTGATCTGAAAAGTCAGCGATAAC
GAGTCGTCATCTAACTATACCTACAAGATACATGTGGCGGGGAGACAGATTCTTCCAATCTCAAGTC
AGTGAGCCTCGCGCTGTCATCCCCGACTCCGCTCCAGCACCTTCTACAACATCACAGTGTGTCTCTGC
CTAGGTGACATCGAGGGCAGCCGGGCTTCTCCAAGTGACACCCCCCTGTTCCAGTTTCTGACTTC
CGAGTGACAGTGGTCAGCACGACGGAGATCGGCTTAGCATGGAGCAGCCATGATGCAGAATCATTTTCAG
ATGCATATCACACAGGAGGGAGCTGGCAATTCTCGGGTAGAAAATAACCACCAACCAAAAGTATTATCATT
GGTGGCTTGTTCCTGGAACCAAGTATTGCTTTGAAATAGTTCAAAAGGACCAATGGGACTGAAGGG
GCATCTCGGACAGTTTGAATAGAAGTGGATGA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites:

Sgfl-MluI

Plasmid Map:



ACCN:	NM_001098503
Insert Size:	1620 bp
OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001098503.1
RefSeq Size:	3193 bp
RefSeq ORF:	1620 bp
Locus ID:	5795
UniProt ID:	Q12913
Cytogenetics:	11p11.2
Protein Families:	Druggable Genome, Phosphatase, Transmembrane
Protein Pathways:	Adherens junction
MW:	57.2 kDa

Gene Summary:

The protein encoded by this gene is a member of the protein tyrosine phosphatase (PTP) family. PTPs are known to be signaling molecules that regulate a variety of cellular processes, including cell growth, differentiation, mitotic cycle, and oncogenic transformation. This PTP possesses an extracellular region containing five fibronectin type III repeats, a single transmembrane region, and a single intracytoplasmic catalytic domain, and thus represents a receptor-type PTP. This protein is present in all hematopoietic lineages, and was shown to negatively regulate T cell receptor signaling possibly through interfering with the phosphorylation of Phospholipase C Gamma 1 and Linker for Activation of T Cells. This protein can also dephosphorylate the PDGF beta receptor, and may be involved in UV-induced signal transduction. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]

Transcript Variant: This variant (2) has multiple differences in the presence and absence of exons at its 3' end, compared to variant 1. These differences produce a unique 3' UTR, compared to variant 1, and the encoded protein (isoform 2) is shorter than isoform 1.