

## Product datasheet for **SC316430**

### Epac1 (RAPGEF3) (NM\_001098532) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Epac1 (RAPGEF3) (NM_001098532) Human Untagged Clone
Tag:	Tag Free
Symbol:	Epac1
Synonyms:	bcm910; CAMP-GEFI; EPAC; EPAC1; HSU79275
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >SC316430 representing NM\_001098532.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGCACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGGTGTGAGAAGGATGCACCGGCCCGAAGCTGCTCCTACCAGCTGCTGCTGGAGCACCAGCGTCCG
AGCTGCATCCAGGGGCTGCGCTGGACACCACTACCAACAGCAGGAGTCCCTGGATTTAGCGAGAGC
CTGGAGCAGGCCCTCCACAGAGCGGGTGCACAGGGCTGGGAGGCAGCTGCATCGGCATCTGCTGGCCACC
TGCCAAACCTCATCCGAGACCGAAGTACCACCTTAGGCTCTATCGGCAGTGTGCTCTGGCCGGGAG
CTGGTGGATGGGATCTTGGCCCTGGGACTTGGGGTCCATTCCCGAGCCAAGTTGTGGGAATCTGCCAG
GTGCTGCTGGATGAAGGTGCCCTCTGCCATGTGAAACACGACTGGGCTTCCAGGACCGAGATGCCCAA
TTCTACCGGTTCCCGGGCCGAGCCGAGCCCGTGGAACTCATGAGATGGAGGAGGAGTTGGCCGAA
GCTGTGGCCCTGCTCTCCAGCGGGGGCTGACGCCCTGCTCACTGTGGCACTTCGAAAGCCCCAGGT
CAGCGCACGGATGAAGAGCTGGACCTCATCTTTGAGGAGCTGCTGCACATCAAGGCTGTGGCCACCTC
TCCAACCTCGTGAAAGCGAGAATTAGCGGCTGTTCTGCTCTTTGAACCACACAGCAAGGCAGGGACCGTG
TTGTTTCAGCCAGGGGGACAAGGGCACTTCGTGGTACATTATCTGGAAGGGATCTGTCAACGTTGGTACC
CATGGCAAGGGGCTGGTACCACCTGCATGAGGGAGATGATTTTGGACAGCTGGCTCTGGTGAATGAT
GCACCCGGGCGAGCCACCATCATCTGCGAGAAGACAAGTGCATTTCTGCGTGTGGACAAGCAGGAC
TTCAACCGTATCATCAAGGATGTGGAGGCAAAGACCATGCGGCTGGAAGAATGGCAAAGTGGTGTG
GTGCTGGAGAGAGCCTCTCAGGGCGCCGGCCCTTCCCGACCCCAACCCAGGCAGGAACCGGTATAA
GTGATGTCTGGCACCCAGAGAAGATCCTAGAGCTTCTGTTGGAGGCCATGGGACCAGATTCCAGTGCT
CATGACCAACAGAGACATTCTCAGCGACTTCTCTGACCCACAGGGTCTTCATGCCCAGCGCCCAA
CTCTGCGCTGCCCTTCTGCACCACTTCCATGTGGAGCCTGCGGGTGGCAGCGAGCAGGACCGCAGCAC
TAGCTCTGCAACAAGAGGCAGCAGATCTTGGCGTGGTCAAGCAGTGGGTGGCCCTGTATGGCTCCATG
CTCCACACTGACCCTGTGGCCACCAGCTTCTCCAGAACTCTCAGACCTGGTGGCAGGGACACCCGA
CTCAGCAACTGTGAGGGAGCAGTGGCCAGAGAGGCGCGATGCCACAGGTTGGAGAATGGCTGTGGG
AATGCATCTCTCAGATGAAGGCCCGGAACTTGCCTGTTTGGCTCCCAACAGGACGAGCCCTTCT
GGCAGCAGCTGTGCCATCAAGTTGGGGATAAAGTCCCTATGACATCTGCCGGCAGACCACTCAGTG
TTGACCCTGCAGCTGCCTGTGACAGCCTCCGTGAGAGAGGTGATGGCAGCGTTGGCCAGGAGGATGGC
TGGACCAAGGGGAGGTGCTGGTGAAGTCAATTCTGCAGGTGATGCCATTGGCCTGCAGCCAGATGCC
CGTGGTGTGGCCACATCTCTGGGGCTCAATGAGCGTCTCTTTGTGTCAACCCACAGGAAGTGCATGAG
CTGATCCACACCCCTGACCAGCTGGGGCCCACTGTGGGCTCTGCTGAGGGGCTGGACCTGGTGAAGTCC
AAGGACCTGGCAGGCCAGCTGACGGACCAGACTGGAGCCTCTTCAACAGTATCCACCAGGTGGAGCTG
ATCCACTATGTGCTGGGCCCCAGCATCTGCGGGATGTCACCACCGCCAACCTGGAGCGCTTCATGCGC
CGCTTCAATGAGCTGCAGTACTGGGTGGCCACCGAGCTGTGTCTCTGCCCGTGGCCGGCCCCGGGCC
CAGCTGCTCAGGAAGTTCATTAAGCTGGCGGCCACCTCAAGGAGCAGAAGAATCTCAATTCCTTCTTT
GCCGTGATGTTTGGCCTCAGCAACTCGGCCATCAGCCGCTAGCCACACCTGGGAGCGGCTGCCTCAC
AAAGTCCGGAAGCTGACTCCGCCCTCGAGAGGCTGCTGGATCCCTCATGGAACCCCGGTATACCGA
CTGGCCCTCGCCAAGCTCTCCCTCCTGTCACTCCCTTTCATGCCCTTCTCTCAAAGACATGACCTTC
ATTCATGAGGGAACACACACTAGTGGAGAATCTCATCAACTTTGAGAAGATGAGAATGATGGCCAGA
GCCGCGGGATGTGCACCACTGCCAAGCCACAACCCTGTGCCTCTCTACCACCTCAGAAGCCGAGTT
TCCACCTCCACGAGGACAGCCAGGTGGCGAGGATTTCCACATGCTCGGAGCAGTCCCTGAGCACCCGG
AGTCCAGCCAGCACCTGGGCTTATGTCCAGCAGCTGAAGGTCAATTGACAACCAGCGGGAAGTCTCCCGC
CTCTCCGAGAGCTGGAGCCATGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

**Restriction Sites:** SgfI-MluI  
**ACCN:** NM\_001098532  
**Insert Size:** 2646 bp

<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>OTI Annotation:</b>	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<u><a href="#">NM_001098532.2</a></u>
<b>RefSeq Size:</b>	6003 bp
<b>RefSeq ORF:</b>	2646 bp
<b>Locus ID:</b>	10411
<b>UniProt ID:</b>	<u><a href="#">O95398</a></u>
<b>Cytogenetics:</b>	12q13.11
<b>Protein Pathways:</b>	Leukocyte transendothelial migration, Long-term potentiation
<b>MW:</b>	99.4 kDa
<b>Gene Summary:</b>	<p>Guanine nucleotide exchange factor (GEF) for RAP1A and RAP2A small GTPases that is activated by binding cAMP. Through simultaneous binding of PDE3B to RAPGEF3 and PIK3R6 is assembled in a signaling complex in which it activates the PI3K gamma complex and which is involved in angiogenesis. Plays a role in the modulation of the cAMP-induced dynamic control of endothelial barrier function through a pathway that is independent on Rho-mediated signaling. Required for the actin rearrangement at cell-cell junctions, such as stress fibers and junctional actin.[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (3) contains an alternate 5' end and differs in the 5' UTR, compared to variant 1. These differences cause translation initiation at a downstream AUG and an isoform (b) with a shorter N-terminus compared to isoform a. Variants 2 and 3 encode the same isoform.</p>