

Product datasheet for **SC316443**

BAT3 (BAG6) (NM_001098534) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	BAT3 (BAG6) (NM_001098534) Human Untagged Clone
Tag:	Tag Free
Symbol:	BAG6
Synonyms:	BAG-6; BAT3; D6S52E; G3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC316443 representing NM_001098534. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTGTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGAGCCTAATGATAGTACCAGTACCGCTGTGGAGGAGCCTGACAGCTTGGAGGTGTTGGTGAAGACC
TTGGACTCTCAAACCTCGTACCTTTATTGTGGGGGCCAGATGAATGTAAGAGTTAAGGAGCACATT
GCTGCCTCTGTCAGCATCCCATCTGAAAAACAACGGCTCATTTACCAGGGACGAGTTCTGCAAGATGAT
AAGAAGCTTCAGGAATACAATGTTGGGGAAAGGTTATCCACCTGGTGGAAACGGGCTCCTCCTCAGACT
CACCTCCCTTCTGGGCATCTTCTGGGACGGGTCTGCCTCAGCCACTCATGGTGGGGGATCCCCCCT
GGTACTCGGGGCTGGGCCTCTGTTTCATGACCGGAATGCCAACAGCTATGTCATGGTTGGAACCTTC
AATCTTCTAGTACGGCTCTGCTGTGGATGTTTCACATCAACATGGAACAGGCCCGGATTAGAGTGAG
CCCCGGTACGGCTGGTGTGGCTCAGCACATGATCAGGGATATACAGACCTTACTATCCCGGATGGAG
TGTCGAGGAGGGCCCAACCGCAGCACAGTCAGCCGCCCGCAGCCACCGGCTGTGACCCGGAGCCA
GTAGCCTTGAGCTCTCAAACATCAGAACCAGTTGAAAGTGAAGCACCTCCCCGGGAGCCCATGGAGGCA
GAAGAAGTGGAGGAGCGTGCCCCAGCCAGAACCAGGAGCTCACTCTGGCCAGCCAGCGGGCCCA
ACACCTGCCCCGAAACAAATGCACCAACCATCCTTCCCCTGCGGAGTATGTCGAGGTGCTCCAGGAG
CTACAGCGGCTGGAGAGTCGCTCCAGCCCTTCTTGCAGCGCTACTACGAGGTTCTGGGTGCTGCTGCC
ACCACGGACTACAATAACAATCAGGAGGCGGGAGGAGGATCAGCGGTTGATCAACTTGGTAGGGGAG
AGCCTGCGACTGCTGGCAACACCTTGTGCACTGTCTGACCTGCGCTGCAATCTGGCCTGCACGCC
CCACGACACCTGCATGTGGTCCGGCCTATGTCTCACTACACCACCCCATGGTGTCCAGCAGGCAGCC
ATTCACATACAGATCAATGTGGGAACACTGTGACCATGACAGGAAATGGGACTCGGCCCCCCCAACT
CCCAATGCAGAGGCACCTCCCCCTGGTCTGGCAGGCCATCCGTGGCTCCGTCTTCTACCAATGTC
GAGTCTCAGCTGAGGGGCTCCCCGCCAGGTCCAGCTCCCCGCCAGCCACCAGCCACCCGAGGGTC
ATCCGATTTCCACAGAGTGTGGAACCGTGGTCATGATGCACATGAACATTCAAGATTCTGGCACA
CAGCCTGGTGGTTCGAGTGTCCACTGGCCCCCTGGGACCCCTGGTCATGCCAAACCTGGGA
CAGCAGGTGCCAGGCTTCCAACAGCTCAACCCGGTGGTATTGCCCGGCCACTCCTCCACAGCT
```



View online »


CGGCCTCCCATCCTGGAGGGCCCCAGTCTCTGGGACTGCAGGGCGCCGGTCTGGGTACCAATGCC
 TCGTTGGCCAGATGGTGAAGCGCCTTGTGGGCAGTCTTATGCAGCCAGTCTTGTGGCTCAGGGG
 ACCCCAGGTATGGCTCCACCGCCAGCCCTGCCACTGCTTCTGCCAGTGTGGCACCACCAACACAGCT
 ACCACAGCTGGCCCCGCTCTGGGGGCGCTGCCAGCCTCACCCACCCCTCAACCTCCATGGCTGAT
 CTTAGTCTCTCAGTCTCTGGGAACCTGCTAGGGCTGCAGGGCCAGGGGTGGAGGGTCTGGTGTG
 GCTTCTCCACCATCACTGTGGCGATGCCTGGTGTCCCTGCCTTCTCCAAGGCATGACTGACTTCTTG
 CAGGCAACACAGACAGCCCTCCACCACCCACCTCCTCACCCACCCACCTGCCCCAGAGCAGCAG
 ACCATGCCCCACCAGGCTCCCTTCTGGTGGCGCAGGGAGTCTGGAGGCTGGGTCTTGAGAGCCTG
 TACCAGGATTTTTACCTCAGTGGTGCAGGGTGTGCTCAGTCCCTGCTGGGCTCCCTGGGGGCTCGG
 GCTGGCAGCAGTAAAGTATTGCTGCCTTCATACAACGCCTCAGTGGATCCAGCAACATCTTTGAGCCT
 GGAGCTGATGGGGCCCTTGATTCTTTGGGGCCTTGCTTCTCTTCTGTGCCAGAACTTCTCTATGGTG
 GACGTAGTGTGCTTCTCCATGGGCATTTCCAGCCACTACAACGGCTCCAGCCCCAGCTGCGATCCTTC
 TTCCACCAGCACTACCTGGTGGTCAGGAGCCACACCCAGTAACATCCGGATGGCAACCCACACATTG
 ATCAGGGGCTAGAAGATATGTGCGGGAGAGTTTTCTTGGTGCAGGTTCCAGCCAGGTGTGGACATC
 ATCCGGACAACTGGAATTTCTCAAGAGCAGTTAATAGCATTGCTGCGCATGTGCTGCATTGCACA
 GATAGTGGATTTGGGGCCCGTTGCTGGAGTTGTGAACCAAGGCTGTTGAATGCCTGGCCCTAAC
 CTGCACTGCTTGGGGGACAGCAGATGGAGCTTGTGCTGTTATCAATGGCCGAATTCGTCGTATGTCT
 CGTGGGGTGAATCCCTCCTTGGTGAAGTGGCTGACCACTATGATGGGACTGAGGCTTCAGGTGGTACTG
 GAGCAGTGCCTGTAGGCCCTGATGCCATTCTCAGATACGTTCCGAGGGTTGGTATCCCCCCAGCCA
 CTTCTGAGGAGCCAATGGAAGTTCAGGGAGCAGAAAGAGCTTCCCTGAGCCTCAGCGGGAGAATGCT
 TCCCCAGCCCCTGGAACAACAGCAGAAGAGGCCATGTCCGAGGTCCACCTCCTGCTCCTGAGGGGGC
 TCCCGGATGAACAGGATGGAGCTTCACTGAGACAGAACCTTGGCAGCTGCAGTCCCCCAGAATGG
 GTCCCTATTATCCAGCAGGACATTAGAGCCAGCGGAAGGTGAAACCCAGCCCCCTCTGAGTATGCC
 TACCTCAGTGGTATGCCTGCCAAGAGACGCAAGACGATGCAGGGTGAAGGGCCCCAGCTGCTTCTCA
 GAGGCTGTGAGCCGGCAGCTAAGGCAGCCGAGCTCGGCCCTGACGAGCCCCGAGAGCCTGAGCCGG
 GACCTGGAGGCCAGAGGTTCCAGGAGAGCTACAGGCAGCAGCTCCGGTCTGATATACAAAAACGACTG
 CAGGAAGACCCCAACTACAGTCCCAGCGCTTCCCAATGCCAGCGGGCCTTTGCTGATGATCCTAG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
 TACAAGGATGACGACGATAAGGTTAAACGGCCGCGC

Restriction Sites:

SgfI-MluI

Plasmid Map:



ACCN:

NM_001098534

Insert Size:	3381 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001098534.1
RefSeq Size:	3660 bp
RefSeq ORF:	3381 bp
Locus ID:	7917
UniProt ID:	P46379
Cytogenetics:	6p21.33
Protein Families:	Druggable Genome, Stem cell - Pluripotency
MW:	118.7 kDa
Gene Summary:	<p>This gene was first characterized as part of a cluster of genes located within the human major histocompatibility complex class III region. This gene encodes a nuclear protein that is cleaved by caspase 3 and is implicated in the control of apoptosis. In addition, the protein forms a complex with E1A binding protein p300 and is required for the acetylation of p53 in response to DNA damage. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]</p> <p>Transcript Variant: This variant (4) differs in the 5' UTR and utilizes an alternative in-frame splice site in the 5' coding region, compared to variant 1. Variants 2, 3, and 4 encode the same isoform (b), which is 6 aa shorter than isoform a.</p>